#### **Product technical sheet**

## **FITNESS 1118**







14+

< 140 kg


13,0 m2

#### **Product data**

Length	110 cm	
Width	65 cm	
Total height	130 cm	
Age group	14+ years	
Maximum weight of user	140 kg	
Safety zone	13,0 m2	
Free fall height	96 cm	
In accordance with norm EN	16630:2015	
Weight of the heaviest part	11 kg	
Dimensions of the largest part	120x10x10 cm	
Availability of spare parts	YES	
Installation time	1 h	
Color options		


Data is subject to change without prior notice.













VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



### **Material specification**



Powder galvanized and powder-coated or stainless steel construction of  $100 \times 100$  mm profile, dulrable end caps on the top of the structure made of plastic,




Seats/backrests made of durable HPL plate, resistant to weather conditions,



Polycarbonate exercise instructions information plate and phone holder made of durable HDPE plate, resistant to weather conditions,



Powder galvanized and powder coated steel or stainless steel bars,



Bicycle pedals made of HPL plate, resistant to weather conditions,



Moving elements based on a bearing mechanism and a durable braking system - enclosed in a casing that does not require periodic lubrication and maintenance with an HPL plate installed, which ensures the long life of the device.

#### **Additional information**

- equipment adapted for the disabled; device intended for public outdoor gyms;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

#### **Guarantee**

- 30 year guarantee Structural strength of steel and stainless steel components
- 15 year guarantee Structural failure of steel and stainless steel, for dynamic equipment
- 10 year guarantee Structural failure of high density polyethylene and high pressure laminates components
- 5 year guarantee Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46

PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

# Amount of safe surface corresponding with free fall height:


HIC 96

13,0 m<sup>2</sup>

Data is subject to change without prior notice.

## **Surfaces according to EN 16630:2015**

	Description (mm)	Layer thickness (cm)	Maximum fall height (cm)
Concrete / stone / bituminous surfaces (A, B, C)	-	-	≤100
outer soil layer (A,B,C)	-	-	≤120
Turf (A,B,C)	-	-	≤150
bark (A,C)	Particle size from 20 to	30	≤200
Dark (A,C)	80	40	≤300
wood shavings/cuttings (A, C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand (A,C)	Particle size from 0,2 to 2 mm 40	30	≤200
Salid (A,C)		40	≤300
gravel (A,C)	Particle size from 2 to 8	30	≤200
		40	≤300
attested synthetic (A, B, C)	Tested according to EN 1177		99



Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46

PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com