# vinci play

#### **Material specification**

- Powder galvanized and powder coated steel construction,
- The platform is made of recycled HDPE panel, resistant to weather conditions
- Steel springs 20 mm, iron phosphorated and powder coated,
- Stainless steel handrails,
- Screws covered with plastic caps and/or stainless steel screws,



**Product technical sheet** 

3 - 12 years

**RECYCLED RC0712** 

ա ա ա

2 kids


17,6 m<sup>2</sup>


Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com







#### **Guarantee**



30 year guarantee -Structural strength of steel 15 and stainless steel components

Detailed information in the guarantee card

15 year guarantee -

Structural failure of steel and stainless steel, for dynamic equipment

10 year guarantee - Structural 10 failure of high density polyethylene and high pressure laminates components

## Product technical sheet **RECYCLED RC0712**

#### **Product data**

Length	73 cm	
Width	73 cm	
Total height	146 cm	
Age group	3 - 12 years	
Number of users	2 kids	
Safety zone	17,6 m2	
Free fall height	100 cm	
The height of the platforms	54 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	10 kg	
Dimensions of the largest part	92x72x19 cm	
Availability of spare parts	YES	
Installation time 1,5 h		
Data is subject to change without prior potice		

Data is subject to change without prior notice.

#### Additional information

5

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep; •
- render is for reference only, the actual appearance of the equipment and its color may vary;

5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



### Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20	30	≤200
	to 80	40	≤300
woodchips (A,C)	Particle size from 5	30	≤200
	to 30	40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		100


# Product technical sheet RECYCLED RC0712

#### Amount of safe surface corresponding with free fall height:

HIC 100	17,6 m <sup>2</sup>

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com