



Product technical sheet

ROBINIA RB2864







1+

20 kids

32,9 m²



Material specification

- ullet Construction made of Robinia very durable acacia wood with a diameter of ~ 14 cm without sharp edges, resistant to weather conditions,
- Construction made of Robinia very durable acacia wood with a diameter of ~ 18 cm without sharp edges, resistant to weather conditions,
- Platforms made of Robinia very durable acacia wood, resistant to weather conditions,
- Gutter, tanks made of stainless steel, protected from the top with transparent polycarbonate,
- Gutter barriers made of rubber, HDPE and stainless steel,
- Plugs for gutters and tanks made of stainless steel and plastic,
- Water Mill wheel made of stainless steel and polycarbonate,
- Pump made of stainless steel; intended for connection to the public water supply network; stimulated pumping, similar to a hand pump; *concrete block not included,
- Archimedes screw made of stainless steel,
- Screws covered with plastic caps and/or stainless steel screws,



Facilitating disability



easy access



integration



Intellectual development



sensorics





thinking


M: +48 793 404 991











Product technical sheet

ROBINIA RB2864

Product data

Length	355 cm	
Width	330 cm	
Total height	185 cm	
Age group	1+ years	
Number of users	20 kids	
Safety zone	32,9 m2	
Free fall height	< 60 cm	
The height of the platforms	60, 90 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	67,2 kg	
Availability of spare parts	YES	

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- anchoring on flat surface, 80/70 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



30 year guarantee -Structural strength of steel 15 and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



99-400 Łowicz

Vinci Group Sp. z o.o.

Seminaryjna 9 Street



Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
hark (A.C.)	bark (A,C) Particle size from 20 to 80 40	30	≤200
bark (A,C)		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		< 60

B C 08

Product technical sheet

ROBINIA RB2864

Amount of safe surface corresponding with free fall height:

HIC <60 32,9 m²

Data is subject to change without prior notice.

