

**vinci  
play**





**200 mln of  
happy kids**



**High quality**



**2800  
material variants**



**Over 50 countries  
all over the world**



**Advanced  
production  
processes**



**Up to 30 years'  
guarantee on  
components**



**Compliant with  
safety standards**



**ISO and TÜV  
certificates**

# A new era for Vinci Play

Vinci Play is a company bringing happiness to children all around the world.

At Vinci Play, we focus on people who, working in the spirit of sustainable development, create colorful, aesthetic and safe playground equipment that bring happiness to children around the world.

Our inventive designs stimulate children's unbridled curiosity while encouraging them to play together. Millions of satisfied children play on our products every day which are installed in over 50 countries around the world.

Operating on a global market, we understand how important it is to consciously manage our social, environmental and organizational impacts. We listen carefully to the opinions of our stakeholders, look for new solutions every day and never lose sight of what is most important such as business values.

Our professional approach makes us a reliable business partner for companies and institutions that are looking for a competent manufacturer of playgrounds. Our factories are equipped with the latest equipment, including welding robots, 3D and 2D lasers and many other devices, enable efficient and effective order fulfillment. Overall, we employ over 300 people from around the world, and we all have one goal: to witness children's joy in a safe, inspiring and fabulously colorful environment.





# We care for the environment

For years, we have been producing construction elements for playgrounds based on modern technologies of plastic waste processing. Since 2014, the cores of all HDPE panels that we use in our production of play equipment are made of recycled materials. On the other hand, wooden structures of Vinci Play playgrounds are made of wood obtained in accordance with the principles of sustainable forest management. Consequently, we support the ecological balance of our planet. Recycled devices are a perfect fit for global efforts to keep lands and oceans clean, lower the emission of carbon dioxide and to protect the earth's precious resources. Separation of plastic waste and its processing into eco-raw materials are an important element on the way to the "green" future of our children and future generations. Meet the eco-methods of Vinci Play:



Roofs, side panels and manual elements are made of HDPE panels, which are made of recycled ocean nets and ropes.



The construction posts of the equipment are made of highly durable raw material, which is made of recycled textiles and foil.



Using raw Robinia acacia wood, without any chemicals in the form of impregnations and paints, we contribute to the reduction of CO<sub>2</sub> emissions.



Wooden elements of playgrounds are made of wood from certified suppliers managing forests in accordance with the principles of sustainable forest management.

# Get to know our ecological solutions



## Recycled products

For years, we have been striving to ensure that each element of Vinci Play playgrounds is safe for children and the natural environment. Our posts are made of ecoraw material, which is made on the basis of an innovative technology of processing used clothing and foil. This highly durable, eco-friendly material successfully replaces plastics in towers and ladder structures. Thanks to this, we reduce the amount of textile and foil waste in landfills and incinerators, thus reducing the emission of carbon dioxide to the atmosphere.

## Sustainable raw materials

100% ecological playground? With us, it is possible. Not only posts, but also “green” HDPE panels, which we use to build roofs, side panels and other structural and manual elements of Recycled devices, are made of recycled material. As a result, fishing ropes and nets no longer litter the oceans and land, but constitute a solid building material for our eco HDPE panels. This way, we become part of circular solutions for a clean natural environment and the future of all of us.



## Wood from sustainable forest management

Pleasant to the touch, good-quality wood is the basis of a playground that is friendly to children and adults. When building with wood, we do not want to harm nature, which is why our wood comes from certified farms based on the principles of sustainable forest management. We choose suppliers who source wood in such a way as not to reduce forest resources and preserve their biodiversity.

# Take care of the planet with Vinci Play



At Vinci Play, we want the free fun and joyful laughter of children to resonate in a clean, green environment, both now and in the next several dozen years. That is why we use what is best for the youngest and the natural environment - innovative post-consumer recycled materials. By using recycled materials, we help to reduce the incineration and storage of plastic waste, and we also support the development of new technologies for their processing.



## Recycled plastic

We have replaced ordinary plastic with raw material made from used ropes and fishing nets. By using "green plastic", we reduce the amount of plastic waste on land and in the oceans.



## Textile waste

Our durable posts are made of used textiles and foil. Recycling clothes and bags is key to reducing carbon dioxide emissions and reducing waste in landfills.



## Wood

Our wood comes from controlled farms that care for biodiversity and ecological balance. Sustainable forest management prevents unfavorable climate changes.





## Choose wisely

Now together we can make sure that the present and future generations grow up in safe and healthy environment. By choosing Recycled devices, you will build an ecological playground consisting of structural elements made of post-consumer waste.

Our “green” playgrounds are made of used textiles, foil and ocean nets. In this way, from waste that previously polluted the soil and air, we now create cheerful eco-places for creative play. Recycled devices are not only climate neutral, but also very durable and safe to use.

Playgrounds complying with the principles of the circular economy are our goal, which we persistently pursue. That is why we choose raw material suppliers who recover and process post-consumer waste, minimizing their negative impact on the environment. Ecological playgrounds are a choice for a healthy future for all of us.



# Sustainability at Vinci Play

At Vinci Play, we have been ensuring stable and sustainable growth for many years. Operating on a global market, we understand how important it is to be aware when managing our social, environmental and organizational influences. We listen carefully to the opinions of our stakeholders, we look for new solutions every day and never lose sight of what is most important such as values in business.

Sustainable development is one of the key foundations supporting Vinci Play's business growth strategy. We persist in efforts to ensure that our operational activities support the implementation of the UN Sustainable Development Goals. Our intention is to implement the assumptions of the ESG strategy by 2026, which includes 73 tasks that maximize our positive impact in the value chain. We reflect the global partnership for sustainable development in three pillars which are responsibility: towards people, the planet and the community. Each of them pursues specific goals that provide an answer to the expectations of our stakeholders: employees, customers, social and business partners.

Continuously we invest in social potential, responsible resource management, and product safety and quality. We develop our portfolio in the spirit of a circular economy, we focus on the development of renewable energy sources and education ecological. We want our products to support the development of social bonds in every corner of the world. We believe in strength collective partnership, which is why we are an active signatory of real transformations of the world, which are practical emanation is contained in the maxim "conscious participation in a positive transformation for the good of future generations".







### For Society

Vinci Play will support social dialogue and involvement. We intend to develop related projects with ecological education and supporting intergenerational integration and the development of social bonds in the places where we operate. The goals we set for ourselves in this regard include: improving the ESG management structure, raising standards ethics and respect for the rights of stakeholders.

### For the Planet

We will intensify actions to mitigate the effects of climate change. We are planning the transformation of our offices and production plants. We will innovate in terms of designing and expanding the product portfolio in spirit circular and low-emission economy, as well as responsible use of natural resources. The goals we set for ourselves in this respect, there is an increase in, among others, measuring carbon footprint emissions, investing in renewable energy, increasing recycling and upcycling of waste.



### For the People

Vinci Play intends to increase its efforts to support development of the company's employee potential. The company intends to implement numerous projects in the field of employee safety and health and diversity management. The goals we set for ourselves in this respect, among others: an increase in satisfaction of our employees and establishing partnership cooperation throughout value chain.

# What makes us unique

## Advanced production processes

From the design, through production, all the way to shipping, the highest quality and safety of the playground are our priorities at every step of the way. In the production process, we implement only certified materials, and the multi-stage quality control system ensures that all equipment components that leave our production line meet stringent safety norms. We employ top specialists in their field who ensure a high standard of our products, reliable customer service and professional maintenance service of the equipment. Our modern machine park and advanced production organisation facilitate 4-week order processing. We also offer products with a 7 and 14-days production time and goods that are available directly from the warehouse.

We are proud to offer children, their parents and guardians the guarantee of carefree fun and relaxation on the playground, thanks to the strict safety procedures and quality standards implemented within our company.



## Customer service

Our Customer Service department operates guided by the highest standards of cooperation, confirmed by the ISO 9001: 2015 certificate. The employees of this department endeavour to respond to inquiries addressed to the company within the shortest time possible while meeting the expectations of even the most demanding buyers. We guarantee cooperation based on the understanding of the customer's needs and offer full support at every stage of the contract execution, during the warranty period and afterwards.



## Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from well-managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



## Standards and safety

Children's safety is of the utmost importance to us, which is why all Vinci Play equipment complies with the EN 1176 European standard. The products also hold the TÜV Rheinland or TÜV SÜD certificate, which confirms their safety and high quality. Our high-end specialists support the Customer during the playground planning process to guarantee the compliance of the project with the applicable EU safety standards.



## Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.



## Laser steel cutting

The LC5 laser, which is the most modern integrated system for cutting profiles and metal sheets, enables optimal metal processing parameters, allowing to obtain the best results in the shortest time.



## Welding robots

Welding robots working on matrices built especially for our needs. They increase efficiency thanks to the possibility of carrying out welding processes in a continuous manner. The quality of welding connections is at the highest level thanks to the use of the latest CMT technology. All robots work on high-class welding machines.



## Steel welding

Our products are characterised by the highest quality of welds and a precise finish, which guarantees safe use and durability of our playground equipment. A team of highly-qualified welders, supported by cutting-edge welding robots, ensures the finest quality connections of the steel components.



## Abrasive treatment (shot blasting)

The steel used to manufacture the Vinci Play playground equipment is subjected to a shotblasting cleaning process which allows us to obtain the proper surface, as well as even welds and edges. This ensures better paint adhesion, thus making the product even safer, more durable and even more aesthetically pleasing. We use professional shot-blasting chambers to process elements of different sizes. For hot-dip galvanised steel, we use electrocorundum shot blasting, and in the case of carbon steel, we employ shot blasting using broken cast steel shot.



## Powder coating

Our products are aesthetically pleasing and are available in a wide range of colours thanks to the modern powder coating line. We use the highest quality, child-safe paints which hold the QUALICOAT certificate. Our powder coating process complies with strict standards for the temperature of paint heating, coating thickness and adhesion of the paint to steel elements.



## Welding of stainless steel tubes

The entire production process of stainless steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds. At Vinci Play, we implement high-quality AISI 304 and AISI 316 stainless steel.



## Galvanisation

We always galvanise steel components before applying powder paint. Galvanisation offers effective protection of the metal surface against corrosion caused by atmospheric conditions. We use two types of galvanisation: powder and hot-dip. We store metal components galvanised with the help of both techniques, as this allows us to swiftly process orders of our customers.



## Processing ropes

We use the highest quality 16mm-thick steel ropes with polypropylene or nylon braiding for the manufacturing of climbing equipment and components, as well as for bridges and interlaces. We link them with durable fasteners made of plastic, stainless steel or aluminium. The rope elements are dimensioned, cut to the appropriate length, and then connected using hydraulic presses with a pressure of 150 tons.



## CNC

We purchase the HDPE and HPL sheets that we use for the production of our equipment from leading manufacturers around the world. This ensures that we use components of the highest quality. The plates are machined using CNC milling plotters which guarantee precise cutting and milling. The desired shapes and millings – compatible with even the most complicated design requirements – are characterised by their high aesthetic and educational values and at the same time meet the highest standards of safe use.



## Robinia cutting and milling

The 5-axis Robinia acacia wood cutting and milling machine is an excellent tool for precise execution of even the most complex details. Complemented by meticulous manual work in surface grinding, allows us to achieve the best results for production of the Robinia series.








## Hand made finish

Our experienced carpenters passionately process and finish all wooden elements by hand, and each piece of equipment is built individually. The process is complemented by modern 5D machining centres, which precisely prepare repeatable details. This way, we produce the highest quality elements, fast order fulfilment, and high production efficiency.



## Wood processing

CNC saws and industrial robots precisely cut and machine the wood used for the production of wooden parts of our playground equipment. Chamfering of the wood removes any sharp edges, and four-sided surface sanding prepares the wood for the impregnation process. The high quality of wooden elements guarantees the safety of the equipment, and the automation of the process ensures short manufacturing time and fast order realization.



## Wood painting

For the production of our wooden equipment, we use pine wood which has been glued together in plies under pressure. The process of machining square timbers, which entails sanding, impregnation, painting, drying and hardening, takes place on a fully automated production line. The wood undergoes a multi-stage protection process, which guarantees long-term durability of the wooden parts of our equipment and makes them resistant to weather conditions.

# Materials and components

At Vinci Play, we believe that every detail matters, therefore, for the production of our equipment, we use the highest quality materials and components with certificates, and cooperate with world-renowned manufacturers. Only thanks to this we are able to obtain the final product, which is not only aesthetic and functional, but also safe and compliant with applicable standards.



## Wood

Laminated wood with a cross-section of 90 mm x 90 mm. Top-quality first-class wood: without knots, uniform colour, straight grain. Ground, impregnated and varnished over a multi-stage production process. Protected from the top with durable plastic covers and from the bottom with hot-dip galvanised steel anchors, which secure the wood against direct contact with the ground, and thus prevent the development of rot, consequently extending its life span.



## Robinia wood

Acacia is the most durable wood found in Europe. The wood is characterized by natural, light colours. It does not require impregnation due to the content of many oils, which naturally protect the material very well against weather conditions, rotting processes and pests. Acacia is distinguished by exceptional hardness, resistance to moisture or contact with soil. We obtain this wood from European FSC®-certified forests and other controlled sources.



## Stainless steel

An AISI 304 or AISI 316 stainless steel construction used for the production of playground equipment, slides, tube slides, fasteners and chains. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



## Steel components

A steel construction of components is made of profiles with various cross-sections. It is available in the following options:

- hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate,
- as a steel construction: shot-blasted, iron-phosphated, powder galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate.



## Composite posts

The durable posts are made of highly resistant raw material with tough surface, which is made of 100% recycled textiles and foil. Recycling clothes and bags is key to reducing carbon dioxide emissions and reducing waste in landfills.



## HEXA platforms

Anti-slip and waterproof HPL or, optionally, waterproof anti-slip plywood. Cross-structured plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.



## Recycled HDPE

Green high-density polyethylene panels made of 100% recycled ocean waste such as fishing ropes and nets are used in producing roofs, side panels. This ecological material has high resistance to weather conditions and is UV stabilised, which make them very durable and safe to use.



## HDPE

HDPE is a high-density polyethylene. It represents a high-quality material which is resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (with a black core made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



## HPL

HPL is a duroplastic laminate cured with polyurethane-acrylic resins, forming a highly resistant surface layer that protects against external factors. HPL sheets are resistant to chemical and biological factors, UV rays and fluctuating weather conditions. This laminate is used for the production of various types of panels, roofs and other playground components. It is PEFC-certified.





## Printed polycarbonate

An excellent alternative to glass, a very durable material with similar transparency, and at the same time twice as light and 200 times more resistant to impacts. Additionally, it is resistant to weather conditions, including UV rays and a wide range of temperatures. Used by us for the production of panels, covers and windows or spherical 3d windows (portholes).



## PP tunnels

Tunnels with a double wall resistant to deformations, made of PP (diameter of 500 or 600 mm). Resistant to wear and tear, acts of vandalism and external factors.



## Ropes

Galvanised steel ropes with a diameter of 16 mm, covered with polypropylene or nylon, connected with plastic, stainless steel or aluminium connectors, resistant to UV radiation, abrasion and rot.



## Climbing stones

Colourful climbing stones made of durable composite resin with mineral fillers; resistant to abrasion and UV radiation.



## Slides

Slides are made of AISI 304 stainless steel, resistant to acts of vandalism and external factors. Our offer also includes versions made of fiberglass. The side panels of a slide are made of HDPE or HPL sheets, which are resistant to weather conditions, including frost and UV radiation.



## Inox slides

Slides made of AISI 304 stainless steel, resistant to vandalism and external factors. Made with attention to every detail, with the highest quality welds, they are an elegant finish for products for playgrounds.



## Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel. Sheet thickness: 2.5 mm, diameter of the slide: 790 mm, sanded surface. The length of the slide exit depends on the length of the slide itself, the exit cap is made of a pipe with a diameter of 33.7 mm. Available variants: straight, curved or spiral (360 degrees). The tube slides meet the EN 1176 Standard.



## PE tubes

Made of colourful, impact-resistant and scratch-resistant polyethylene (PE) with inside diameter approx. 75cm. Tubes are available in various bright colours, shapes (straight, curved, spiral) and from different heights.



## Anchors

In wooden products we use hot-dip galvanised anchors protecting wood against direct contact with the ground. They prevent rot, thus extend the lifespan of wooden products and ensure many years of use.



## Chains

Certified AISI 304 and AISI 316 stainless steel chains.



## Protective plugs

Rubber or polypropylene protective plugs protect the main construction profiles against weather conditions and children from injuries.



## Bolts

AISI 304 and AISI 316 stainless steel or galvanised bolts are secured against external factors by durable polyamide caps. This makes our equipment resistant to wear and tear as well as to changing weather conditions.



## Movable elements

Elements from the Fitness series based on two groups: the Swiss articulation system – safe, durable and long-lasting, allowing fully guided movement, resistant to overload, weather conditions and vandalism, with a mechanical stop and a durable bearing system closed in the casing, thanks to which it does not require lubrication and maintenance. These parts ensure a long service life of devices with moving parts.



# Guarantee

The highest quality of our products is ensured by experienced specialists and high quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

## Selected warranty periods:



### 30 year guarantee

Structural strength of steel and stainless steel components



### 15 year guarantee

Structural failure of steel and stainless steel, for dynamic equipment; structural elements made of Robinia wood



### 10 year guarantee

Structural failure of high-density polyethylene and high-pressure laminate components; construction elements made of 100% recycled material



### 5 year guarantee

Corrosion of stainless steel and hot-dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

More information on other warranty periods for selected parameters - available on request in the Guarantee Card.






# Design your playground

Design a functional and safe playground with the 3D planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

WATCH VIDEO!




## 1. How to start?

You can easily name the project, define the size of the area and the shape and size of the playground.


## 2. Choosing Vinci Play products

You can search for a Vinci Play product by the age of users, product series, materials or colour versions through a quick and intuitive search engine. The application contains an up-to-date library of all devices available in the offer.



## 3. Adding products, plants and creating a playground of your dreams

Adding equipment or plants is child's play. As soon as you make your choice - just click on the product (or on a plant) and drag it to the selected area. When putting more products, special attention should be paid to ensure that the safety zones of individual elements do not overlap (this is very important!) - when this happens, the contact area will be highlighted in red.



## 4. Defining surface texture

Each playground also has a surface. Not all devices can be installed on grass or sand. You can easily sketch various shapes on the surface that can be made of flexible poured surfaces. Just choose a defined shape - circle, square or hexagon, or draw an irregular shape by hand. It is very easy! Then you can choose the colour or texture of each element of the surface.



## 5. Displaying a 3D view and printing

All steps so far have taken place in top view. It's cool, but the visualization of the playground is something that interests us much more. How to show a 3D view? It's also very easy. Just click one button and the playground we have created will show up in all its glory! The view can be zoomed in and out, shown from different angles, thanks to which we will feel as if we are walking on an already existing playground. We can also quickly print a specific view and leave it with the customer together with the offer.

# What's new?

We have prepared many great additions to our existing offer. Modern designs of new products include proposals for younger and older children, large structures, but also smaller thematic devices that will allow you to create the playground of your dreams.



LOW CO<sub>2</sub> EMISSION



## Recycled devices

Playground equipment complying with the principles of circular economy, with interesting designs created from posts produced from clothes and foil and panels made of ocean wastes.

## High towers

Reach up to the stars! Cone towers with a steel structure, with stainless steel tube slides, bring fun to a new level.

SEE MORE  
NEW ITEMS





**ROBINIA for toddlers**

Nice looking wood equipment intended for the youngest children. Jungle animals, sand play equipment and obstacle courses in the smallest sizes are some of the new products in the Robinia series.



**QUBIX combinations**

Thanks to the modularity of elements in the Qubix series, we have created several combinations with tube slides and rope passages of various heights to give older children unlimited fun on high structures.



**ACTIVE series**

Especially for golden agers, we have prepared devices that help maintain or restore proper body movement, so that they can enjoy health even longer. Maintaining good shape for years is an important element of the daily routine of seniors.



**New thematic devices**

Spring riders, slides, vehicles tailored to our flagship thematic series Space, Jungle and Castillo to expand the offer of great fun.



**ROBINIA sandplay**

New play sets from the much-loved brand, designed specifically to bring even more fun to play with sand. New moving elements, buckets, molds - everything needed for children's favorite fun.



**Inclusive STEEL+**

A new, larger set in the Steel+ series with ramps for wheelchairs will provide inclusive fun for children of various abilities. The psychomotor development of disabled children is a very important element of playground design.



**360° SWING**

Swinging, swaying or spinning? Now you don't have to choose! The 360 degree swing will offer unlimited fun and lots of laughter.



**ROBINIA shades**

A modern playground is not only about fun, but above all about safety. Adjustable shades made of durable material will perfectly protect any playground against excessive exposure to sunlight.



**New FITNESS**

We have expanded the offer of the very popular Fitness series with new devices: two types of bikes, a trampoline and a rowing machine.

# Inclusive playground with reduced carbon footprint



**1** RECYCLED RC1433 p. 51

**2** RECYCLED RC0630 p. 60

**3** RECYCLED RC1482 p. 52

**4** RECYCLED RC1551 p. 51

**5** RECYCLED RC1552 p. 51

**6** HOOP 0703-1 p. 212

**7** SWING ST0511 p. 204





8 RECYCLED RC1437 p. 46

9 RECYCLED RC1505 p. 47

10 RECYCLED RC1427 p. 52

11 RECYCLED RC0924 p. 66

12 RECYCLED RC0934 p. 66

13 PARK 0940 p. 241

# Playground with low CO<sub>2</sub> emission



- 1 RECYCLED RC0934 p. 66
- 2 RECYCLED RC0924 p. 66

- 3 CLIMBOO 0417-1 p. 189
- 4 RECYCLED RC1449 p. 48

- 5 RECYCLED RC0499 p. 58
- 6 RECYCLED RC0712 p. 63



7 RECYCLED RC1443 p. 57

8 RECYCLED RC1405 p. 48

9 RECYCLED RC1452 p. 49

10 RECYCLED RC0685 p. 56

# Reduced carbon footprint sport arena



1 RECYCLED RC0924 p. 66

2 RECYCLED RC0934 p. 66

3 ARENA 241308-002 p. 221



4 WORKOUT RB2301 p. 235

5 FITNESS RB1117 p. 231

6 WORKOUT RB2323 p. 236

7 WORKOUT RB2399 p. 237

8 FITNESS RB1111 p. 231

9 FITNESS RB1108 p. 231

# Natural playground



**LOW CO<sub>2</sub> EMISSION**

- 1 ROBINIA RB1392 p. 110
- 2 ROBINIA RB1228 p. 85
- 3 ROBINIA RB1322 p. 85

- 4 ROBINIA RB1321 p. 85
- 5 ROBINIA RB1369 p. 104

- 6 ROBINIA RB1315 p. 75
- 7 ROBINIA RB1277 p. 91



8 ROBINIA RB1327 p. 99

9 ROBINIA RB1247 p. 84

10 ROBINIA RB1362 p. 104

11 ROBINIA RB1227 p. 85

12 ROBINIA RB1306 p. 72

13 ROBINIA RB1492 p. 107

# Nature play in the city



1 ROBINIA RB1327 p. 99

2 ROBINIA RB1330 p. 99

3 ROBINIA RB1307 p. 72

4 ROBINIA RB1389 p. 110

5 ROBINIA RB1321 p. 85





- 6 ROBINIA RB0514 p. 108
- 7 ROBINIA RB1306 p. 72
- 8 ROBINIA RB1390 p. 110

- 9 ROBINIA RB1351 p. 106
- 10 ROBINIA RB0700 p. 105

- 11 ROBINIA RB1366 p. 104
- 12 ROBINIA RB1309 p. 72

# Natural water & sand playground



4

6

1

2

5

3



1 ROBINIA RB1393 p. 110

2 ROBINIA RB1324 p. 85

3 ROBINIA RB1323 p. 85

4 ROBINIA RB1336 p. 102

5 ROBINIA RB1366 p. 104

6 ROBINIA RB1328 p. 99



7 ROBINIA RB2867 p. 101

8 ROBINIA RB1223 p. 93

# Modern playground



**MODULAR  
SYSTEM**



## Modern design that perfectly matches urban spaces

The QUBIX series made of the highest quality materials, filled with elements of activity and attractive graphics - is a place to develop motor coordination while providing a lot of fun.



## Modern design in a new edition

Elegant colours, natural materials, or drawings prepared by our talented graphic designers - the choice is wide. All made of the highest quality materials and with attention to every detail, thanks to which we can respond to every, even the most demanding, project.

# Thematic playground



- 1 SOLO 0826 p. 154
- 2 CLIMBOO 0419-1 p. 189

- 3 CASTILLO 3028-1 p. 127
- 4 SWING ST1494 p. 206

- 5 SPRING 0651 p. 196



6 CASTILLO 3080 p. 131

8 SPRING 0622 p. 197

9 SPRING 0674 p. 199

7 SOLO 0802-1 p. 158

# Inclusive playground



1 SPRING 0630 p. 198

2 STEEL+ 1725 p. 133

3 HOOP 0712 p. 214

4 SOLO WD1443 p. 156

5 CLIMBOO 0499 p. 186

6 SPRING 0671 p. 199

7 SWING ST1494 p. 206





8 SWING ST0509 p. 210

9 SPRING 0608-2 p. 197

10 STEEL+ 1726 p. 133

11 HOOP 0728 p. 212

12 SWING ST0531 p. 203

13 PARK 0926 p. 240

14 PARK 0905-1 p. 241





**Be more eco  
with Vinci Play!**



# Recycled, a better way!



Caring for the future of children and future generations, the idea was born to replace our classic elements of play equipment construction with post-consumer recycled materials. As a result, we have created a group of Recycled products based in 100% on recyclable materials that lower carbon emission.

Towers, slides, ladders, sandboxes, educational panels, spring rockers, swings and complementary elements, such as benches and litter bins - all produced with the use of recyclable materials.


**LOW CO<sub>2</sub>  
EMISSION**





### Composite posts

Recycled posts made of an innovative material made of used clothing and foil. The characteristics include, among others that this material: does not corrode, is durable as steel, resistant to algae formation, does not absorb water and is resistant to UV radiation.



### HDPE with recycled core

A high-quality material resistant to atmospheric agents, i.e. it is waterproof, resistant to frost, UV radiation or moisture. We use three-layer plates (a black core is made of 100% recycled granulate) for the production of various panels, roofs and other playground components.



### Recycled HDPE panels

Roofs, side panels and moving elements manufactured from ocean waste – fishing ropes and nets. With high durability and resistance to weather conditions these panels allow to create a playground with almost 100% recycled elements, contributing to a healthier environment for future generations.



### Stainless steel bars

AISI304 or AISI316 stainless steel bars are used as handrails, fireman's poles, climbing frames, ladders. With a smooth surface, it is completely weather-resistant, thus ensuring its long life span.



### Plywood platforms

Anti-slip and waterproof platforms and climbing walls made of plywood coated with a hot-pressed phenolic film with a honeycomb surface imprint – it offers increased resistance to abrasion, mechanical damage and chemical agents. It is PEFC-certified.



### HPL elements

HPL panels are being used as supplement in various types of equipment, harmonising with recycled style of the series. This laminate is resistant to chemical and biological factors and weather conditions.



# wooden recycled

## Wooden now Recycled!

The WOODEN series released now in a new version. Instead of structures made of painted wood, we have included devices from the well-known and popular series in Recycled option.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly Recycled equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



RC1503



RC1401



RC1402



RC1403



RC1437



RC1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-
RC1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-
RC1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●	-
RC1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●	-



RC1434



RC1436



RC1504



RC1505



RC1506



RC1502



RC1501

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1434	●	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●	-
RC1436	-	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●	-
RC1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1504	●	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●	-
RC1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	-
RC1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	-
RC1502	●	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	-



RC1405



RC1404



RC1406



RC1408



RC1409



RC1449



RC1438



RC1410

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	-	-	●	●	-
RC1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●	-
RC1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●	-
RC1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	-	-	●	●	-
RC1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	-	-	●	●	-
RC1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	●	-
RC1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	-	-	●	●	-
RC1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	-	-	●	●	-





RC1411



RC1412



RC1413



RC1439



RC1450



RC1451



RC1452

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-	●	●	-
RC1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	●	●	-
RC1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	●	-
RC1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-	●	●	-
RC1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-	●	●	-
RC1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	-
RC1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	-










RC1414




RC1415




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1414		395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-			-
RC1415		615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-			-



RC1433



RC1581



RC1418



RC1580



RC1550



RC1551



RC1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels variants	
											steel	wood	recycled	HDPE	HPL
RC1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●	-
RC1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	●	-
RC1418	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	●	-
RC1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	●	-
RC1550	●	386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-	●	●	-
RC1551	●	292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-	●	●	-
RC1552	●	244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●	-

\*Height of tube slides.

# solo • recycled

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of a child.



RC0824



RC1455




RC1427



RC0800

RC1456



RC1416




RC1482




RC1457

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	-	-	-	●	-
RC1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1457	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC1458




RC1429



RC0801



RC0802

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0801	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC0802	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-



RC0810



RC0813



RC0811



RC0812



RC0825

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	-
RC0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	-



RC1467



RC1468




RC1469



RC1470



RC1471



RC1472



RC1473




RC1474




RC1475



RC1476



RC1477



RC1478



RC1560



RC1561



RC1562




RC1563




RC1564



RC1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
RC1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	●	-
RC1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-




RC0685



RC0817



RC0816

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	wood	recycled	HDPE	HPL
RC0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0817	-	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC0816	-	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	●	-





RC1440




RC1441

RC1442

RC1443

RC1444





RC1445

RC1446

RC1447

RC1448



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction			Panels variants	
												steel	wood	recycled	HDPE	HPL
RC1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●	-
RC1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●	-
RC1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●	-
RC1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●	-
RC1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●	-
RC1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●	-
RC1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●	-
RC1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●	-
RC1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●	-

# climboo recycled

## Climb, crawl and pull-up


The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



RC1463



RC1459



RC1461



RC1462



RC1460



RC0499



RC1419

See also from regular CLIMBOO series on: [www.vinci-play.com](http://www.vinci-play.com)



0417-1



0421



1716

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants		
									steel	wood	recycled	HDPE / HPL	ropes	
RC1463	-	536 cm	316 cm	230 cm	7 - 16	52	60,4 m <sup>2</sup>	220 cm	150 cm	-	-	●	● / ●	●
RC1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
RC1461	-	535 cm	306 cm	140 cm	3 - 14	28	44,7 m <sup>2</sup>	< 60 cm	29, 59 cm	-	-	●	● / -	●
RC1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	●
RC1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	●
RC0499	-	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	●
RC1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	●



# spring recycled

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.



RC0607

See also from regular SPRING series on: [www.vinci-play.com](http://www.vinci-play.com)



0652




0611-1



0681




RC0622




RC0633



RC0630

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0607	-	74 cm	43 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-
RC0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0630	●	110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm	●	-



RC0627



RC0612



RC0619



RC0606




RC0608



RC0615



RC0609


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm	●	-
RC0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-
RC0608	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm	●	-
RC0612	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm	●	-
RC0619	●	100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm	●	-
RC0615	-	62 cm	43 cm	79 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm	●	-
RC0609	-	80 cm	43 cm	74 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm	●	-




LOW CO<sub>2</sub>  
EMISSION




RC0660



RC0670



RC0671

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
RC0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm	●	-
RC0670	-	333 cm	28 cm	86 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm	●	-
RC0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm	●	-

# hoop recycled

## Spin, spin!

The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system.

See also from regular HOOP series on: [www.vinci-play.com](http://www.vinci-play.com)



0703-1



0714




0711



RC0712



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	●	-	-	●	-

# swing recycled

## Swinging in full swing!

The SWING series includes classic equipment beloved by younger and older children.

Colourful single swings, see-saw swings, multi-swings with bird's nest seats and weight-balanced multi-swings offer a pleasant thrill for children and encourage them to play with their friends.

See also from regular SWING series on: [www.vinci-play.com](http://www.vinci-play.com)



ST1421



ST0528



ST0511



RC1425



RC0522

New!



RC1492

MODULAR SYSTEM



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour variants	
									steel	wood	recycled	HDPE	HPL
RC1425	-	270 cm	40 cm	115 cm	3 - 14	2	11,1 m <sup>2</sup>	99 cm	-	-	●	●	-
RC0522	-	240 cm	39 cm	81 cm	1 - 8	2	9,7 m <sup>2</sup>	< 60 cm	●	-	-	●	-
RC1492	-	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	●	-





LOW CO<sub>2</sub>  
EMISSION



# park recycled

## Small park architecture


The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.


The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.




RC1483



RC1486



RC0934



RC0923



RC0924




RC1484



RC1485

See also from regular PARK series on: [www.vinci-play.com](http://www.vinci-play.com)




0913



0920



0940



RC0921

Product code		Product length	Product width	Product height	Panels		Construction		
					HDPE	HPL	steel	wood	recycled
RC1483	-	50 cm	10 cm	170 cm	-	-	-	-	●
RC1486	-	280 cm	12 cm	76 cm	●	-	-	-	●
RC0934	-	36 cm	35 cm	100 cm	●	-	●	-	-
RC0923	-	159 cm	35 cm	36 cm	●	-	●	-	-
RC0924	-	159 cm	42 cm	78 cm	●	-	●	-	-
RC1484	-	120 cm	13 cm	76 cm	●	-	-	-	●
RC1485	-	170 cm	14 cm	76 cm	●	-	-	-	●
RC0921	-	261 cm	6 cm	116 cm	●	-	●	-	-



Characteristics of the RECYCLED series:



100% recycled HDPE



Composite construction or elements



HDPE with recycled core



HPL HEXA platforms



Stainless steel construction or elements



Galvanised steel construction or elements



Stainless steel slides



PE tube slides



Ropes with steel core



PP tunnels



Stainless steel chains



Durable steel spring



Spinning elements



Protective tops



Durable connectors

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)





**Be closer  
to nature  
with Vinci Play!**



# Robinia, naturally!

The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.



Polycarbonate components



Produced from natural raw material

Movable and educational elements

Stainless steel elements

Durable HPL

SEE ROBINIA CATALOGUE!



Climbers and ladders of varying difficulty

Stainless steel slides

PAH - free rubber



### Robinia wood

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.



### Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD and TÜV Rheinland. In addition, our production plants undergo periodic control audits by independent certification bodies.



### Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



### Polycarbonate

Our devices are enriched with components made of transparent polycarbonate, which is an excellent alternative to glass. Twice lighter and at the same time two hundred times more resistant to impacts, this material is perfect as a functional and aesthetic detail in devices for playgrounds. Additionally, it is resistant to UV rays, weather conditions and temperatures in a wide range.



### Stainless steel

Gutters, troughs and bathtubs made of AISI 304 or AISI 316 stainless steel with a suitably smooth surface finish allow children to play in water and sand. With proper maintenance, stainless steel remains unaffected by weather conditions, which ensures its long service life.



### Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.



### Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



### Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.



# Robinia



## Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. This timber is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating of an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1309




RB1306



RB1308



RB1307

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1309	-	445 cm	365 cm	250 cm	3+	13	37,3 m <sup>2</sup>	< 60 cm
RB1306	-	195 cm	185 cm	265 cm	3+	3	19,2 m <sup>2</sup>	< 60 cm
RB1308	●	295 cm	225 cm	280 cm	3+	5	23,2 m <sup>2</sup>	90 cm
RB1307	-	370 cm	220 cm	250 cm	3+	7	27,3 m <sup>2</sup>	< 60 cm







RB1334



RB1301




RB1305



RB1302



RB1311

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m <sup>2</sup>	< 60 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,5 m <sup>2</sup>	90 cm
RB1302	-	371 cm	326 cm	200 cm	3+	12	32,9 m <sup>2</sup>	165 cm
RB1305	-	605 cm	292 cm	250 cm	3+	6	35,6 m <sup>2</sup>	130 cm
RB1311	-	615 cm	375 cm	250 cm	3+	18	51,0 m <sup>2</sup>	200 cm



RB1313




RB1314



RB1315



RB 1316

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1313	-	460 cm	405 cm	340 cm	5+	5	36,2 m <sup>2</sup>	165 cm
RB1314	-	875 cm	410 cm	340 cm	5+	12	55,4 m <sup>2</sup>	165 cm
RB1315	-	1110 cm	780 cm	370 cm	5+	21	88,9 m <sup>2</sup>	180 cm
RB1316	-	510 cm	340 cm	280 cm	5+	16	40,6 m <sup>2</sup>	90 cm



RB1201



RB1203



RB1202




RB1205




RB1206



RB1207

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1201	●	150 cm	150 cm	195 cm	1+	4	18,3 m <sup>2</sup>	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	20,7 m <sup>2</sup>	< 60 cm
RB1203	●	270 cm	270 cm	220 cm	1+	9	26,3 m <sup>2</sup>	< 60 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	26,7 m <sup>2</sup>	90 cm
RB1206	-	350 cm	335 cm	315 cm	2+	9	30,0 m <sup>2</sup>	90 cm
RB1207	●	580 cm	340 cm	315 cm	2+	21	45,0 m <sup>2</sup>	90 cm






RB1211



RB1215


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,2 m <sup>2</sup>	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	50,2 m <sup>2</sup>	238 cm



RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	61,5 m <sup>2</sup>	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	84,3 m <sup>2</sup>	238 cm



RB1241



RB1243




RB1244



RB1242




RB1245





RB1246



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,8 m <sup>2</sup>	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	32,7 m <sup>2</sup>	90 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	18,3 m <sup>2</sup>	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	18,3 m <sup>2</sup>	< 60 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	29,3 m <sup>2</sup>	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	52,3 m <sup>2</sup>	90 cm





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m <sup>2</sup>	90 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,6 m <sup>2</sup>	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	25,0 m <sup>2</sup>	110 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,6 m <sup>2</sup>	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,4 m <sup>2</sup>	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	5	22,1 m <sup>2</sup>	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,3 m <sup>2</sup>	90 cm



RB1238



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238		850 cm	630 cm	460 cm	3+	40	76,5 m <sup>2</sup>	150 cm





New!

RB1247

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1247	-	1140 cm	535 cm	310 cm	3+	36	83,9 m <sup>2</sup>	120 cm



RB1323



RB1324



RB1322



RB1321




RB1227



RB1228



RB1229

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1323	-	150 cm	30 cm	20 cm	-	-	-	-
RB1324	-	85 cm	25 cm	25 cm	-	-	-	-
RB1321	-	155 cm	155 cm	130 cm	-	-	-	-
RB1322	-	190 cm	145 cm	220 cm	-	-	-	-
RB1227	-	215 cm	65 cm	205 cm	2+	10	15,5 m <sup>2</sup>	< 60 cm
RB1228	-	205 cm	40 cm	205 cm	2+	10	15,2 m <sup>2</sup>	< 60 cm
RB1229	-	260 cm	210 cm	330 cm	2+	8	21,9 m <sup>2</sup>	< 60 cm



RB1251

RB1252

RB1259

RB1253




RB1255

RB1256

RB1257


Customise your own obstacle course




RB1254

RB1258

RB1260

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,3 m <sup>2</sup>	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	12,1 m <sup>2</sup>	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m <sup>2</sup>	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	6+	3	14,6 m <sup>2</sup>	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,5 m <sup>2</sup>	< 60 cm
RB1256	-	500 cm	170 cm	59 cm	3+	11	25,7 m <sup>2</sup>	< 60 cm
RB1257	-	630 cm	290 cm	59 cm	3+	16	34,5 m <sup>2</sup>	< 60 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m <sup>2</sup>	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m <sup>2</sup>	< 60 cm
RB1260	-	250 cm	140 cm	130 cm	3+	4	20,7 m <sup>2</sup>	< 60 cm



RB1264



RB1265



RB1266




RB1267



RB1263



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m <sup>2</sup>	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m <sup>2</sup>	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m <sup>2</sup>	120 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,1 m <sup>2</sup>	190 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m <sup>2</sup>	80 cm



RB1279



RB1270



RB1271



RB1284



RB1283



RB1278



RB1287




RB1286



RB1269



RB1288

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1279	-	225 cm	125 cm	99 cm	2+	3	20,4 m <sup>2</sup>	99 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m <sup>2</sup>	< 60 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m <sup>2</sup>	< 60 cm
RB1278	-	226 cm	70 cm	25 cm	3+	5	17,1 m <sup>2</sup>	< 60 cm
RB1283	-	450 cm	140 cm	115 cm	4+	4	31,1 m <sup>2</sup>	115 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	23,8 m <sup>2</sup>	210 cm
RB1286	-	360 cm	125 cm	105 cm	6+	8	26,1 m <sup>2</sup>	< 60 cm
RB1287	-	245 cm	70 cm	155 cm	4+	2	18,2 m <sup>2</sup>	< 60 cm
RB1288	-	295 cm	130 cm	100 cm	4+	6	23,7 m <sup>2</sup>	77 cm
RB1269	-	200 cm	60 cm	30 cm	2+	8	14,6 m <sup>2</sup>	< 60 cm





RB1272



RB1273



RB1274



RB1262



RB1280




RB1261



RB1357



RB1289

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1272	-	375 cm	50 cm	160 cm	3+	7	21,7 m <sup>2</sup>	< 60 cm
RB1273	-	475 cm	290 cm	180 cm	3+	11	30,8 m <sup>2</sup>	90 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m <sup>2</sup>	117 cm
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m <sup>2</sup>	238 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	45,9 m <sup>2</sup>	83 cm
RB1357	-	215 cm	125 cm	350 cm	3+	11	17,4 m <sup>2</sup>	< 60 cm
RB1261	-	215 cm	60 cm	195 cm	3+	5	15,1 m <sup>2</sup>	< 60 cm
RB1289	-	160 cm	135 cm	285 cm	3+	9	15,8 m <sup>2</sup>	< 60 cm



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1282




RB1380

New!



RB1285

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m <sup>2</sup>	120 cm
RB1380	●	170 cm	170 cm	50 cm	4+	6	20,2 m <sup>2</sup>	< 60 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m <sup>2</sup>	175 cm



RB1277



RB1281





RB1276



RB1275




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m <sup>2</sup>	190 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m <sup>2</sup>	110 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m <sup>2</sup>	110 cm
RB1281	●	335 cm	320 cm	115 cm	3+	8	30,3 m <sup>2</sup>	115 cm




Watch movie:



Customise your own obstacle course



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1218	-	860 cm	50 cm	190 cm	3+	16	38,6 m <sup>2</sup>	< 60 cm
RB1219	-	1060 cm	280 cm	195 cm	3+	24	53,5 m <sup>2</sup>	< 60 cm
RB1220	-	1380 cm	565 cm	190 cm	3+	51	106,3 m <sup>2</sup>	< 60 cm
RB1221	-	1195 cm	195 cm	190 cm	3+	23	55,9 m <sup>2</sup>	< 60 cm
RB1222	-	1225 cm	520 cm	245 cm	5+	46	98,9 m <sup>2</sup>	190 cm



RB1223



RB1224

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1223	-	940 cm	510 cm	295 cm	3+	42	82,8 m <sup>2</sup>	190 cm
RB1224	-	1330 cm	940 cm	295 cm	6+	62	130,9 m <sup>2</sup>	200 cm




RB1319




RB1310




RB1312

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,4 m <sup>2</sup>	200 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m <sup>2</sup>	200 cm
RB1312	-	444 cm	441 cm	240 cm	5+	22	53,5 m <sup>2</sup>	240 cm





Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1381	-	265 cm	265 cm	255 cm	3+	10	30,0 m <sup>2</sup>	99 cm
RB1382	-	310 cm	310 cm	305 cm	3+	14	35,3 m <sup>2</sup>	99 cm
RB1383	-	700 cm	700 cm	450 cm	3+	44	78,5 m <sup>2</sup>	100 cm








RB1291



RB1295



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1290	-	145 cm	105 cm	150 cm	2+	4	15,6 m <sup>2</sup>	< 60 cm	59 cm	94 cm	59 cm
RB1291	-	201 cm	102 cm	180 cm	2+	4	17,1 m <sup>2</sup>	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	3+	4	18,6 m <sup>2</sup>	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m <sup>2</sup>	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	3+	5	23,4 m <sup>2</sup>	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	3+	2	16,9 m <sup>2</sup>	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	3+	2	17,8 m <sup>2</sup>	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	3+	2	18,9 m <sup>2</sup>	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	2	19,9 m <sup>2</sup>	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	2	21,2 m <sup>2</sup>	< 60 cm	210 cm	372 cm	25 cm



**MODULAR SYSTEM**



RB1331

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m <sup>2</sup>	< 60 cm



RB1327



RB1330

New!



RB1326




RB1328



RB1333



RB1347

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1327	●	265 cm	170 cm	215 cm	1+	8	21,5 m <sup>2</sup>	< 60 cm
RB1330	●	200 cm	110 cm	185 cm	1+	3	18,6 m <sup>2</sup>	< 60 cm
RB1326	●	195 cm	150 cm	215 cm	1+	5	18,3 m <sup>2</sup>	< 60 cm
RB1328	●	405 cm	195 cm	280 cm	3+	12	26,5 m <sup>2</sup>	< 60 cm
RB1333	●	560 cm	560 cm	210 cm	1+	52	72,0 m <sup>2</sup>	< 60 cm
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m <sup>2</sup>	99 cm



RB2851



RB2852




RB2854



RB2856




RB2859



RB2862



RB2864

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2851	●	95 cm	80 cm	120 cm	1+	5	12,6 m <sup>2</sup>	< 60 cm
RB2852	●	295 cm	30 cm	120 cm	1+	9	17,4 m <sup>2</sup>	< 60 cm
RB2854	●	340 cm	90 cm	155 cm	1+	16	21,9 m <sup>2</sup>	< 60 cm
RB2856	●	200 cm	180 cm	180 cm	1+	14	20,2 m <sup>2</sup>	< 60 cm
RB2859	●	375 cm	315 cm	125 cm	1+	14	27,7 m <sup>2</sup>	< 60 cm
RB2862	●	310 cm	225 cm	170 cm	1+	12	26,9 m <sup>2</sup>	95 cm
RB2864	●	355 cm	330 cm	185 cm	1+	20	32,9 m <sup>2</sup>	< 60 cm




RB2866



RB2867



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2866	●	410 cm	335 cm	310 cm	1+	17	33,1 m <sup>2</sup>	90 cm
RB2867	●	715 cm	410 cm	185 cm	1+	41	52,5 m <sup>2</sup>	90 cm



RB1339



RB1336

New!



RB1337



RB1338




RB1340




RB1346




RB1345

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1339	●	220 cm	75 cm	120 cm	1+	3	15,3 m <sup>2</sup>	< 60 cm
RB1337	●	40 cm	25 cm	100 cm	2+	1	9,1 m <sup>2</sup>	< 60 cm
RB1338	●	40 cm	30 cm	100 cm	2+	1	9,3 m <sup>2</sup>	< 60 cm
RB1336	●	195 cm	65 cm	225 cm	2+	2	16,1 m <sup>2</sup>	< 60 cm
RB1340	●	125 cm	45 cm	115 cm	1+	2	12,7 m <sup>2</sup>	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm
RB1345	●	37 cm	22 cm	90 cm	1+	2	9,6 m <sup>2</sup>	< 60 cm



RB1344




RB1341



RB1342



RB1343

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m <sup>2</sup>	< 60 cm
RB1341	●	155 cm	25 cm	150 cm	1+	2	12,9 m <sup>2</sup>	< 60 cm
RB1342	●	125 cm	20 cm	140 cm	1+	2	11,7 m <sup>2</sup>	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,1 m <sup>2</sup>	< 60 cm



RB1361



RB1362



RB1363



RB1366




RB1364



RB1369



RB1365

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m <sup>2</sup>	< 60 cm
RB1362	-	81 cm	36 cm	84 cm	1+	1	10,9 m <sup>2</sup>	< 60 cm
RB1363	-	84 cm	40 cm	84 cm	1+	1	11,1 m <sup>2</sup>	< 60 cm
RB1366	-	90 cm	50 cm	85 cm	1+	1	11,7 m <sup>2</sup>	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,9 m <sup>2</sup>	< 60 cm
RB1369	●	97 cm	97 cm	47 cm	3+	3	12,4 m <sup>2</sup>	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m <sup>2</sup>	< 60 cm





RB1372




RB1373



RB1375



RB0700

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m <sup>2</sup>	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m <sup>2</sup>	100 cm
RB1375	-	255 cm	20 cm	150 cm	3+	3	16,7 m <sup>2</sup>	< 60 cm
RB0700	-	50 cm	50 cm	45 cm	3+	3	15,9 m <sup>2</sup>	100 cm



RB1351



RB1352




RB1422



RB1491



RB1424




RB1421

Available seats:



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m <sup>2</sup>	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m <sup>2</sup>	99 cm
RB1421	-	205 cm	260 cm	238 cm	1+/3+	1	13,0 m <sup>2</sup>	130 cm
RB1422	-	205 cm	370 cm	238 cm	1+/3+	2	21,5 m <sup>2</sup>	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+/3+	3	35,2 m <sup>2</sup>	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+/3+	4	42,5 m <sup>2</sup>	130 cm



RB1423

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1492



RB1494



RB1497




RB0520



RB0517



RB0513

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m <sup>2</sup>	130 cm
RB1492	●	205 cm	512 cm	238 cm	1+/3+	8	31,8 m <sup>2</sup>	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+/3+	9	40,3 m <sup>2</sup>	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m <sup>2</sup>	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m <sup>2</sup>	145 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m <sup>2</sup>	105 cm

**New!**



RB0514



**MODULAR SYSTEM**



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



RB0510


Available seats:




RB0511



RB0512

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0514	-	125 cm	25 cm	145 cm	1+/3+	1	11,9 m <sup>2</sup>	< 60 cm
RB0510	-	20 cm	170 cm	180 cm	1+/3+	1	11,4 m <sup>2</sup>	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+/3+	2	21,2 m <sup>2</sup>	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+/3+	3	31,0 m <sup>2</sup>	99 cm



RB0515



RB0521-1



Available length:  
20 m, 30 m, 40 m

RB1385



Available length:  
20 m, 30 m, 40 m


RB1386



RB1385H



RB1386H

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB0515	-	650 cm	620 cm	240 cm	1+/3+	5	46,5 m <sup>2</sup>	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,6 m <sup>2</sup>	130 cm
RB1385	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	175 cm
RB1386	-	2440 cm	310 cm	400 cm	5+	2	133,4 m <sup>2</sup>	175 cm
RB1385H	-	2465 cm	340 cm	400 cm	5+	1	84,4 m <sup>2</sup>	85 cm
RB1386H	-	2440 cm	265 cm	400 cm	5+	2	133,4 m <sup>2</sup>	85 cm

**New!**

More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)



RB1387



RB1388



RB1389



RB1350



RB1348



RB1349



RB1391



RB1395



RB1399



RB1392




RB1390



RB1394



RB1393

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1387	-	420 cm	475 cm	240 cm	-	-	-	-
RB1388	-	470 cm	470 cm	240 cm	-	-	-	-
RB1389	-	930 cm	575 cm	340 cm	-	-	-	-
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1390	-	155 cm	60 cm	85 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1399	-	50 cm	20 cm	180 cm	-	-	-	-
RB1394	-	150 cm	75 cm	75 cm	-	-	-	-
RB1393	-	150 cm	170 cm	75 cm	-	-	-	-



RB1268




RB1396



RB1398



RB1397

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1268	-	275 cm	65 cm	120 cm	-	-	-	-
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-

Characteristics of the ROBINIA series:



Robinia wood construction



Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



Polycarbonate (PC) panels



Durable connectors








**Get higher  
with Vinci Play!**






# Let's play in the sky!

Tall conical and cubic towers reaching to the sky are a paradise for children. Made of the highest quality materials, with a beautiful design, enriched with educational elements and musical panels, as well as stainless steel tube slides. Thanks to the modular system, they can be the whole playground themselves or be its main advantage.



## MODULAR SYSTEM



### Construction

Steel construction of high modular tower equipment is made of sturdy profiles hot-dip galvanised and powder coated with UV-resistant paints holding the QUALICOAT certificate available in a great variety of colours. Our products are aesthetically pleasing and prepared with great care to obtain highest quality design requirements.



### Modular system

High tower sets can consist of many different configurations. They are available with different height options, can be made of single elements, or connected by steel passages or bridges. This makes them flexible to fit any project.



### Educational panels

Various educational elements made of the highest quality HPL panels make the playground more attractive, creating an interesting place not only for teenagers but also for younger children.



### Design by Vinci Play

Side walls of tower sets can be made of very durable material, resistant to weather conditions, including UV rays and a wide range of temperatures. Covered with cheerful graphics created from scratch by a team of creative graphic artists, it allows to customize the appearance of any playground.




### Openwork steel passages

Passages made of thick stainless wire create openwork spiral passages connecting individual parts of equipment. This makes the structure look lighter and allows children to play with a bit of a thrill.



### Musical panels

To make it even more fun our products can be boosted by musical elements made of the highest quality stainless steel and colorful talking tubes.



### Activity elements

Inside the cubes and cones, there are many activity ladders, nets, and bridges, made of galvanised steel ropes in polypropylene braid, linked with durable fasteners. The rope elements are processed using hydraulic presses with a pressure of 150 tons. These rope nets are a real challenge for children, thus supporting their psycho-motor development.



### Stainless steel Tube slides

Slides made of certified AISI 304 and AISI 316 stainless steel with 790mm diameter, sanded surface. Available variants: straight, curved or spiral depending on the design. The entire production process of stainless-steel tube slides is performed by highly-qualified Vinci Play employees. They design the tubes, then roll them with high precision, match all the elements of the device, and finally, connect the components using durable and secure welds.

# Qubix

**New series!**

## Have fun in cubes!

The new QUBIX series are geometric constructions filled with activity elements. Their modern design fits perfectly into urban spaces, while providing children and teenagers with a great place to develop their motor coordination. Interesting graphics and symmetrical shapes of steel structures will delight both children and caregivers.




2505




2502



2503




2504



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels			
											steel	inox	wood	HDPE	HPL
2505	-	1320 cm	955 cm	890 cm	4 - 14	47	73,5 m <sup>2</sup>	150 cm	-	220, 560, 660 cm	●	●	-	-	●
2502	-	250 cm	245 cm	225 cm	4 - 14	20	28,0 m <sup>2</sup>	< 60 cm	-	-	●	●	-	-	●
2503	-	765 cm	315 cm	445 cm	4 - 14	33	43,9 m <sup>2</sup>	< 60 cm	-	220 cm	●	●	-	-	●
2504	-	1030 cm	325 cm	665 cm	4 - 14	45	43,7 m <sup>2</sup>	< 60 cm	-	560 cm	●	●	-	-	●



2506



2507

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
2506	-	2050 cm	780 cm	665 cm	4 - 14	90	85,6 m <sup>2</sup>	< 60 cm	-	560 cm	●	●	-	-	●	●
2507	-	2315 cm	1365 cm	885 cm	4 - 14	135	133,5 m <sup>2</sup>	99 cm	-	220, 560, 665 cm	●	●	-	-	●	●

Characteristics of the QUBIX series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



UV printed PC panels



Polycarbonate (PC) panels



Stainless steel tube slides



Durable connectors



Ropes with steel core

Colour & material options\*:



Construction:



Tubes:

● Painted steel RAL7016

- Stainless steel

● Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# jungle

## Wild adventure!

The JUNGLE series will allow you to climb to the heights and conquer the unconquered.

High, up to 9,5 meters above the ground, the greatest adventures will take place like in the crown of trees! Among green leaves, branches and colourful cheerful graphics, everyone will be able to turn into a traveler and explorer.

High tube slides are really fun - not only for small kids, and the climbing elements are a challenge and encouragement to be active.



3231

### See also from the other series:



0672 (p. 199)



0674 (p. 199)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/jungle-set](http://www.vinci-play.com/jungle-set)

**New!**




3201

3202

3203

3204

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3231	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	-
3201	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3202	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3203	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3204	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-



3227



3240



3230












Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3227		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-		-
3230		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3240		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-



3241



3245

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels		
											steel	inox	wood	HDPE	HPL
3241		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3245		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-





3260

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction		Panels		
										steel	inox	wood	HDPE	HPL
3260	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	●	-	●	-

### Characteristics of the JUNGLE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

### Colour & material options\*:



Construction:

- Painted steel RAL1011
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# space

## Explore the universe!

The SPACE series is a fulfillment of childhood dreams of space travel.

The towers up to 9,5 meters high, like space rockets, will lift children high above the ground. Colourful graphics, lots of activity and play elements, including tube slides made of the highest quality stainless steel, will not let you get bored.



3427

**See also from the other series:**



0711 (p. 215)




0673 (p. 196)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/space-set](http://www.vinci-play.com/space-set)



3401

3402

3403

3404










Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3427	●	535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	-
3401	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3402	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3403	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-
3404	●	570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-	●	●	-	●	-



3430



3431

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction Panels				
											steel	inox	wood	HDPE	HPL
3430		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-		-
3431		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm			-		-
















3440



3441



3445

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HPL	
3440		1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm			-		-
3441		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3445		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3460

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction					Panels	
											steel	inox	wood	HDPE	HPL	steel	HPL
3460		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm			-			-	

### Characteristics of the SPACE series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



Stainless steel tube slides

### Colour & material options\*:



Construction:



Slides:



Tubes:

Painted steel RAL5000

Stainless steel

- Stainless steel

- Fiberglass

- Stainless steel

- PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# castillo

## Explore a castle theme!

Breathtaking castles, monumental towers, passages and hiding places made of rope elements, tube slides... And much more! Each child will be able to feel the atmosphere of medieval times, turn into knights and princesses, fight dragons, and lock the wicked in dungeons.

Castillo towers made of the highest quality materials will provide guaranteed entertainment for users of all ages.



3001-1



3040-1

See also from the other series:



0826 (p. 154)



0651 (p. 196)



ST1421 (p. 205)

Find all complementary devices on: [www.vinci-play.com/castillo-set](http://www.vinci-play.com/castillo-set)



3002-1



3003-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3001-1	●	350 cm	215 cm	290 cm	1 - 8	11	25,6 m <sup>2</sup>	< 60 cm	-	-	●	●	-	●	-
3040-1	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	-
3002-1	●	280 cm	175 cm	380 cm	3 - 14	7	21,4 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	-
3003-1	●	390 cm	305 cm	350 cm	3 - 14	19	32,4 m <sup>2</sup>	200 cm	90 cm	-	●	●	-	●	-



3004-1
























3027-1



3028-1



3030-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	
3004-1		570 cm	170 cm	380 cm	3 - 14	17	33,7 m <sup>2</sup>	150 cm	120 cm	-			-			-
3027-1		535 cm	375 cm	510 cm	4 - 14	38	43,1 m <sup>2</sup>	270 cm	90, 210 cm	-			-			-
3028-1		825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm			-			-
3030-1		745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm			-			-







3029-1



3041-1



3031-1





3045-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3029-1		1195 cm	1075 cm	510 cm	4 - 14	101	134,5 m <sup>2</sup>	240 cm	90, 120, 150 cm	240 cm			-		-
3041-1		1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm			-		-
3031-1		1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm			-		-
3045-1		1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm			-		-



3060-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction	Panels
3060-1		2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	● ● - ● -	-



3080

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction				
											steel	inox	wood	HDPE	HPL
3080		1200 cm	605 cm	645 cm	4 - 14	87	100,9 m <sup>2</sup>	270 cm	120, 150 cm	180 cm			-		-

Characteristics of the CASTILLO series:

- Galvanised steel construction
- Stainless steel construction or elements
- HPL HEXA platforms
- HDPE panels
- Polycarbonate (PC) panels
- UV printed PC panels
- Stainless steel slides
- Durable connectors
- Ropes with steel core
- Protective tops
- PP tunnels
- Stainless steel tube slides

Colour & material options\*:

- Construction:
  - Painted steel RAL7016
  - Stainless steel
- Slides:
  - Stainless steel
  - Fiberglass
- Tubes:
  - Stainless steel
  - PE

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# steel+

## Simple fun!

The STEEL+ series comprises modern tower structures with many features that will delight both younger and older children.

Colourful towers enriched with musical elements are just the perfect place to have some fun with fellow companions and are also a great spot for relaxation.

A vast variety of devices with educational elements facilitate the integration of children of different fitness levels.




1723



1702



1709

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1723	●	313 cm	281 cm	206 cm	1 - 8	13	25,3 m <sup>2</sup>	70 cm	-	-	●	●	-	●	●	●	-
1702	●	278 cm	226 cm	313 cm	1 - 8	9	23,9 m <sup>2</sup>	120 cm	120 cm	-	●	●	-	●	●	●	-
1709	●	521 cm	364 cm	373 cm	3 - 14	27	44,6 m <sup>2</sup>	180 cm	150, 180 cm	-	●	●	-	●	●	●	-



1701



1726

**New!**



1725



1724



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants		
											steel	inox	wood	HDPE	HPL	
1701	●	224 cm	234 cm	286 cm	1 - 8	9	22,2 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	-
1726	●	660 cm	545 cm	235 cm	1 - 8	38	55,4 m <sup>2</sup>	99 cm	-	-	●	●	-	●	●	-
1725	●	700 cm	590 cm	235 cm	1 - 8	25	69,9 m <sup>2</sup>	< 60 cm	59 cm	-	●	●	-	●	●	-
1724	●	323 cm	310 cm	283 cm	1 - 8	14	30,5 m <sup>2</sup>	90 cm	90 cm	-	●	●	-	●	●	-

























1703



1704



1705

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1703		475 cm	217 cm	343 cm	3 - 14	12	31,7 m <sup>2</sup>	200 cm	150 cm	-			-					-
1704		367 cm	304 cm	313 cm	3 - 14	9	31,5 m <sup>2</sup>	220 cm	120 cm	-			-					-
1705		363 cm	503 cm	313 cm	3 - 14	11	40,6 m <sup>2</sup>	200 cm	120 cm	-			-					-



1706



1717



1707



1708



1710



1712



1711



1713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1706	●	499 cm	461 cm	316 cm	3 - 14	13	41,4 m <sup>2</sup>	200 cm	120 cm	-	●	●	-	●	●	●	-
1717	●	333 cm	251 cm	316 cm	3 - 14	11	29,3 m <sup>2</sup>	200 cm	-	-	●	●	-	●	●	●	-
1707	●	349 cm	334 cm	343 cm	3 - 14	15	31,2 m <sup>2</sup>	150 cm	150 cm	-	●	●	-	●	●	●	-
1708	●	400 cm	356 cm	373 cm	3 - 14	24	40,5 m <sup>2</sup>	220 cm	150 cm	-	●	●	-	●	●	●	-
1710	●	451 cm	395 cm	343 cm	3 - 14	29	45,1 m <sup>2</sup>	200 cm	90, 150 cm	-	●	●	-	●	●	●	-
1712	●	568 cm	396 cm	373 cm	3 - 14	31	52,1 m <sup>2</sup>	220 cm	180 cm	-	●	●	-	●	●	●	-
1711	●	702 cm	338 cm	373 cm	3 - 14	32	55,1 m <sup>2</sup>	200 cm	90, 180 cm	-	●	●	-	●	●	●	-
1713	●	606 cm	365 cm	343 cm	3 - 14	45	55,8 m <sup>2</sup>	220 cm	120, 150, 180 cm	-	●	●	-	●	●	●	-



1727



1728



1730-1




1731



1740



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants			
											steel	inox	wood	HDPE	HPL		
1727	●	535 cm	375 cm	510 cm	4 - 14	38	44,1 m <sup>2</sup>	270 cm	90, 210 cm	-	●	●	-	●	●	●	-
1728	●	825 cm	735 cm	510 cm	4 - 14	44	63,2 m <sup>2</sup>	270 cm	90, 120 cm	240 cm	●	●	-	●	●	●	-
1730-1	●	745 cm	555 cm	660 cm	4 - 14	46	51,0 m <sup>2</sup>	270 cm	150 cm	360 cm	●	●	-	●	●	●	-
1731	●	1155 cm	815 cm	660 cm	4 - 14	86	89,3 m <sup>2</sup>	270 cm	90, 210 cm	360 cm	●	●	-	●	●	●	-
1740	●	1055 cm	800 cm	955 cm	4 - 14	105	76,5 m <sup>2</sup>	270 cm	180, 210 cm	570 cm	●	●	-	●	●	●	-





1741




1745



1790



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1741	●	1530 cm	1325 cm	955 cm	4 - 14	162	141,1 m <sup>2</sup>	270 cm	150, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	●	-
1745	●	1530 cm	1520 cm	955 cm	4 - 14	198	174,3 m <sup>2</sup>	270 cm	90, 180, 210 cm	360, 570 cm	●	●	-	●	●	●	●	-
1790	●	2050 cm	2000 cm	955 cm	4 - 14	342	281,4 m <sup>2</sup>	270 cm	90, 180, 210 cm	270, 360, 570 cm	●	●	-	●	●	●	●	-





1736



1780

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants				
											steel	inox	wood	HDPE	HPL			
1736		498 cm	324 cm	286 cm	3 - 14	24	37,9 m <sup>2</sup>	90 cm	90 cm	-			-					-
1780		1200 cm	605 cm	645 cm	4 - 14	87	101,4 m <sup>2</sup>	270 cm	120, 150 cm	180 cm			-					-

Characteristics of the STEEL+ series:



Galvanised steel construction



Stainless steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



Stainless steel tube slides

Colour & material options\*:



Colour (panels):

- HDPE - RAL6024
- HDPE - RAL3020
- C11E HDPE - multicolour
- HDPE - RAL5015
- HDPE - RAL8024



Construction:

- Painted steel RAL 7040
- Stainless steel



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# topicco

## Play a role!

A series of role-playing devices: a train station, a fire station, a fire truck, a lighthouse, a ship, a truck or a roller. These devices release a child's natural tendency to play happily and learn the "adult world" as well as engage in teamwork training.

The TOPICCO series offers a number of elements such as educational panels or manual elements that stimulate motor skills and positively affect the intellectual development of young children.




WD1534



WD1541



WD1542

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
WD1534	●	600 cm	585 cm	630 cm	3 - 14	39	49,4 m <sup>2</sup>	180 cm	-	180, 330 cm	-	-	●	●	-
WD1541	●	510 cm	310 cm	405 cm	1 - 8	22	38,0 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-	●	●	-
WD1542	●	880 cm	830 cm	405 cm	1 - 8	54	94,6 m <sup>2</sup>	210 cm	59 cm	210 cm	-	-	●	●	-



3101



3102



3103



3104

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Tube/s height	Construction			Panels variants	
											steel	inox	wood	HDPE	HPL
3101	●	346 cm	268 cm	202 cm	3 - 12	13	27,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3102	●	439 cm	207 cm	202 cm	3 - 12	15	29,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3103	●	296 cm	268 cm	200 cm	3 - 12	14	25,9 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-
3104	●	298 cm	268 cm	206 cm	3 - 12	14	26,2 m <sup>2</sup>	90 cm	90 cm	-	●	-	-	●	-

Characteristics of the TOPICCO series:



Wood construction



Galvanised anchors



Galvanised steel construction or elements



Stainless steel elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



UV printed PC panels



Stainless steel slides



PE tube slides



Durable connectors



PP tunnels

Colour & material options\*:



Anti-slip and waterproof platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Tubes:

- PE
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# wooden

## Equipment from painted wood

The WOODEN series is an endless source of inspiration for both younger and older children how to have fun.

Various educational and sensory panels, coupled with moving elements, will bring children lots of joy and draw a lot of interest.

The environmentally friendly wooden equipment from this series stimulates the child's comprehensive physical development and also allows a large group of kids to play together at the same time. Thanks to this, child learns how to establish relationships with their fellows and how to work as part of a team.



WD1503



WD1403



WD1437



WD1401



WD1402



WD1407

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1503	●	342 cm	336 cm	247 cm	1 - 8	25	33,8 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	●●●●●
WD1403	●	204 cm	139 cm	170 cm	3 - 14	7	18,8 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●
WD1437	●	349 cm	173 cm	103 cm	1 - 8	15	27,3 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1401	●	97 cm	96 cm	139 cm	1 - 8	4	13,8 m <sup>2</sup>	< 60 cm	-	-	-	-	●	●●●●●
WD1402	●	166 cm	99 cm	191 cm	1 - 8	6	15,6 m <sup>2</sup>	< 60 cm	-	35 cm	-	-	●	●●●●●
WD1407	●	260 cm	270 cm	280 cm	3 - 14	13	27,5 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	●●●●●





WD1505



WD1501



WD1506



Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants					
										steel	inox	wood	HDPE	HPL			
WD1501	-	218 cm	224 cm	277 cm	1 - 8	9	21,7 m <sup>2</sup>	90 cm	90 cm	40, 90 cm	-	-	●	●	●	●	●
WD1505	●	675 cm	580 cm	280 cm	1 - 8	58	62,1 m <sup>2</sup>	90 cm	90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●
WD1506	●	825 cm	830 cm	280 cm	1 - 8	90	96,2 m <sup>2</sup>	90 cm	59, 90 cm	35, 40, 59, 90 cm	-	-	●	●	●	●	●





WD1434



WD1436



WD1504



WD1502

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
										steel	inox	wood	HDPE
WD1434	215 cm	145 cm	280 cm	1 - 8	7	19,5 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	-	-	●	●●●●●
WD1436	360 cm	315 cm	280 cm	1 - 8	14	30,4 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	-	●	●●●●●
WD1504	440 cm	451 cm	367 cm	3 - 12	29	43,4 m <sup>2</sup>	180 cm	120, 150 cm	35, 120, 150, 180 cm	-	-	●	●●●●●
WD1502	247 cm	213 cm	307 cm	1 - 8	11	22,9 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●●●●●



WD1408



WD1406



WD1404




WD1405



WD1438



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1408	●	365 cm	290 cm	310 cm	3 - 14	13	31,1 m <sup>2</sup>	120 cm	120 cm	90, 120 cm	-	-	●	●●●●●
WD1406	-	316 cm	252 cm	310 cm	3 - 14	11	26,2 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	●●●●●
WD1404	-	314 cm	150 cm	307 cm	3 - 14	7	22,4 m <sup>2</sup>	120 cm	120 cm	120 cm	-	-	●	●●●●●
WD1405	●	328 cm	245 cm	337 cm	3 - 14	13	26,4 m <sup>2</sup>	150 cm	150 cm	150 cm	-	-	●	●●●●●
WD1438	●	328 cm	474 cm	307 cm	3 - 14	12	38,1 m <sup>2</sup>	130 cm	120 cm	120 cm	-	-	●	●●●●●



WD1409



WD1410

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels variants		
										steel	inox	wood	HDPE	HPL		
WD1409	-	460 cm	355 cm	340 cm	3 - 14	19	38,3 m <sup>2</sup>	190 cm	150 cm	90, 150 cm	-	-	●	●	●	●
WD1410	-	405 cm	335 cm	370 cm	3 - 14	23	41,2 m <sup>2</sup>	220 cm	150 cm	150, 180 cm	-	-	●	●	●	●



WD1449



WD1412




WD1411



WD1454




WD1413



WD1450

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1449	-	322 cm	278 cm	367 cm	3 - 14	16	28,5 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ● ● ● ●
WD1412	●	565 cm	424 cm	367 cm	3 - 14	31	50,2 m <sup>2</sup>	210 cm	90, 180 cm	90, 120, 150, 180 cm	-	-	●	● ● ● ● ● ● ● ●
WD1411	●	563 cm	357 cm	367 cm	3 - 14	30	47,4 m <sup>2</sup>	180 cm	150 cm	120, 150, 180 cm	-	-	●	● ● ● ● ● ● ● ●
WD1454	-	910 cm	405 cm	410 cm	3 - 14	30	55,3 m <sup>2</sup>	220 cm	210 cm	120, 150, 180, 210 cm	-	-	●	● ● ● ● ● ● ● ●
WD1413	●	627 cm	319 cm	340 cm	3 - 14	51	56,2 m <sup>2</sup>	220 cm	-	120, 150, 180 cm	-	-	●	● ● ● ● ● ● ● ●
WD1450	●	535 cm	510 cm	235 cm	7 - 16	31	45,3 m <sup>2</sup>	220 cm	120, 150 cm	120, 150 cm	-	-	●	● ● ● ● ● ● ● ●



WD1439



WD1452



WD1453



WD1451

Product code	🌀	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants				
											steel	inox	wood	HDPE	HPL		
WD1439	-	306 cm	230 cm	230 cm	3 - 14	17	29,9 m <sup>2</sup>	220 cm	-	120, 150 cm	-	-	●	●	●	●	●
WD1452	-	528 cm	428 cm	260 cm	7 - 16	31	47,8 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●
WD1453	-	686 cm	547 cm	230 cm	4 - 16	36	54,8 m <sup>2</sup>	200 cm	-	150 cm	-	-	●	●	●	●	●
WD1451	-	427 cm	206 cm	260 cm	7 - 16	14	33,2 m <sup>2</sup>	250 cm	-	150, 180 cm	-	-	●	●	●	●	●



WD1415



WD1414




WD1433



WD1580



WD1581



WD1418-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox	wood	HDPE
WD1433	●	300 cm	275 cm	250 cm	1 - 8	14	25,1 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm	-	-	●	● ● ● ● ●
WD1414	●	395 cm	330 cm	260 cm	3 - 14	21	31,4 m <sup>2</sup>	90 cm	90 cm	90 cm	-	-	●	● ● ● ● ●
WD1415	●	615 cm	395 cm	290 cm	3 - 14	34	47,7 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	-	●	● ● ● ● ●
WD1580	●	1285 cm	740 cm	490 cm	3 - 14	82	98,3 m <sup>2</sup>	180 cm	120, 150, 180 cm	120, 150, 180 cm	-	-	●	● ● ● ● ●
WD1581	●	1100 cm	525 cm	485 cm	3 - 14	52	74,6 m <sup>2</sup>	150 cm	90, 150 cm	35, 90, 120, 150 cm	-	-	●	● ● ● ● ●
WD1418-1	●	1575 cm	805 cm	490 cm	3 - 14	120	134,5 m <sup>2</sup>	180 cm	120, 150, 180* cm	120, 150, 180 cm	-	-	●	● ● ● ● ●

\*Height of tube slides.









WD1430



WD1431



WD1432



WD1550



WD1551



WD1552

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction		Panels variants	
											steel	inox wood	HDPE	HPL
WD1430		154 cm	99 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-		-
WD1431		154 cm	99 cm	120 cm	1 - 8	11	16,2 m <sup>2</sup>	110 cm	-	-	-	-		-
WD1432		154 cm	104 cm	120 cm	1 - 8	9	16,2 m <sup>2</sup>	110 cm	-	-	-	-		-
WD1550		386 cm	336 cm	260 cm	3 - 12	28	33,3 m <sup>2</sup>	120 cm	90 cm	40, 90, 120 cm	-	-		-
WD1551		292 cm	220 cm	214 cm	1 - 8	12	25,3 m <sup>2</sup>	< 60 cm	59 cm	59 cm	-	-		-
WD1552		244 cm	100 cm	184 cm	1 - 8	10	19,9 m <sup>2</sup>	< 60 cm	-	35 cm	-	-		-

Characteristics of the WOODEN series:



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels



PE tube slides

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# solo.

## Fun for youngsters!

The SOLO series is a paradise for preschoolers, which is ruled by sand, water, sound and movement.

Free fun develops natural creativity of the child, encourages to do experiments and triggers the desire to cooperate with other children.

The richness of colours, manual and sound elements, along with educational panels: all these elements comprehensively stimulate the senses and the intellectual development of child.



New!



0826



0810



0811



0812




0813



0820



0825

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0826	-	275 cm	60 cm	165 cm	3 - 12	5	18,4 m <sup>2</sup>	90 cm	●	-	-	●	-
0810	-	168 cm	94 cm	166 cm	3 - 12	5	16,5 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ● ●
0811	-	143 cm	92 cm	74 cm	3 - 12	4	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ● ●
0812	-	130 cm	89 cm	96 cm	3 - 12	4	14,8 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ● ●
0813	-	143 cm	94 cm	166 cm	3 - 12	6	15,4 m <sup>2</sup>	< 60 cm	●	-	-	●	● ● ● ● ●
0820	●	170 cm	100 cm	100 cm	3 - 12	5	17,0 m <sup>2</sup>	< 60 cm	●	-	-	● ●	-
0825	-	734 cm	94 cm	166 cm	3 - 12	20	38,6 m <sup>2</sup>	90 cm	●	-	-	●	● ● ● ● ●




0824



0841



0822






0821



0840

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0824	●	188 cm	141 cm	155 cm	1 - 8	13	17,6 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0841	●	378 cm	199 cm	144 cm	1 - 8	13	29,4 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0822	●	204 cm	100 cm	73 cm	1 - 8	3	18,5 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0840	●	128 cm	76 cm	119 cm	1 - 8	7	14,2 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-
0821	-	173 cm	55 cm	133 cm	1 - 8	3	15,0 m <sup>2</sup>	< 60 cm	●	-	-	●●●●	-





Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction		Panels variants		
												steel	inox	wood	HDPE	HPL
0830	-	177 cm	67 cm	175 cm	3 - 12	3	15,2 m <sup>2</sup>	90 cm	90 cm	135 cm	90 cm	●	-	-	●●●●	-
0831	-	218 cm	67 cm	205 cm	3 - 14	4	16,3 m <sup>2</sup>	120 cm	120 cm	180 cm	120 cm	●	-	-	●●●●	-
0832	-	270 cm	67 cm	235 cm	3 - 14	4	17,6 m <sup>2</sup>	150 cm	150 cm	240 cm	150 cm	●	-	-	●●●●	-
WD1440	-	168 cm	84 cm	141 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1441	-	203 cm	84 cm	171 cm	1 - 8	3	16,7 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1442	-	239 cm	84 cm	201 cm	3 - 14	3	17,9 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1443	-	285 cm	84 cm	231 cm	3 - 14	3	19,5 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1444	-	321 cm	84 cm	261 cm	3 - 14	3	20,8 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1445	-	358 cm	84 cm	291 cm	3 - 14	3	22,1 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1446	-	515 cm	84 cm	380 cm	3 - 14	3	27,0 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1447	-	635 cm	84 cm	480 cm	3 - 14	3	31,1 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	-	-	●	●●●●●	●●●●●
WD1448	-	755 cm	84 cm	581 cm	3 - 14	3	35,2 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	-	-	●	●●●●●	●●●●●



1751

New!



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)	Construction				
												steel	inox	wood	HDPE	HPL
1751	-	165 cm	85 cm	150 cm	1 - 8	3	15,8 m <sup>2</sup>	< 60 cm	59 cm	90 cm	35 cm	●	-	-	●	-
1752	-	205 cm	85 cm	180 cm	1 - 8	3	16,8 m <sup>2</sup>	< 60 cm	90 cm	135 cm	35 cm	●	-	-	●	-
1753	-	240 cm	85 cm	215 cm	3 - 14	3	17,7 m <sup>2</sup>	< 60 cm	120 cm	180 cm	35 cm	●	-	-	●	-
1754	-	285 cm	85 cm	240 cm	3 - 14	3	18,8 m <sup>2</sup>	< 60 cm	150 cm	240 cm	35 cm	●	-	-	●	-
1755	-	320 cm	85 cm	270 cm	3 - 14	3	19,7 m <sup>2</sup>	< 60 cm	180 cm	285 cm	35 cm	●	-	-	●	-
1756	-	355 cm	85 cm	300 cm	3 - 14	3	20,6 m <sup>2</sup>	< 60 cm	210 cm	330 cm	35 cm	●	-	-	●	-
1757	-	510 cm	85 cm	385 cm	3 - 14	3	24,4 m <sup>2</sup>	< 60 cm	300 cm	513 cm	35 cm	●	-	-	●	-
1758	-	630 cm	85 cm	485 cm	3 - 14	3	27,4 m <sup>2</sup>	< 60 cm	400 cm	670 cm	35 cm	●	-	-	●	-
1759	-	750 cm	85 cm	585 cm	3 - 14	3	30,4 m <sup>2</sup>	< 60 cm	500 cm	826 cm	35 cm	●	-	-	●	-



More configurations  
available on [www.vinci-play.com](http://www.vinci-play.com)




0801-1



0802-1














0800




WD1416



WD1482


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
0801-1	-	178 cm	178 cm	30 cm	1 - 12	11	20,9 m <sup>2</sup>	< 60 cm	●	-	-		
0802-1	-	323 cm	287 cm	43 cm	1 - 12	18	29,1 m <sup>2</sup>	< 60 cm	●	-	-		
0800	●	30 cm	30 cm	40 cm	1 - 12	1	8,7 m <sup>2</sup>	< 60 cm	●	-	-		
WD1416	-	415 cm	165 cm	140 cm	1 - 12	11	27,0 m <sup>2</sup>	< 60 cm	-	-	●		
WD1482	●	139 cm	139 cm	78 cm	1 - 12	8	17,3 m <sup>2</sup>	< 60 cm	-	-	●		





More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



WD1458



WD1429



WD1457-1






WD1455



WD1456

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1458	-	258 cm	258 cm	28 cm	1 - 12	16	29,2 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	
WD1429	-	254 cm	221 cm	28 cm	1 - 12	9	21,8 m <sup>2</sup>	< 60 cm	-	-	●	●●●●	
WD1457-1	-	380 cm	210 cm	35 cm	1 - 12	11	32,7 m <sup>2</sup>	< 60 cm	-	-	●●	-	
WD1455	●	348 cm	171 cm	191 cm	1 - 12	23	28,6 m <sup>2</sup>	< 60 cm	-	-	●●	●●●●	
WD1456	●	145 cm	62 cm	170 cm	1 - 12	5	13,7 m <sup>2</sup>	< 60 cm	-	-	●●	-	




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1427	●	167 cm	97 cm	114 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1467	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1468	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1469	●	84 cm	12 cm	130 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1470	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1471	●	84 cm	12 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	
WD1472	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	● ●	-	





WD1473



WD1474




WD1475



WD1476



WD1477



WD1478



WD1560



WD1561



WD1562



WD1563




WD1564



WD1565

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
WD1473	●	84 cm	21 cm	130 cm	1 - 8	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1474	●	84 cm	21 cm	130 cm	1 - 8	2	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1475	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1476	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1477	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1478	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	-	●
WD1560	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1561	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1562	●	84 cm	20 cm	130 cm	2 - 14	1	10,4 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1563	●	84 cm	11 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1564	●	84 cm	15 cm	130 cm	1 - 8	2	10,2 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●
WD1565	●	84 cm	10 cm	130 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	-	-	●	● ● ● ● ●	● ● ● ● ●




0122




0120



0121



0806-1




0808-1




0809



0804



0685

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels			
									steel	inox	wood	HDPE	HPL		
0122	●	144 cm	77 cm	97 cm	1 - 12	4	13,2 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0120	●	76 cm	15 cm	97 cm	1 - 12	2	9,9 m <sup>2</sup>	< 60 cm	●	●	-	●	-	●	-
0121	●	80 cm	78 cm	97 cm	1 - 12	3	11,6 m <sup>2</sup>	< 60 cm	●	●	-	●	●	●	●
0806-1	●	90 cm	15 cm	165 cm	3 - 12	2	10,3 m <sup>2</sup>	< 60 cm	●	-	-	●	-	●	-
0808-1	●	35 cm	17 cm	100 cm	3 - 12	2	8,7 m <sup>2</sup>	< 60 cm	-	●	-	●	-	●	-
0804	●	120 cm	17 cm	130 cm	3 - 12	2	11,4 m <sup>2</sup>	< 60 cm	●	-	-	-	-	●	-
0685	-	84 cm	79 cm	123 cm	3 - 12	2	11,5 m <sup>2</sup>	< 60 cm	-	●	-	●	-	-	-
0809	-	81 cm	81 cm	300 cm	3 - 12	4	11,7 m <sup>2</sup>	< 60 cm	●	-	-	-	-	-	-







1760



1761




1762



1763



1770




1771



1772



1720



1722




1721

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
									steel	inox	wood	HDPE	HPL
1760	●	81 cm	14 cm	134 cm	1 - 8	2	10,0m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1761	●	81 cm	15 cm	134 cm	1 - 8	1	10,1 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1762	●	81 cm	12 cm	134 cm	1 - 8	1	10,0 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1763	●	84 cm	25 cm	147 cm	1 - 8	2	10,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1770	●	81 cm	38 cm	134 cm	1 - 8	1	10,9 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1771	●	130 cm	17 cm	116 cm	1 - 8	2	11,7 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1772	●	136 cm	77 cm	206 cm	1 - 8	5	14,5 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1720	●	240 cm	77 cm	206 cm	1 - 8	7	16,2 m <sup>2</sup>	67 cm	●	●	-	●●●●●●	-
1721	●	349 cm	166 cm	206 cm	1 - 8	10	21,6 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-
1722	●	263 cm	112 cm	206 cm	1 - 8	6	20,2 m <sup>2</sup>	< 60 cm	●	●	-	●●●●●●	-



**MODULAR SYSTEM**



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
WP2850	●	225 cm	30 cm	115 cm	1+	7	15,0 m <sup>2</sup>	< 60 cm
WP2853	●	175 cm	90 cm	115 cm	1+	9	15,3 m <sup>2</sup>	< 60 cm
WP2855	●	260 cm	100 cm	160 cm	1+	14	19,6 m <sup>2</sup>	< 60 cm
WP2858	●	240 cm	205 cm	115 cm	1+	13	20,4 m <sup>2</sup>	< 60 cm
WP2863	●	325 cm	250 cm	125 cm	1+	20	26,5 m <sup>2</sup>	< 60 cm



0816



0817



0823

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Panels	
								steel	inox	wood	HDPE	HPL
0816	94 cm	87 cm	< 60 cm	3 - 12	3	11,9 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0817	120 cm	50 cm	59 cm	3 - 12	2	12,0 m <sup>2</sup>	< 60 cm	●	-	-	● ● ● ● ●	● ● ● ● ●
0823	100 cm	395 cm	160 cm	3 - 16	2	19,9 m <sup>2</sup>	99 cm	-	●	-	-	-

Characteristics of the SOLO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels):

- C11E HDPE - multicolour
- HDPE RAL6024 / ● HPL RAL6000
- HDPE RAL5015 / ● HPL RAL5024
- C12E HDPE - grey/black
- HDPE RAL3020 / ● HPL RAL3000
- HDPE RAL8024 / ● HPL wood pattern



Construction:

- Painted steel
- Stainless steel



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# minisweet

## Colourful series for the youngest

The MINISWEET series consists of playground equipment designed for the youngest children and preschoolers.

Friendly houses, tunnels and slides are an ideal place to have fun together. This is also where the child learns the principles of functioning in a group while perfecting its language skills.

Minisweet devices encourage children to exercise and support the development of key mobility aptitudes. They allow every toddler to enjoy joyful and carefree fun.



0106-1C1



0100C1



0103C1



0101-1C1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
											steel	inox	wood	HDPE	HPL		
0106-1C1	●	315 cm	170 cm	220 cm	1 - 8	12	23,7 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm	●	●	-	●	●	●	●
0100C1	●	100 cm	100 cm	170 cm	1 - 8	3	14,1 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0103C1	●	255 cm	240 cm	170 cm	1 - 8	14	23,2 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●
0101-1C1	●	160 cm	100 cm	170 cm	1 - 8	7	15,6 m <sup>2</sup>	< 60 cm	-	12 cm	●	●	-	●	●	●	●





0108-2C2



0102C2



0107C3
























0105C3



0109-1C9



0104C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels					
											steel	inox	wood	HDPE	HPL				
0108-2C2		305 cm	160 cm	170 cm	1 - 8	19	25,1 m <sup>2</sup>	< 60 cm	-	-			-						
0102C2		165 cm	160 cm	170 cm	1 - 8	12	18,1 m <sup>2</sup>	< 60 cm	-	12 cm			-						
0107C3		320 cm	245 cm	220 cm	1 - 8	17	26,2 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm			-						
0105C3	-	175 cm	160 cm	220 cm	1 - 8	7	20,0 m <sup>2</sup>	< 60 cm	59 cm	35, 59 cm			-						
0109-1C9	-	320 cm	370 cm	220 cm	1 - 8	21	33,0 m <sup>2</sup>	< 60 cm	59 cm	12, 35, 59 cm			-						
0104C9		220 cm	100 cm	220 cm	1 - 8	6	18,1 m <sup>2</sup>	< 60 cm	59 cm	59 cm			-						





0110



0111



0112



0114



0113

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0110	260 cm	250 cm	250 cm	1 - 8	15	27,2 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	●	●	-	●	●	●	●
0111	255 cm	200 cm	240 cm	1 - 8	11	21,8 m <sup>2</sup>	< 60 cm	59 cm	59 cm	●	●	-	●	●	●	●
0112	260 cm	160 cm	250 cm	1 - 8	11	20,3 m <sup>2</sup>	90 cm	90 cm	59, 90 cm	●	●	-	●	●	●	●
0113	410 cm	290 cm	270 cm	1 - 8	27	30,7 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●
0114	335 cm	350 cm	250 cm	1 - 8	26	35,3 m <sup>2</sup>	90 cm	59 cm	59, 90 cm	●	●	-	●	●	●	●

Characteristics of the MINISWEET series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Polycarbonate (PC) panels



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C9 HPL - wood pattern
- C11E HDPE - multicolour



Construction:

- Painted steel RAL7040
- Stainless steel



Platforms:

- - HEXA HPL
- - HEXA plywood



Slides:

- - Stainless steel
- - Fiberglass



Anchoring:

- - Surface
- - Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# steel!

## Classic tower sets

The STEEL series consists of classic structures that offer unlimited fun for older children. The sets of equipment from this series can be perfectly adapted to the needs of children and the available space.

Rows of towers connected by various attractive movable elements make for a great training ground for motor coordination. They allow a large group of children to play together at the same time, which helps to establish relationships and also teaches teamwork as well as healthy competition.



0204C9



0814C9



0815-2C9



0201-1C9



0200C9

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
											steel	inox	wood	HDPE	HPL			
0204C9	-	455 cm	404 cm	321 cm	3 - 14	14	38,2 m <sup>2</sup>	180 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0814C9	●	100 cm	97 cm	164 cm	1 - 8	4	14,0 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0815-2C9	●	175 cm	99 cm	164 cm	1 - 8	5	16,9 m <sup>2</sup>	< 60 cm	-	10 cm	●	-	-	●	●	●	●	●
0201-1C9	-	272 cm	166 cm	321 cm	3 - 14	5	21,5 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●	●
0200C9	-	209 cm	162 cm	176 cm	3 - 14	7	19,7 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●	●



0212C1



0202-1C1



0203-1C1



0205-1C2



0213C2



0207C2



0208C3



0209C3



0206C3

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels				
										steel	inox	wood	HDPE	HPL			
0212C1	-	283 cm	185 cm	291 cm	3 - 14	8	22,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0202-1C1	-	345 cm	274 cm	321 cm	3 - 14	8	28,4 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0203-1C1	-	345 cm	361 cm	321 cm	3 - 14	14	35,0 m <sup>2</sup>	120 cm	120 cm	120 cm	●	-	-	●	●	●	●
0205-1C2	-	540 cm	365 cm	351 cm	3 - 14	16	44,4 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0213C2	-	330 cm	400 cm	292 cm	3 - 14	17	36,6 m <sup>2</sup>	90 cm	90 cm	90 cm	●	-	-	●	●	●	●
0207C2	-	440 cm	470 cm	321 cm	3 - 14	18	44,1 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	●	-	-	●	●	●	●
0208C3	-	495 cm	470 cm	351 cm	3 - 14	30	51,0 m <sup>2</sup>	150 cm	90, 150 cm	90, 150 cm	●	-	-	●	●	●	●
0209C3	●	633 cm	556 cm	352 cm	3 - 14	25	59,6 m <sup>2</sup>	150 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0206C3	-	537 cm	457 cm	321 cm	3 - 14	23	55,9 m <sup>2</sup>	210 cm	-	120 cm	●	-	-	●	●	●	●





0211-1C3



0214C3



0210-1C3

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels			
										steel	inox	wood	HDPE	HPL		
0211-1C3	1145 cm	910 cm	409 cm	3 - 14	78	160,0 m <sup>2</sup>	210 cm	90, 180, 210 cm	35, 40, 59, 90, 120, 150, 180, 210 cm	●	-	-	●	●	●	●
0214C3	809 cm	725 cm	322 cm	3 - 14	45	90,4 m <sup>2</sup>	210 cm	120, 150 cm	120, 150 cm	●	-	-	●	●	●	●
0210-1C3	980 cm	932 cm	351 cm	3 - 14	55	107,6 m <sup>2</sup>	180 cm	90, 120, 150 cm	35, 40, 90, 120, 150 cm	●	-	-	●	●	●	●

Characteristics of the STEEL series:



Galvanised steel construction or elements



HPL HEXA platforms



HDPE panels



Stainless steel elements



Stainless steel slides



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\* :



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C11E HDPE - multicolour
- C3 HPL - RAL5024
- C9 HPL - wood pattern



Platforms:

- HEXA HPL
- HEXA plywood



Slides:

- Stainless steel
- Fiberglass



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



## Unique houses

The CROOC series is all about beautiful, unique designs, vibrant colours and multi-tower playground sets that allow large group to have fun together.

Fairytale houses encourage children to engage in role-playing activities with their fellows. Element merging platforms, ladders, climbing walls and slides of different difficulty levels comprehensively stimulate the proper motor development of each child.

This series guarantees that the child's energy is channeled effectively.



0305



0310



0306



0300S1



0303



0304




0300

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0305	●	324 cm	292 cm	250 cm	3 - 12	15	30,3 m <sup>2</sup>	90 cm	59, 90 cm	59, 90 cm	-	●	-	-	●	●
0310	-	201 cm	105 cm	122 cm	5 - 14	8	18,1 m <sup>2</sup>	120 cm	-	-	●	●	-	-	●	●
0306	●	400 cm	322 cm	284 cm	3 - 12	16	32,3 m <sup>2</sup>	120 cm	90, 120 cm	90, 120 cm	-	●	-	-	●	●
0300S1	●	450 cm	370 cm	340 cm	5 - 14	19	36,4 m <sup>2</sup>	180 cm	180 cm	90, 180 cm	-	●	-	-	●	●
0303	●	419 cm	330 cm	331 cm	3 - 14	15	33,5 m <sup>2</sup>	180 cm	90, 180 cm	90, 180 cm	-	●	-	-	●	●
0304	-	254 cm	258 cm	244 cm	3 - 12	9	24,0 m <sup>2</sup>	90 cm	90 cm	90 cm	-	●	-	-	●	●
0300	●	630 cm	370 cm	340 cm	5 - 14	19	42,5 m <sup>2</sup>	180 cm	180* cm	90, 180 cm	-	●	-	-	●	●

\*Height of tube slides.














Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction				Panels	
											steel	inox	wood	HDPE	HPL	HPL
0301S1	●	775 cm	945 cm	370 cm	5 - 14	43	70,0 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-	●	-	-	●	●
0301	●	965 cm	945 cm	370 cm	5 - 14	43	76,2 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-	●	-	-	●	●

\*Height of tube slides.



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction			Panels		
											steel	inox	wood	HDPE	HPL	
0302		1460 cm	1060 cm	370 cm	5 - 14	64	112,4 m <sup>2</sup>	210 cm	180, 210* cm	90, 120, 180, 210 cm	-		-	-		
0302S1		1120 cm	945 cm	370 cm	5 - 14	64	100,5 m <sup>2</sup>	210 cm	180, 210 cm	90, 120, 180, 210 cm	-		-	-		

\*Height of tube slides.







Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Slide/s height	Platform/s height	Construction	Panels
0330	1435 cm	675 cm	620 cm	5 - 14	110	100,9 m <sup>2</sup>	210 cm	210* cm	90, 110, 120, 150, 180, 210 cm	- ● - -	- ●

\*Height of tube slides.

### Characteristics of the CROOC series:



Stainless steel construction or elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels and platforms



Stainless steel slides



Stainless steel tube slides



Durable connectors



Ropes with steel core



Protective tops

### Colour & material options\*:



Colour (panels):

- CSH HPL - multicolour
- C9 HPL - wood pattern



Slides:

- Stainless steel
- Fiberglass



Tubes:

- Stainless steel
- PE



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# climbo

## Climb, crawl and pull-up

The CLIMBOO series comprises equipment that develops the fitness and coordination of older children, increasing their faith in their own abilities.

Various climbing ladders and walls with a varying level of difficulty strengthen the muscles and teach the child to concentrate and maintain balance.

This series is the perfect place to organise competitive games where exciting physical challenges are coupled with maximum safety.



WD1420



WD1464



WD1428



WD1426



WD1417



WD1419



WD1466

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1420	-	290 cm	255 cm	200 cm	3 - 14	18	31,8 m <sup>2</sup>	190 cm	-	-	-	●	● / ●	● ● ● ●
WD1464	-	158 cm	10 cm	46 cm	7 - 16	4	12,2 m <sup>2</sup>	< 60 cm	-	-	-	●	-	-
WD1428	-	208 cm	10 cm	131 cm	3 - 14	4	13,8 m <sup>2</sup>	122 cm	-	-	-	●	-	-
WD1426	-	220 cm	87 cm	170 cm	3 - 14	4	18,2 m <sup>2</sup>	99 cm	-	-	-	●	-	-
WD1417	-	162 cm	91 cm	230 cm	3 - 14	9	22,1 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	● ● ● ●
WD1419	-	310 cm	306 cm	230 cm	3 - 14	11	31,2 m <sup>2</sup>	220 cm	-	-	-	●	● / ●	● ● ● ●
WD1466	-	232 cm	158 cm	200 cm	7 - 16	19	25,3 m <sup>2</sup>	190 cm	-	-	-	●	-	-



WD1465



WD1487




WD1460



WD1459




WD1462

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
WD1465	-	158 cm	84 cm	200 cm	7 - 16	6	20,2 m <sup>2</sup>	190 cm	-	-	-	●	-	-
WD1487	-	290 cm	255 cm	230 cm	7 - 16	18	30,7 m <sup>2</sup>	220 cm	-	-	-	●	-	-
WD1460	-	232 cm	87 cm	110 cm	1 - 8	7	16,7 m <sup>2</sup>	99 cm	-	-	-	●	● / ●	● ● ● ●
WD1459	-	102 cm	84 cm	104 cm	1 - 12	1	13,5 m <sup>2</sup>	< 60 cm	-	-	-	●	● / ●	-
WD1462	-	240 cm	233 cm	230 cm	3 - 14	23	33,9 m <sup>2</sup>	220 cm	120 cm	-	-	●	● / ●	● ● ● ●









Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
									steel	inox	wood	HDPE / HPL	ropes
0411	250 cm	10 cm	30 cm	3 - 12	5	15,1 m <sup>2</sup>	< 60 cm	29 cm	●	-	-	-	-
0410	230 cm	115 cm	59 cm	3 - 14	5	18,1 m <sup>2</sup>	< 60 cm	59 cm	●	-	-	-	-
0409	210 cm	125 cm	80 cm	3 - 14	9	19,7 m <sup>2</sup>	80 cm	59, 80 cm	●	-	-	-	-
0499	135 cm	185 cm	45 cm	3 - 14	4	19,2 m <sup>2</sup>	< 60 cm	-	-	-	●	● / -	● ●
0404-1	241 cm	88 cm	121 cm	3 - 14	3	19,1 m <sup>2</sup>	< 60 cm	34 cm	● ●	-	-	-	● ● ● ●
0401	176 cm	92 cm	194 cm	3 - 14	8	19,8 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0402	256 cm	172 cm	194 cm	3 - 14	13	26,1 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0403	350 cm	311 cm	194 cm	3 - 14	8	30,0 m <sup>2</sup>	180 cm	-	● ●	-	-	-	● ● ● ●
0405-1	474 cm	88 cm	195 cm	3 - 14	10	31,8 m <sup>2</sup>	194 cm	-	● ●	-	-	-	● ● ● ●
0406	241 cm	88 cm	195 cm	3 - 14	6	24,2 m <sup>2</sup>	194 cm	-	● ●	-	-	-	-
0407	302 cm	8 cm	165 cm	3 - 14	6	16,6 m <sup>2</sup>	150 cm	-	● ●	-	-	-	-
0408	169 cm	60 cm	135 cm	3 - 14	6	14,9 m <sup>2</sup>	120 cm	-	● ●	-	-	-	-



**New!**




0498

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



1750



1714




1716

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0498		160 cm	160 cm	55 cm	4+	6	19,2 m <sup>2</sup>	< 60 cm	-		-	-	-	
1750	-	229 cm	155 cm	166 cm	3 - 14	7	16,2 m <sup>2</sup>	147 cm	-					-
1714	-	260 cm	68 cm	289 cm	3 - 14	4	22,0 m <sup>2</sup>	200 cm	-			-		
1716	-	453 cm	187 cm	241 cm	3 - 14	17	39,0 m <sup>2</sup>	225 cm	-			-	-	




0412





























0413-1




SEE MORE!



0414-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0412		242 cm	88 cm	121 cm	3 - 14	3	17,2 m <sup>2</sup>	< 60 cm	35 cm		-	-	 /   	-
0413-1	-	482 cm	401 cm	121 cm	3 - 14	18	46,4 m <sup>2</sup>	< 60 cm	35 cm	 	-	-	   	   
0414-1	-	594 cm	401 cm	121 cm	3 - 14	29	56,8 m <sup>2</sup>	< 60 cm	35 cm	 	-	-	  	   




0419-1



0418-1




0417-1



0416-1




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction			Colour variants	
										steel	inox	wood	HDPE / HPL	ropes
0419-1	-	700 cm	700 cm	450 cm	3 - 14	44	78,5 m <sup>2</sup>	100 cm	-	●	-	-	-	● ● ● ● ●
0418-1	-	305 cm	305 cm	300 cm	3 - 14	14	34,7 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0417-1	-	260 cm	260 cm	250 cm	3 - 14	10	29,6 m <sup>2</sup>	99 cm	-	●	-	-	-	● ● ● ● ●
0416-1	-	170 cm	170 cm	250 cm	3 - 14	4	17,3 m <sup>2</sup>	70 cm	-	●	-	-	-	● ● ● ● ●







0415



0420



0421



0420H



0421H

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Platform/s height	Construction		Colour variants	
									steel	inox wood	HDPE/ HPL	ropes
0415	2255 cm	326 cm	346 cm	5 - 14	1	80,1 m <sup>2</sup>	140 cm	59 cm	● ●	-	-	-
0420	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	175 cm	98 cm	● ● ● ● ● ●	-	-	-
0421	2417 cm	298 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	175 cm	98 cm	● ● ● ● ● ●	-	-	-
0420H	2445 cm	312 cm	395 cm	5 - 14	1	84,4 m <sup>2</sup>	85 cm	-	● ● ● ● ● ●	-	-	-
0421H	2417 cm	250 cm	395 cm	5 - 14	2	133,4 m <sup>2</sup>	85 cm	-	● ● ● ● ● ●	-	-	-

Characteristics of the CLIMBOO series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



HPL HEXA platforms



HDPE panels



Durable connectors



Ropes with steel core



Protective tops



PP tunnels

Colour & material options\*:



Colour (panels & construction parts):

- C11E HDPE - multicolour
- C1 HPL - RAL6000
- C3 HPL - RAL5024
- C12E HDPE - grey/black
- C2 HPL - RAL3000
- C9 HPL - wood pattern
- CASTILLO
- JUNGLE
- SPACE



Colour (ropes):

- L5 - blue
- L6 - black
- L7 - red
- L8 - beige



Platforms:

- HEXA HPL
- HEXA plywood



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# nettix<sup>x</sup>

## Ropes, ladders and spinners


The NETTIX series comprises modern equipment in the form of ladders and rope crossings, which constitute a combination of carefree fun and effective fitness training.

Rope climbing stimulates the sense of balance, strengthens the muscles and improves the child's dexterity. It also encourages children to compete with each other.

This series is a creative adventure among ropes, where the boundaries are set only by the children's imagination.




1632



1638



1601




1602



1603



1604

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1632	-	365 cm	260 cm	225 cm	4 - 14	7	26,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1638	-	925 cm	260 cm	225 cm	4 - 14	15	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1601	-	336 cm	44 cm	223 cm	4 - 14	10	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●
1602	-	336 cm	72 cm	223 cm	4 - 14	5	21,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1603	-	336 cm	60 cm	223 cm	4 - 14	1	21,0 m <sup>2</sup>	115 cm	●	-	-	● ● ● ●
1604	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	120 cm	●	-	-	● ● ● ●





1605



1606



1607



1608

Product code	Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options	
								steel	inox	wood		
1605	-	336 cm	43 cm	223 cm	4 - 14	4	27,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1606	-	336 cm	11 cm	223 cm	4 - 14	5	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1607	-	336 cm	11 cm	223 cm	4 - 14	5	24,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1608	-	336 cm	11 cm	223 cm	4 - 14	4	17,8 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●



1609



1635




1630



1610



1636




1631



1633




1634




1637

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1609	-	336 cm	43 cm	223 cm	4 - 14	4	19,9 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1635	-	258 cm	224 cm	223 cm	4 - 14	10	23,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1630	-	725 cm	180 cm	225 cm	4 - 14	14	41,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1610	-	336 cm	50 cm	223 cm	4 - 14	3	20,3 m <sup>2</sup>	100 cm	●	-	-	● ● ● ●
1636	-	260 cm	225 cm	225 cm	4 - 14	8	22,2 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1631	-	650 cm	215 cm	225 cm	4 - 14	14	40,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1633	-	385 cm	365 cm	225 cm	4 - 14	3	32,9 m <sup>2</sup>	70 cm	●	-	-	-
1634	-	365 cm	260 cm	225 cm	4 - 14	7	25,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1637	-	722 cm	625 cm	223 cm	4 - 14	16	51,3 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●




1639



1640



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Ropes options
									steel	inox	wood	
1639	-	1109 cm	961 cm	223 cm	4 - 14	49	97,9 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●
1640	-	914 cm	907 cm	223 cm	4 - 14	44	112,0 m <sup>2</sup>	200 cm	●	-	-	● ● ● ●

Characteristics of the NETTIX series:



Galvanised steel construction



Stainless steel elements



HPL HEXA platforms



Ropes with steel core



Spinning elements



Durable connectors



Stainless steel chains



Protective tops

Colour & material options\*:



Colour (ropes):

- L5 - blue      ● L7 - red
- L6 - black    ● L8 - beige

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# spring

## Rocking and swaying

The SPRING series equals pure energy on springs. It satisfies the child's natural need for unrestrained and carefree swinging.

Colourful vehicles and happy animals encourage kids to jump energetically and sway in the rhythm of body movements.

The spring riders, which are so beloved by children, allow for joyful fun which also carries great benefits for kids' development.



0673



0651



0652



0653



0655



0654



0602



0603




0604-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0673	-	150 cm	85 cm	115 cm	1 - 12	4	15,4 m <sup>2</sup>	< 60 cm		-
0651	-	74 cm	22 cm	79 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0652	-	71 cm	22 cm	78 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0653	-	72 cm	22 cm	80 cm	1 - 12	1	10,0 m <sup>2</sup>	< 60 cm		-
0655	-	72 cm	22 cm	80 cm	1 - 12	1	10,1 m <sup>2</sup>	< 60 cm		-
0654	-	80 cm	22 cm	78 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0602	-	82 cm	21 cm	79 cm	1 - 12	1	10,4 m <sup>2</sup>	< 60 cm		-
0603	-	80 cm	21 cm	75 cm	1 - 12	1	10,3 m <sup>2</sup>	< 60 cm		-
0604-1	-	78 cm	21 cm	77 cm	1 - 12	1	10,2 m <sup>2</sup>	< 60 cm		-



0606



0623



0616



0609



0615-1



0608-2













0607-1



0633



0622

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0606	-	80 cm	43 cm	86 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0623	-	79 cm	78 cm	78 cm	1 - 12	2	12,4 m <sup>2</sup>	< 60 cm		-
0616	-	85 cm	43 cm	74 cm	1 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0609	-	80 cm	43 cm	75 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0615-1	-	62 cm	43 cm	80 cm	1 - 12	1	10,5 m <sup>2</sup>	< 60 cm		-
0608-2	-	70 cm	45 cm	80 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0607-1	-	74 cm	43 cm	81 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0633	-	73 cm	43 cm	75 cm	1 - 12	1	10,9 m <sup>2</sup>	< 60 cm		-
0622	-	79 cm	69 cm	84 cm	1 - 12	2	12,0 m <sup>2</sup>	< 60 cm		-



0632



0631



0630



0600-1












0601-1




0613-1



0611-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0632	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0631	-	78 cm	43 cm	82 cm	1 - 12	1	11,1 m <sup>2</sup>	< 60 cm		-
0630		110 cm	82 cm	82 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0600-1	-	48 cm	29 cm	84 cm	1 - 12	1	9,5 m <sup>2</sup>	< 60 cm		-
0601-1	-	140 cm	29 cm	84 cm	1 - 12	2	12,6 m <sup>2</sup>	< 60 cm		-
0613-1	-	140 cm	120 cm	78 cm	1 - 12	4	14,3 m <sup>2</sup>	< 60 cm		-
0611-1	-	110 cm	110 cm	54 cm	1 - 12	4	12,5 m <sup>2</sup>	< 60 cm		-



0674



0672

New!



0610



0626




0682



0670



0660



0671










See also from the ROBINIA series: p.104






RB1363



RB1364

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0674	-	265 cm	120 cm	105 cm	1 - 12	8	21,8 m <sup>2</sup>	< 60 cm		-
0672	-	115 cm	80 cm	90 cm	1 - 12	2	13,8 m <sup>2</sup>	< 60 cm		-
0682	-	165 cm	95 cm	140 cm	1 - 12	2	16,4 m <sup>2</sup>	< 60 cm		-
0626	-	124 cm	21 cm	101 cm	1 - 12	2	11,7 m <sup>2</sup>	< 60 cm		-
0610	-	160 cm	21 cm	86 cm	1 - 12	2	12,9 m <sup>2</sup>	< 60 cm		-
0660	-	206 cm	181 cm	87 cm	1 - 12	6	18,8 m <sup>2</sup>	< 60 cm		-
0670	-	333 cm	25 cm	85 cm	1 - 12	4	18,8 m <sup>2</sup>	< 60 cm		-
0671	-	260 cm	116 cm	89 cm	3 - 12	8	16,0 m <sup>2</sup>	< 60 cm		-



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0627	-	493 cm	431 cm	45 cm	3 - 14	27	45,4 m <sup>2</sup>	< 60 cm		-





0612-1



0681




0617-1



0621-1



0619



0624



0625



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Panels	
									HDPE	HPL
0612-1	-	104 cm	27 cm	46 cm	3 - 12	1	11,3 m <sup>2</sup>	< 60 cm		-
0681	-	67 cm	60 cm	55 cm	3 - 12	2	12,3 m <sup>2</sup>	< 60 cm		-
0617-1	-	45 cm	45 cm	61 cm	3 - 14	1	9,3 m <sup>2</sup>	< 60 cm		-
0621-1		150 cm	100 cm	45 cm	3 - 14	5	16,1 m <sup>2</sup>	< 60 cm		-
0619		100 cm	100 cm	45 cm	3 - 14	3	12,6 m <sup>2</sup>	< 60 cm		-
0624	-	127 cm	32 cm	46 cm	3 - 12	5	12,1 m <sup>2</sup>	< 60 cm	-	-
0625	-	298 cm	167 cm	45 cm	3 - 12	4	21,8 m <sup>2</sup>	< 60 cm	-	-

Characteristics of the SPRING series:



HDPE panels



Stainless steel elements



Durable steel spring



HPL HEXA platforms

Colour & material options\*:



Colour (panels):

- C11E HDPE - multicolour
- C12E HDPE - grey/black



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)















ST0529

ST0530-1

ST0531

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0529		245 cm	90 cm	95 cm	5 - 12	2	19,3 m <sup>2</sup>	73 cm		-	-	
ST0530-1		405 cm	115 cm	120 cm	3 - 12	2	27,3 m <sup>2</sup>	< 60 cm		-	-	
ST0531		290 cm	150 cm	120 cm	14+	1	24,6 m <sup>2</sup>	< 60 cm		-	-	



Available seats:



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)







ST0510



ST0511



ST0512


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0510	-	40 cm	155 cm	180 cm	1 - 3/3 - 14	1	11,4 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	
ST0511	-	40 cm	300 cm	180 cm	1 - 3/3 - 14	2	21,2 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	
ST0512	-	40 cm	440 cm	180 cm	1 - 3/3 - 14	3	29,8 m <sup>2</sup>	99 cm	<input checked="" type="radio"/>	<input type="radio"/>	-	



ST1421



ST1422



More configurations available on [www.vinci-play.com](http://www.vinci-play.com)



ST1491









ST0520



ST1424

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1421	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	●	●	-	
ST1422	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	●	●	-	
ST1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	●	●	-	
ST1424	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	●	●	-	
ST0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	●	●	-	



ST1423



ST1492



ST1497



ST1494

Available seats:




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST1423	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	●	●	-	
ST1492	●	195 cm	505 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	●	●	-	
ST1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	●	●	-	
ST1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	●	●	-	

**MODULAR SYSTEM**



WD1422-1



WD0520



WD1491



WD1421-1



WD1424-1

More configurations available on [www.vinci-play.com](http://www.vinci-play.com)

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD0520	-	195 cm	250 cm	240 cm	1+	2	13,0 m <sup>2</sup>	175 cm	-	-	wood	
WD1421-1	-	195 cm	250 cm	240 cm	1 - 3/3 - 14	1	13,0 m <sup>2</sup>	130 cm	-	-	wood	
WD1422-1	-	195 cm	365 cm	240 cm	1 - 3/3 - 14	2	21,5 m <sup>2</sup>	130 cm	-	-	wood	
WD1491	-	195 cm	550 cm	240 cm	1 - 3/3 - 14	3	35,1 m <sup>2</sup>	130 cm	-	-	wood	
WD1424-1	-	195 cm	665 cm	240 cm	1 - 3/3 - 14	4	43,7 m <sup>2</sup>	130 cm	-	-	wood	



**MODULAR SYSTEM**



WD1423-1



WD1492



WD1494

**Available seats:**



WD1497

See also from the ROBINIA series: p. 108



RB1351




RB1421

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
WD1423-1	●	195 cm	320 cm	240 cm	3 - 12	7	18,1 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1492	●	195 cm	499 cm	240 cm	1 - 3/3 - 14	8	31,8 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1494	●	195 cm	615 cm	240 cm	1 - 3/3 - 14	9	40,3 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●
WD1497	●	195 cm	575 cm	240 cm	3 - 12	14	37,0 m <sup>2</sup>	130 cm	-	-	●	● ● ● ● ● ● ● ●









ST0515









ST0516



ST0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0515	-	640 cm	610 cm	234 cm	1 - 3/3 - 14	5	46,4 m <sup>2</sup>	130 cm	●	-	-	
ST0516	-	560 cm	640 cm	235 cm	1 - 3/3 - 14	6	54,5 m <sup>2</sup>	130 cm	●	-	-	
ST0517	●	238 cm	337 cm	293 cm	3 - 12	1	18,1 m <sup>2</sup>	145 cm	●	-	-	



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0509		643 cm	558 cm	281 cm	3 - 12	6	49,0 m <sup>2</sup>	130 cm		-	-	
ST0533	-	345 cm	30 cm	230 cm	3 - 12	1	49,0 m <sup>2</sup>	145 cm		-	-	



ST0519



ST0518



ST0521

Available seats:



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	wood	
ST0518	-	55 cm	400 cm	320 cm	6 - 14	1	29,1 m <sup>2</sup>	< 60 cm	●	-	-	
ST0519	-	221 cm	199 cm	242 cm	3 - 14	3	52,8 m <sup>2</sup>	130 cm	●	-	-	
ST0521	-	490 cm	310 cm	270 cm	3 - 14	4	13,5 m <sup>2</sup>	130 cm	●	-	-	

Characteristics of the SWING series:



Stainless steel construction or elements



Galvanised steel construction or elements



Wood construction



Galvanised anchors



Stainless steel chains



Certified swing seats



Durable connectors



Protective tops



Ropes with steel core

Colour & material options\*:



Colour (construction parts):

- C1 - RAL6029
- C4 - RAL1023
- C13 - RAL9005
- CASTILLO
- SPACE
- C2 - RAL3020
- C6 - RAL2009
- C8 - NCS-S-1060-G-60Y
- JUNGLE
- STEEL+
- C3 - RAL5015
- C12 - RAL7040
- C1 - stainless steel



Construction:

- Painted steel
- Painted wood
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# hoop

## Spin, spin!


The HOOP series consists of roundabouts and spinners which drive the world of laughing children.

Spinning is an important activity for the child's development as it promotes the maturation of the nervous system, stimulates the sense of balance, strengthens the muscles and the skeletal system. At the same time it is a source of exciting sensations. For an older child, it is often a favourite place of crazy fun with friends.

Colourful carousels encourage both younger and older children to have fun together.



0720



0703-1




0726




0728


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0720	-	155 cm	155 cm	230 cm	3 - 12	21	24,2 m <sup>2</sup>	200 cm	-	<input type="radio"/>	-	-	
0703-1	-	120 cm	120 cm	73 cm	3 - 12	6	21,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	
0726		175 cm	175 cm	85 cm	3 - 12	2	26,0 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	
0728		220 cm	220 cm	90 cm	3 - 12	6	30,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	




0708-1



0702-2



0705-2



0706-1


See also from the ROBINIA series: p. 105



RB1372



RB1373

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options				
									steel	inox	wood	HDPE	HPL			
0708-1	-	120 cm	120 cm	13 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0702-2	-	120 cm	120 cm	73 cm	3 - 12	4	21,2 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0705-2	-	150 cm	150 cm	71 cm	3 - 12	5	23,8 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
0706-1	-	150 cm	150 cm	68 cm	3 - 12	8	23,8 m <sup>2</sup>	100 cm	-	<input type="radio"/>	-	-	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



0710



0700-1




0701-1



0712



0713

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0710	-	55 cm	55 cm	60 cm	3 - 12	1	16,2 m <sup>2</sup>	100 cm	-	●	-	-	-
0700-1	-	50 cm	50 cm	45 cm	3 - 12	3	15,9 m <sup>2</sup>	100 cm	●	-	-	-	-
0701-1	-	50 cm	50 cm	140 cm	3 - 12	1	15,9 m <sup>2</sup>	100 cm	●	-	-	●●●●●	-
0712	-	73 cm	73 cm	146 cm	3 - 12	2	17,6 m <sup>2</sup>	100 cm	-	●	-	●●●	-
0713	-	90 cm	42 cm	147 cm	7 - 16	1	11,4 m <sup>2</sup>	< 60 cm	-	●	-	●●	-



0711



0714

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height	Construction			Colour options	
									steel	inox	wood	HDPE	HPL
0711	-	72 cm	72 cm	180 cm	7 - 16	4	35,4 m <sup>2</sup>	100 cm	●	-	-		-
0714	-	265 cm	35 cm	170 cm	5 - 12	2	34,6 m <sup>2</sup>	120 cm	●	-	-	-	●

Characteristics of the HOOP series:



Stainless steel construction or elements



Galvanised steel construction or elements



HPL platforms



HPL panels



HDPE panels



Spinning elements



Movable elements

Colour & material options\*:



Colour (panels & construction parts):

C5 HPL - multicolour

C3 HPL RAL5015

C8 HPL NCS-S 1060-G60Y

C6 HPL RAL1017

C12 HPL RAL7038

CASTILLO

JUNGLE

SPACE



Construction:

Painted steel

Stainless steel



Anchoring:

- Surface

- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# arena



## Be like Lewy!

The ARENA is a multifunctional playing field that can be an independent sports facility, perfectly suited for public spaces. In the Arena you can play football, basketball, handball, hockey, tennis and many more.

The highest quality construction and materials are resistant to the loads associated with the use of the field. Thanks to the modularity of the size and functional design, as well as the possibility to choose the material and colour version, the Arena can be adapted to individual needs.



**MODULAR SYSTEM**









### 1. Determine the size of the Arena

Using modular side panels, an Arena of any size can be created. The corners, depending on the needs, can have a right angle or be cut (set at an angle).



### 2. Choose the design and material options

The structure of the Arena can be secured with a durable hot-dip galvanized coating, or galvanized and additionally secured with a three-layer paint.

Steel modular panels from which we create the Arena come in three options:

- vertical steel tubular profiles permanently welded to the frame, creating a durable, stable structure;
- walls made of HDPE board, resistant to weather conditions, reinforced with steel profiles;
- vertical rails made of recycled composite, resistant to moisture and low temperatures.



### 3. Set the height

Thanks to the modular panels, the height of the side walls can be freely adjusted to individual needs. Each panel is 1 m high. The durable safety net is available in the height of 2 or 3 m.


There are five combinations to choose from:

- one row of panels;
- two rows of panels;
- three rows of panels;
- two rows of panels + 3 m safety net;
- three rows of panels + 2 m safety net.



### 4. Select the entrance type

The type of entrance to the Arena can be adjusted to suit any needs. Five types are available: a panel with an opening, an openable wicket with or without additional blockade against the entry of bicycles, an offset panel or a lockable technical entrance.



**MODULAR SYSTEM**






**7. Choice of complementary elements:**

Additional elements of Arena equipment are designed so that they can be placed anywhere in the walls of the playing field. Four elements to choose from:

- stand-up bench;
- a small "Brazilian" gate;
- free-standing basketball basket;
- volleyball net.



**5. Select football goals**

- Football goals come in four configurations:
- without top panel;
  - with top panel;
  - with top panel and the basketball basket on the front;
  - with top panel and two basketball baskets: front and rear.

**6. Pick side elements in the goals**

- The side walls of the goals come in three variants:
- open;
  - with a crossbar to prevent the bicycle from entering the field;
  - completely closed (full goal).




2431



2432



2451



2441



2452



2495



2498



2421



2422



2423




240606-001



240606-002



241308-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels	
						steel	inox	wood	HDPE	composite
2431	●	190 cm	120 cm	380 cm	3+	●	-	-	-	-
2432	●	190 cm	145 cm	385 cm	3+	●	-	-	-	-
2451	●	130 cm	30 cm	80 cm	3+	●	-	-	-	-
2452	●	320 cm	110 cm	210 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2441	●	1135 cm	10 cm	260 cm	3+	●	-	-	-	-
2495	●	180 cm	30 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2498	-	16 cm	18 cm	96 cm	-	●	-	-	-	-
2421	●	320 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2422	●	820 cm	235 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
2423	●	1175 cm	290 cm	385 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-001	●	615 cm	670 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
240606-002	●	615 cm	670 cm	205 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●
241308-001	●	1315 cm	860 cm	105 cm	3+	●	-	-	● ● ● ● ● ● ● ●	●



241308-002



241708-001



241708-002



242011-001



242011-002



242011-003



242311-001



242415-001



242917-001

Product code		Product length	Product width	Product height	Age range	Construction			Panels					
						steel	inox	wood	HDPE			composite		
241308-002	●	1460 cm	820 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
241708-001	●	1965 cm	820 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
241708-002	●	2240 cm	980 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242011-001	●	2210 cm	1070 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
242011-002	●	2210 cm	1260 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242011-003	●	2470 cm	1195 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242311-001	●	2465 cm	1070 cm	385 cm	3+	●	-	-	●	●	●	●	●	●
242415-001	●	2565 cm	1615 cm	505 cm	3+	●	-	-	●	●	●	●	●	●
242917-001	●	3325 cm	1805 cm	505 cm	3+	●	-	-	●	●	●	●	●	●

Characteristics of the ARENA products:



Galvanised steel construction or elements



Stainless steel elements



Composite panels



HDPE panels



Stainless steel chains



Durable connectors



Protective tops


\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# jumpoo


## Jump to the sky!

Jumping on the trampolines is a great fun, but also a great training! It allows you to strengthen your muscles, improve fitness and coordination, and at the same time reduce stress and tension, allowing you to relax.


Our trampolines are available in various colours and thanks to the special structure of the elements, any combination of shapes.




2222




2211




2212




2213




2214



2221














2220



2223



2224

Product code		Product length	Product width	Product height	Age range	Safety zone	Free-fall height	Colour variants
2222	-	605 cm	380 cm	-	4 - 15	58,3 m <sup>2</sup>	90 cm	
2211	-	150 cm	150 cm	-	4 - 15	12,6 m <sup>2</sup>	90 cm	
2212	-	150 cm	150 cm	-	4 - 15	14,1 m <sup>2</sup>	90 cm	
2213	-	200 cm	200 cm	-	4 - 15	26,8 m <sup>2</sup>	90 cm	
2214		300 cm	150 cm	-	4 - 15	27,3 m <sup>2</sup>	90 cm	
2221	-	375 cm	375 cm	-	4 - 15	41,2 m <sup>2</sup>	90 cm	
2220	-	300 cm	300 cm	-	4 - 15	38,9 m <sup>2</sup>	90 cm	
2223	-	745 cm	325 cm	-	4 - 15	60,0 m <sup>2</sup>	90 cm	
2224	-	905 cm	680 cm	-	4 - 15	93,0 m <sup>2</sup>	90 cm	

Characteristics of the JUMPOO series:



Galvanised steel construction



Stainless steel elements



Surface: coloured rubber



Durable anti-slip PA lamellas

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)



# fitness

## Keeping fit!

The FITNESS series was created with wellness in mind, encouraging to train and lead a healthy lifestyle.

The series devices are available in several colour and material options which will allow you to create a professional outdoor gym responding to various needs.



1106



1103-1



1101



1108



1104-1



1105-1



1107-1



1102

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1106	●	134 cm	63 cm	141 cm	14+	140 kg	17,9 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1103-1	●	159 cm	38 cm	132 cm	14+	140 kg	13,6 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1101	●	101 cm	88 cm	199 cm	14+	140 kg	13,6 m <sup>2</sup>	99 cm	● ● ● ● ●	●	-
1108	●	77 cm	66 cm	137 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1104-1	●	69 cm	74 cm	167 cm	14+	140 kg	12,8 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1105-1	●	93 cm	83 cm	167 cm	14+	140 kg	13,1 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1107-1	●	101 cm	75 cm	167 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	● ● ● ● ●	●	-
1102	●	93 cm	79 cm	199 cm	14+	140 kg	12,8 m <sup>2</sup>	99 cm	● ● ● ● ●	●	-









1121



1120



1118



1113



1114



1112



1119



1115



1116-1



1117



1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
1121		205 cm	150 cm	125 cm	14+	140 kg	16,0 m <sup>2</sup>	90 cm			-
1120		130 cm	60 cm	115 cm	14+	140 kg	13,5 m <sup>2</sup>	< 60 cm			-
1118		110 cm	50 cm	140 cm	14+	140 kg	12,4 m <sup>2</sup>	99 cm			-
1113		214 cm	123 cm	132 cm	14+	140 kg	16,8 m <sup>2</sup>	112 cm			-
1114		78 cm	65 cm	142 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm			-
1112		79 cm	71 cm	132 cm	14+	140 kg	12,1 m <sup>2</sup>	< 60 cm			-
1119		100 cm	45 cm	120 cm	14+	140 kg	11,9 m <sup>2</sup>	60 cm			-
1115		167 cm	64 cm	166 cm	14+	140 kg	15,0 m <sup>2</sup>	< 60 cm			-
1116-1		188 cm	75 cm	167 cm	14+	140 kg	16,4 m <sup>2</sup>	< 60 cm			-
1117		79 cm	66 cm	132 cm	14+	140 kg	12,0 m <sup>2</sup>	< 60 cm			-
1198	-	20 cm	22 cm	95 cm	-	-	-	-			-







RB1104












RB1105



RB1106



RB1113

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1104		75 cm	74 cm	178 cm	14+	140 kg	13,0 m <sup>2</sup>	< 60 cm	-	-	
RB1105		93 cm	90 cm	178 cm	14+	140 kg	13,4 m <sup>2</sup>	< 60 cm	-	-	
RB1106		140 cm	65 cm	141 cm	14+	140 kg	18,2 m <sup>2</sup>	< 60 cm	-	-	
RB1113		218 cm	133 cm	145 cm	14+	140 kg	20,5 m <sup>2</sup>	112 cm	-	-	



RB1116



RB1117



RB1112



RB1108



RB1111



RB1114



RB1109



RB1110



RB1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB1116		188 cm	79 cm	178 cm	14+	140 kg	16,5 m <sup>2</sup>	< 60 cm	-	-	
RB1117		89 cm	70 cm	155 cm	14+	140 kg	12,5 m <sup>2</sup>	< 60 cm	-	-	
RB1112		85 cm	73 cm	145 cm	14+	140 kg	12,4 m <sup>2</sup>	< 60 cm	-	-	
RB1108		84 cm	70 cm	155 cm	14+	140 kg	12,3 m <sup>2</sup>	< 60 cm	-	-	
RB1111		119 cm	51 cm	143 cm	14+	140 kg	13,6 m <sup>2</sup>	89 cm	-	-	
RB1114		78 cm	73 cm	155 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	
RB1109		89 cm	47 cm	139 cm	14+	140 kg	11,6 m <sup>2</sup>	< 60 cm	-	-	
RB1110		85 cm	66 cm	174 cm	14+	140 kg	12,2 m <sup>2</sup>	< 60 cm	-	-	
RB1198	-	20 cm	22 cm	95 cm	-	-	-	-	-	-	

Characteristics of the FITNESS series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Movable elements

Colour & material options\*:



Colour (construction in steel):

- C8 - NCS-S-1060-G-60Y
- C17 - RAL4008
- Ci - stainless steel
- C12 - RAL7040
- C3 - RAL5015
- C16 - RAL6013
- C18 - NCS-S 2040-B10G



Construction:

- Painted steel
- Robinia wood
- Stainless steel



Anchoring:

- Surface
- Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# workout

## As fit as a fiddle!

The WORKOUT series designed for development, keeping fit and returning to good physical condition. Steel and wooden structures with many bars and elements for training with the weight of your own body.

Modern design, durable materials and colour options, perfect for creating a contemporary sports ground.




2324



2301



2302



2303



2304



2305



2306



2318



2319



2320



Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
2324	458 cm	379 cm	241 cm	14+	140 kg	39,9 m <sup>2</sup>	228 cm	●	●	-
2301	194 cm	64 cm	72 cm	14+	140 kg	16,1 m <sup>2</sup>	72 cm	●	●	-
2302	194 cm	68 cm	122 cm	14+	140 kg	16,3 m <sup>2</sup>	112 cm	●	●	-
2303	194 cm	124 cm	122 cm	14+	140 kg	19,0 m <sup>2</sup>	112 cm	●	●	-
2304	342 cm	13 cm	138 cm	14+	140 kg	18,1 m <sup>2</sup>	127 cm	●	●	-
2305	151 cm	82 cm	83 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	●	●	-
2306	158 cm	82 cm	83 cm	14+	140 kg	14,6 m <sup>2</sup>	< 60 cm	●	●	-
2318	60 cm	40 cm	20 cm	14+	140 kg	10,3 m <sup>2</sup>	< 60 cm	-	-	-
2319	70 cm	55 cm	40 cm	14+	140 kg	11,2 m <sup>2</sup>	< 60 cm	-	-	-
2320	80 cm	65 cm	60 cm	14+	140 kg	11,9 m <sup>2</sup>	< 60 cm	-	-	-





2307



2308



2309



2310



2311



2312



2313



2314



2315



2316




2317

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
2307	168 cm	12 cm	241 cm	14+	140 kg	12,7 m <sup>2</sup>	130 cm	●	●	-
2308	234 cm	12 cm	241 cm	14+	140 kg	24,5 m <sup>2</sup>	231 cm	●	●	-
2309	123 cm	12 cm	241 cm	14+	140 kg	19,7 m <sup>2</sup>	229 cm	●	●	-
2310	123 cm	12 cm	241 cm	14+	140 kg	18,9 m <sup>2</sup>	230 cm	●	●	-
2311	153 cm	123 cm	347 cm	14+	140 kg	29,2 m <sup>2</sup>	245 cm	●	●	-
2312	123 cm	86 cm	351 cm	14+	140 kg	25,5 m <sup>2</sup>	249 cm	●	●	-
2313	123 cm	12 cm	241 cm	14+	140 kg	11,3 m <sup>2</sup>	126 cm	●	●	-
2314	233 cm	122 cm	241 cm	14+	140 kg	20,6 m <sup>2</sup>	139 cm	●	●	-
2315	233 cm	59 cm	242 cm	14+	140 kg	17,2 m <sup>2</sup>	139 cm	●	●	-
2316	440 cm	130 cm	55 cm	14+	140 kg	22,8 m <sup>2</sup>	< 60 cm	●	●	-
2317	345 cm	15 cm	285 cm	14+	140 kg	20,2 m <sup>2</sup>	170 cm	●	●	-



2323



2325



2326




2327


















2328



2399



2329

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2323	-	348 cm	233 cm	241 cm	14+	140 kg	32,6 m <sup>2</sup>	240 cm			-
2325	-	489 cm	453 cm	347 cm	14+	140 kg	50,5 m <sup>2</sup>	245 cm			-
2326	-	543 cm	344 cm	241 cm	14+	140 kg	54,8 m <sup>2</sup>	228 cm			-
2327	-	608 cm	499 cm	251 cm	14+	140 kg	64,6 m <sup>2</sup>	228 cm			-
2328	-	789 cm	600 cm	347 cm	14+	140 kg	84,4 m <sup>2</sup>	245 cm			-
2329	-	1137 cm	789 cm	351 cm	14+	140 kg	129,1 m <sup>2</sup>	249 cm			-
2399	-	104 cm	12 cm	204 cm	-	-	-	-			-



RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306




RB2309



RB2310



RB2313



RB2312



RB2311


Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
RB2301	-	198 cm	69 cm	72 cm	14+	140 kg	16,4 m <sup>2</sup>	72 cm	-	-	●
RB2302	-	198 cm	75 cm	130 cm	14+	140 kg	16,7 m <sup>2</sup>	112 cm	-	-	●
RB2303	-	198 cm	131 cm	130 cm	14+	140 kg	19,5 m <sup>2</sup>	112 cm	-	-	●
RB2304	-	354 cm	19 cm	138 cm	14+	140 kg	19,0 m <sup>2</sup>	127 cm	-	-	●
RB2305	-	153 cm	89 cm	90 cm	14+	140 kg	14,7 m <sup>2</sup>	< 60 cm	-	-	●
RB2306	-	160 cm	89 cm	90 cm	14+	140 kg	14,9 m <sup>2</sup>	< 60 cm	-	-	●
RB2307	-	175 cm	18 cm	250 cm	14+	140 kg	14,0 m <sup>2</sup>	130 cm	-	-	●
RB2308	-	242 cm	19 cm	250 cm	14+	140 kg	26,4 m <sup>2</sup>	231 cm	-	-	●
RB2309	-	130 cm	19 cm	250 cm	14+	140 kg	21,4 m <sup>2</sup>	229 cm	-	-	●
RB2310	-	131 cm	20 cm	250 cm	14+	140 kg	21,3 m <sup>2</sup>	230 cm	-	-	●
RB2313	-	129 cm	18 cm	250 cm	14+	140 kg	12,3 m <sup>2</sup>	126 cm	-	-	●
RB2312	-	128 cm	90 cm	351 cm	14+	140 kg	27,0 m <sup>2</sup>	249 cm	-	-	●
RB2311	-	157 cm	128 cm	347 cm	14+	140 kg	30,9 m <sup>2</sup>	245 cm	-	-	●



RB2314

RB2315

RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robina
RB2314	-	241 cm	129 cm	250 cm	14+	140 kg	22,1 m <sup>2</sup>	139 cm	-	-	●
RB2315	-	242 cm	59 cm	250 cm	14+	140 kg	17,9 m <sup>2</sup>	139 cm	-	-	●
RB2323	-	358 cm	241 cm	250 cm	14+	140 kg	34,7 m <sup>2</sup>	230 cm	-	-	●



RB2324



RB2325



RB2326



RB2327



RB2329



RB2328



RB2399

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
								steel	inox	robinia
RB2324	468 cm	384 cm	250 cm	14+	140 kg	42,2 m <sup>2</sup>	228 cm	-	-	●
RB2325	494 cm	464 cm	347 cm	14+	140 kg	52,3 m <sup>2</sup>	245 cm	-	-	●
RB2326	554 cm	352 cm	250 cm	14+	140 kg	57,8 m <sup>2</sup>	228 cm	-	-	●
RB2327	619 cm	508 cm	255 cm	14+	140 kg	68,2 m <sup>2</sup>	228 cm	-	-	●
RB2328	798 cm	607 cm	347 cm	14+	140 kg	92,4 m <sup>2</sup>	245 cm	-	-	●
RB2329	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m <sup>2</sup>	249 cm	-	-	●
RB2399	109 cm	20 cm	210 cm	-	-	-	-	-	-	●

Characteristics of the WORKOUT series:



Galvanised steel construction



Stainless steel construction or elements



Robinia wood construction



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops

Colour & material options\*:



Colour (construction in steel):



C8 - NCS-S-1060-G-60Y



C17 - RAL4008



Ci - stainless steel



Construction:



C12 - RAL7040



C3 - RAL5015



C16 - RAL6013



C18 - NCS-S 2040-B10G



Painted steel



Robinia wood



Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# active

New series!

## Stay healthy!

Especially for seniors, we have prepared devices that help maintain or restore proper body movement. Keeping in good shape through activity is a very important issue, thanks to which the elderly can enjoy health even longer.



2701



2702



2703



2704



2705



2706

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction		
									steel	inox	robinia
2701	●	255 cm	105 cm	185 cm	14+	140 kg	20,5 m <sup>2</sup>	70 cm	● ● ● ● ● ● ● ●	●	-
2702	●	85 cm	35 cm	170 cm	14+	140 kg	11,0 m <sup>2</sup>	< 60 cm	● ● ● ● ● ● ● ●	●	-
2703	●	225 cm	225 cm	130 cm	14+	140 kg	19,7 m <sup>2</sup>	< 60 cm	● ● ● ● ● ● ● ●	●	-
2704	●	195 cm	40 cm	120 cm	14+	140 kg	14,1 m <sup>2</sup>	< 60 cm	● ● ● ● ● ● ● ●	●	-
2705	●	195 cm	60 cm	155 cm	14+	140 kg	14,3 m <sup>2</sup>	< 60 cm	● ● ● ● ● ● ● ●	●	-
2706	●	195 cm	65 cm	110 cm	14+	140 kg	14,4 m <sup>2</sup>	< 60 cm	● ● ● ● ● ● ● ●	●	-



Characteristics of the ACTIVE series:



Galvanised steel construction



Stainless steel construction or elements



Movable elements



HPL HEXA platforms



HPL panels



Polycarbonate (PC) panels



Durable connectors



Protective tops



Durable steel spring

Colour & material options\*:



Colour (construction in steel):

● C8 - NCS-S-1060-G-60Y

● C16 - RAL6013

● C3 - RAL5015

● Ci - stainless steel

● C12 - RAL7040

● C17 - RAL4008

● C18 - NCS-S 2040-B10G



Construction:

● Painted steel

● Stainless steel

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)


# - park -

## Small park architecture

The PARK series is a necessary complement to a kid-friendly playground.

Comfortable benches and tables, colourful litter bins, information boards and fences – all these elements ensure comfortable relaxation for children, their parents and caregivers.

The modern and aesthetically pleasing design of street furniture harmoniously blends in with the playground equipment.



0913



0923



0924



0925



0926



0911



0912

























0916





0900-2




0902-2

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0913	-	146 cm	129 cm	54 cm		-	-	-	-
0923	-	159 cm	35 cm	36 cm		-	-		-
0924	-	159 cm	42 cm	78 cm		-	-		-
0925	-	159 cm	35 cm	36 cm	-		-		-
0926	-	159 cm	42 cm	78 cm	-		-		-
0911	-	112 cm	49 cm	43 cm		-	-	-	-
0912	-	111 cm	50 cm	43 cm		-	-	-	-
0916	-	160 cm	40 cm	50 cm	-	-	-	     	-
0900-2	-	160 cm	38 cm	43 cm	-	-			-
0902-2	-	160 cm	48 cm	80 cm	-	-			-





Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
0915	-	160 cm	57 cm	74 cm	-	-	●	●	-
0914	-	171 cm	160 cm	74 cm	-	-	●	●	-
0933	-	36 cm	35 cm	100 cm	-	●	-	●	-
0934	-	36 cm	35 cm	100 cm	●●●●●	-	-	●	-
0935	-	135 cm	35 cm	95 cm	-	-	-	●●	-
0905-1	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0904	-	44 cm	31 cm	95 cm	-	-	-	●●	-
0936	-	87 cm	8 cm	84 cm	-	-	-	●	-
0938	-	70 cm	12 cm	81 cm	-	-	-	●	-
0940	-	210 cm	47 cm	30 cm	-	-	-	●	-
0909	-	43 cm	32 cm	74 cm	●●	-	-	●	-
0910	-	45 cm	32 cm	73 cm	●●	-	-	●	-




WD1485



WD1484



WD1486



0920




0927



0929
























0928



0921-1



0922

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1484	-	120 cm	13 cm	76 cm			-	-	
WD1485	-	170 cm	14 cm	76 cm			-	-	
WD1486	-	280 cm	12 cm	76 cm			-	-	
0920	-	205 cm	5 cm	90 cm	-		-		-
0927	-	105 cm	8 cm	90 cm	-		-		-
0928	-	315 cm	8 cm	90 cm	-		-		-
0929	-	105 cm	6 cm	95 cm	-		-		-
0921-1	-	261 cm	6 cm	116 cm		-	-		-
0922	-	112 cm	21 cm	120 cm	-	-	-		-




WD1483



0906



0907



0908

Product code		Product length	Product width	Product height	Colour options			Construction	
					HDPE	HPL	wood	steel	wood
WD1483	-	50 cm	10 cm	170 cm	-	-	-	-	●
0906	-	50 cm	4 cm	171 cm	-	-	-	●	-
0907	-	59 cm	4 cm	169 cm	-	-	-	●	-
0908	-	170 cm	15 cm	171 cm	-	-	-	●●	-

Characteristics of the PARK series:



Galvanised steel construction



Wood construction



Galvanised anchors



HDPE panels



HPL panels

Colour & material options\*:



Colour (panels):

- C1 HPL - RAL6000
- C2 HPL - RAL3000
- C3 HPL - RAL5024
- C6 HPL - RAL1017
- C9 HPL - wood pattern
- C12 HPL - RAL7038
- C11E HDPE - multicolour
- C12E HDPE - grey/black



Construction:

- Painted steel
- Robinia wood
- Stainless steel




Anchoring:

- - Surface
- - Deep

\*Material options apply to selected products, for more information visit: [www.vinci-play.com](http://www.vinci-play.com)

# All products

recycled




# All products



recycled

RC1419 p.58 RC0607 p.60 RC0622 p.60 RC0633 p.60 RC0630 p.60 RC0627 p.61 RC0606 p.61 RC0608 p.61 RC0612 p.61  
 RC0619 p.61 RC0615 p.61 RC0609 p.61 RC0660 p.62 RC0670 p.62 RC0671 p.62 RC0712 p.63 RC1425 p.64 RC0522 p.64  
 RC1492 p.64 RC1483 p.66 RC1486 p.66 RC0934 p.66 RC0923 p.66 RC0924 p.66 RC1484 p.66 RC1485 p.66 RC0921 p.66
















Robinia

RB1309 p.72 RB1306 p.72 RB1308 p.72 RB1307 p.72 RB1334 p.74 RB1301 p.74 RB1302 p.74 RB1305 p.74 RB1311 p.74  
 RB1313 p.75 RB1314 p.75 RB1315 p.75 RB1316 p.75 RB1201 p.76 RB1202 p.76 RB1203 p.76 RB1205 p.76 RB1206 p.76  
 RB1207 p.76 RB1211 p.78 RB1215 p.78 RB1216 p.79 RB1217 p.79 RB1241 p.80 RB1242 p.80 RB1243 p.80 RB1244 p.80  
 RB1245 p.80 RB1246 p.80 RB1231 p.81 RB1232 p.81 RB1234 p.81 RB1235 p.81 RB1233 p.81 RB1236 p.81 RB1237 p.81  
 RB1238 p.82 RB1247 p.84 RB1323 p.85 RB1324 p.85 RB1321 p.85 RB1322 p.85 RB1227 p.85 RB1228 p.85 RB1229 p.85  
 RB1251 p.86 RB1252 p.86 RB1259 p.86 RB1253 p.86 RB1255 p.86 RB1256 p.86 RB1257 p.86 RB1254 p.86 RB1258 p.86

# All products

**Yobinia**

								
RB1260 p.86	RB1264 p.87	RB1265 p.87	RB1266 p.87	RB1267 p.87	RB1263 p.87	RB1279 p.88	RB1270 p.88	RB1271 p.88
								
RB1278 p.88	RB1283 p.88	RB1284 p.88	RB1286 p.88	RB1287 p.88	RB1288 p.88	RB1269 p.88	RB1272 p.89	RB1273 p.89
								
RB1274 p.89	RB1262 p.89	RB1280 p.89	RB1357 p.89	RB1261 p.89	RB1289 p.89	RB1282 p.90	RB1380 p.90	RB1285 p.90
								
RB1277 p.91	RB1276 p.91	RB1275 p.91	RB1281 p.91	RB1218 p.92	RB1219 p.92	RB1220 p.92	RB1221 p.92	RB1222 p.92
								
RB1223 p.93	RB1224 p.93	RB1319 p.94	RB1310 p.94	RB1312 p.94	RB1381 p.96	RB1382 p.96	RB1383 p.96	RB1290 p.97
								
RB1291 p.97	RB1292 p.97	RB1293 p.97	RB1294 p.97	RB1295 p.97	RB1296 p.97	RB1297 p.97	RB1298 p.97	RB1299 p.97
								
RB1331 p.98	RB1327 p.99	RB1330 p.99	RB1326 p.99	RB1328 p.99	RB1333 p.99	RB1347 p.99	RB2851 p.100	RB2852 p.100
								
RB2854 p.100	RB2856 p.100	RB2859 p.100	RB2862 p.100	RB2864 p.100	RB2866 p.101	RB2867 p.101	RB1339 p.102	RB1337 p.102
								
RB1338 p.102	RB1336 p.102	RB1340 p.102	RB1346 p.102	RB1345 p.102	RB1344 p.103	RB1341 p.103	RB1342 p.103	RB1343 p.103
								
RB1361 p.104	RB1362 p.104	RB1363 p.104	RB1366 p.104	RB1364 p.104	RB1369 p.104	RB1365 p.104	RB1372 p.105	RB1373 p.105

# All products



Robinia

abix jungle

space


# All products

castillo



3001-1 p.126 3040-1 p.126 3002-1 p.126 3003-1 p.126 3004-1 p.127 3027-1 p.127 3028-1 p.127 3030-1 p.127 3029-1 p.129  
 3041-1 p.129 3031-1 p.129 3045-1 p.129 3060-1 p.130 3080 p.130

steel+



1723 p.132 1702 p.132 1709 p.132 1701 p.133 1726 p.133 1725 p.133 1724 p.133 1703 p.134 1704 p.134  
 1705 p.134 1706 p.135 1717 p.135 1707 p.135 1708 p.135 1710 p.135 1712 p.135 1711 p.135 1713 p.135  
 1727 p.136 1728 p.136 1730-1 p.136 1731 p.136 1740 p.136 1741 p.137 1745 p.137 1790 p.137 1736 p.139



1780 p.139

wooden topicco

























































































WD1534 p.140 WD1541 p.140 WD1542 p.140 3101 p.141 3102 p.141 3103 p.141 3104 p.141  
 WD1503 p.142 WD1403 p.142 WD1437 p.142 WD1401 p.142 WD1402 p.142 WD1407 p.142 WD1505 p.144 WD1501 p.144 WD1506 p.144  
 WD1434 p.145 WD1436 p.145 WD1504 p.145 WD1502 p.145 WD1408 p.146 WD1406 p.146 WD1404 p.146 WD1405 p.146 WD1438 p.146  
 WD1409 p.147 WD1410 p.147 WD1449 p.148 WD1412 p.148 WD1411 p.148 WD1454 p.148 WD1413 p.148 WD1450 p.148 WD1439 p.149



# All products

wooden

solo

								
WD1452 p.149	WD1453 p.149	WD1451 p.149	WD1433 p.150	WD1414 p.150	WD1415 p.150	WD1580 p.150	WD1581 p.150	WD1418-1 p.150
								
WD1430 p.153	WD1431 p.153	WD1432 p.153	WD1550 p.153	WD1551 p.153	WD1552 p.153			
								
0826 p.154	0810 p.154	0811 p.154	0812 p.154	0813 p.154	0820 p.154	0825 p.154	0824 p.155	0841 p.155
								
0822 p.155	0840 p.155	0821 p.155	0830 p.156	0831 p.156	0832 p.156	WD1440 p.156	WD1441 p.156	WD1442 p.156
								
WD1443 p.156	WD1444 p.156	WD1445 p.156	WD1446 p.156	WD1447 p.156	WD1448 p.156	1751 p.157	1752 p.157	1753 p.157
								
1754 p.157	1755 p.157	1756 p.157	1757 p.157	1758 p.157	1759 p.157	0801-1 p.158	0802-1 p.158	0800 p.158
								
WD1416 p.158	WD1482 p.158	WD1458 p.159	WD1429 p.159	WD1457-1 p.159	WD1455 p.159	WD1456 p.159	WD1427 p.160	WD1467 p.160
								
WD1468 p.160	WD1469 p.160	WD1470 p.160	WD1471 p.160	WD1472 p.160	WD1473 p.161	WD1474 p.161	WD1475 p.161	WD1476 p.161
								
WD1477 p.161	WD1478 p.161	WD1560 p.161	WD1561 p.161	WD1562 p.161	WD1563 p.161	WD1564 p.161	WD1565 p.161	0122 p.162
								
0120 p.162	0121 p.162	0806-1 p.162	0808-1 p.162	0804 p.162	0685 p.162	0809 p.162	1760 p.165	1761 p.165

# All products

solo



1762 p.165



1763 p.165



1770 p.165



1771 p.165



1772 p.165



1720 p.165



1722 p.165



1721 p.165



WP2850 p.166



WP2853 p.166



WP2855 p.166



WP2858 p.166



WP2863 p.166



0816 p.167



0817 p.167



0823 p.167

minisweet



0106-1C1 p.168



0100C1 p.168



0103C1 p.168



0101-1C1 p.168



0108-2C2 p.169



0102C2 p.169



0107C3 p.169



0105C3 p.169



0109-1C9 p.169



0104C9 p.169



0110 p.171



0111 p.171



0112 p.171



0113 p.171



0114 p.171

steel



0204C9 p.172



0814C9 p.172



0815-2C9 p.172



0201-1C9 p.172



0200C9 p.172



0212C1 p.173



0202-1C1 p.173



0203-1C1 p.173



0205-1C2 p.173



0213C2 p.173



0207C2 p.173



0208C3 p.173



0209C3 p.173



0206C3 p.173



0211-1C3 p.175



0214C3 p.175



0210-1C3 p.175

crooc



0305 p.176



0310 p.176



0306 p.176



0300S1 p.176



0303 p.176



0304 p.176



0300 p.176



0301S1 p.177



0301 p.177



0302 p.178



0302S1 p.178



0330 p.181

climbo



WD1420 p.182



WD1464 p.182



WD1428 p.182



WD1426 p.182



WD1417 p.182



WD1419 p.182



WD1466 p.182



WD1465 p.183



WD1487 p.183



WD1460 p.183



WD1459 p.183



WD1462 p.183



WD1461 p.184



WD1463 p.184



0411 p.186



0410 p.186



0409 p.186



0499 p.186

# All products



climbo

netix

spring

# All products

spring



0617-1 p.201 0621-1 p.201 0619 p.201 0624 p.201 0625 p.201

swing



ST0513 p.202 ST0522 p.202 ST0524 p.202 ST0525 p.202 WD1425 p.202 ST0500 p.202 ST0528 p.202 ST0529 p.203 ST0530 p.203



ST0531 p.203 ST0510 p.204 ST0511 p.204 ST0512 p.204 ST1421 p.205 ST1422 p.205 ST1491 p.205 ST1424 p.205 ST0520 p.205



ST1423 p.206 ST1492 p.206 ST1497 p.206 ST1494 p.206 WD0520 p.207 WD1421-1 p.207 WD1422-1 p.207 WD1491 p.207 WD1424-1 p.207



WD1423-1 p.208 WD1492 p.208 WD1494 p.208 WD1497 p.208 ST0515 p.209 ST0516 p.209 ST0517 p.209 ST0509 p.210 ST0533 p.210



ST0518 p.211 ST0519 p.211 ST0521 p.211

hoop



0720 p.212 0703-1 p.212 0726 p.212 0728 p.212 0708-1 p.213 0702-2 p.213 0705-2 p.213 0706-1 p.213 0710 p.214



0700-1 p.214 0701-1 p.214 0712 p.214 0713 p.214 0711 p.215 0714 p.215

arena



2431 p.220 2432 p.220 2451 p.220 2452 p.220 2441 p.220 2495 p.220 2498 p.220 2421 p.220 2422 p.220



2423 p.220 240606-001 p.220 240606-002 p.220 241308-001 p.220 241308-002 p.221 241708-001 p.221 241708-002 p.221 242011-001 p.221 242011-002 p.221

# All products



242011-003 p.221 242311-001 p.221 242415-001 p.221 242917-001 p.221



2222 p.222 2211 p.222 2212 p.222 2213 p.222 2214 p.222 2221 p.222 2220 p.222 2223 p.222 2224 p.222



1106 p.224 1103-1 p.224 1101 p.224 1108 p.224 1104-1 p.224 1105-1 p.224 1107-1 p.224 1102 p.224 1109 p.225



1110 p.225 1111-1 p.225 1121 p.227 1120 p.227 1118 p.227 1113 p.227 1114 p.227 1112 p.227 1119 p.227



1115 p.227 1116-1 p.227 1117 p.227 1198 p.227 1139 p.228 1143 p.228 1145 p.228 1131 p.228 1138 p.228



1146 p.228 1151 p.228 1132 p.228 1140 p.228 1147 p.228 1152 p.228 1133 p.228 1141 p.228 1148 p.228




1153 p.228 1134 p.228 1142 p.228 1149 p.228 1154 p.228 1137 p.228 1144 p.228 1150 p.228 1156 p.228



RB1104 p.230 RB1105 p.230 RB1106 p.230 RB1113 p.230 RB1116 p.231 RB1117 p.231 RB1112 p.231 RB1108 p.231 RB1111 p.231



RB1114 p.231 RB1109 p.231 RB1110 p.231 RB1198 p.231



2324 p.232 2301 p.232 2302 p.232 2303 p.232 2304 p.232 2305 p.232 2306 p.232 2318 p.232 2319 p.232



2324 p.232 2301 p.232 2302 p.232 2303 p.232 2304 p.232 2305 p.232 2306 p.232 2318 p.232 2319 p.232




2324 p.232 2301 p.232 2302 p.232 2303 p.232 2304 p.232 2305 p.232 2306 p.232 2318 p.232 2319 p.232

arena  
jump\_o  
fitness


workout

# All products

**w**orkout



**- park** active



# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
0100C1	168	0403	186	0630	198	0817	167	1104-1	224	1606	193	1750	187
0101-1C1	168	0404-1	186	0631	198	0820	154	1105-1	224	1607	193	1751	157
0102C2	169	0405-1	186	0632	198	0821	155	1106	224	1608	193	1752	157
0103C1	168	0406	186	0633	197	0822	155	1107-1	224	1609	194	1753	157
0104C9	169	0407	186	0651	196	0823	167	1108	224	1610	194	1754	157
0105C3	169	0408	186	0652	196	0824	155	1109	225	1630	194	1755	157
0106-1C1	168	0409	186	0653	196	0825	154	1110	225	1631	194	1756	157
0107C3	169	0410	186	0654	196	0826	154	1111-1	225	1632	192	1757	157
0108-2C2	169	0411	186	0655	196	0830	156	1112	227	1633	194	1758	157
0109-1C9	169	0412	188	0660	199	0831	156	1113	227	1634	194	1759	157
0110	171	0413-1	188	0670	199	0832	156	1114	227	1635	194	1760	165
0111	171	0414-1	188	0671	199	0840	155	1115	227	1636	194	1761	165
0112	171	0415	191	0672	199	0841	155	1116-1	227	1637	194	1762	165
0113	171	0416-1	189	0673	196	0900-2	240	1117	227	1638	192	1763	165
0114	171	0417-1	189	0674	199	0902-2	240	1118	227	1639	195	1770	165
0120	162	0418-1	189	0681	201	0904	241	1119	227	1640	195	1771	165
0121	162	0419-1	189	0682	199	0905-1	241	1120	227	1701	133	1772	165
0122	162	0420	191	0685	162	0906	243	1121	227	1702	132	1780	139
0200C9	172	0420H	191	0700-1	214	0907	243	1131	228	1703	134	1790	137
0201-1C9	172	0421	191	0701-1	214	0908	243	1132	228	1704	134	2211	222
0202-1C1	173	0421H	191	0702-2	213	0909	241	1133	228	1705	134	2212	222
0203-1C1	173	0498	187	0703-1	212	0910	241	1134	228	1706	135	2213	222
0204C9	172	0499	186	0705-2	213	0911	240	1137	228	1707	135	2214	222
0205-1C2	173	0600-1	198	0706-1	213	0912	240	1138	228	1708	135	2220	222
0206C3	173	0601-1	198	0708-1	213	0913	240	1139	228	1709	132	2221	222
0207C2	173	0602	196	0710	214	0914	241	1140	228	1710	135	2222	222
0208C3	173	0603	196	0711	215	0915	241	1141	228	1711	135	2223	222
0209C3	173	0604-1	196	0712	214	0916	240	1142	228	1712	135	2224	222
0210-1C3	175	0606	197	0713	214	0920	242	1143	228	1713	135	2301	232
0211-1C3	175	0607-1	197	0714	215	0921-1	242	1144	228	1714	187	2302	232
0212C1	173	0608-2	197	0720	212	0922	242	1145	228	1716	187	2303	232
0213C2	173	0609	197	0726	212	0923	240	1146	228	1717	135	2304	232
0214C3	175	0610	199	0728	212	0924	240	1147	228	1720	165	2305	232
0300	176	0611-1	198	0800	158	0925	240	1148	228	1721	165	2306	232
0300S1	176	0612-1	201	0801-1	158	0926	240	1149	228	1722	165	2307	233
0301	177	0613-1	198	0802-1	158	0927	242	1150	228	1723	132	2308	233
0301S1	177	0615-1	197	0804	162	0928	242	1151	228	1724	133	2309	233
0302	178	0616	197	0806-1	162	0929	242	1152	228	1725	133	2310	233
0302S1	178	0617-1	201	0808-1	162	0933	241	1153	228	1726	133	2311	233
0303	176	0619	201	0809	162	0934	241	1154	228	1727	136	2312	233
0304	176	0621-1	201	0810	154	0935	241	1156	228	1728	136	2313	233
0305	176	0622	197	0811	154	0936	241	1198	227	1730-1	136	2314	233
0306	176	0623	197	0812	154	0938	241	1601	192	1731	136	2315	233
0310	176	0624	201	0813	154	0940	241	1602	192	1736	139	2316	233
0330	181	0625	201	0814C9	172	1101	224	1603	192	1740	136	2317	233
0401	186	0626	199	0815-2C9	172	1102	224	1604	192	1741	137	2318	232
0402	186	0627	200	0816	167	1103-1	224	1605	193	1745	137	2319	232

# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
2320	232	3027-1	127	RB1105	230	RB1251	86	RB1298	97	RB1362	104	RB2310	235
2323	234	3028-1	127	RB1106	230	RB1252	86	RB1299	97	RB1363	104	RB2311	235
2324	232	3029-1	129	RB1108	231	RB1253	86	RB1301	74	RB1364	104	RB2312	235
2325	234	3030-1	127	RB1109	231	RB1254	86	RB1302	74	RB1365	104	RB2313	235
2326	234	3031-1	129	RB1110	231	RB1255	86	RB1305	74	RB1366	104	RB2314	236
2327	234	3040-1	126	RB1111	231	RB1256	86	RB1306	72	RB1369	104	RB2315	236
2328	234	3041-1	129	RB1112	231	RB1257	86	RB1307	72	RB1372	105	RB2323	236
2329	234	3045-1	129	RB1113	230	RB1258	86	RB1308	72	RB1373	105	RB2324	237
2399	234	3060-1	130	RB1114	231	RB1259	86	RB1309	72	RB1375	105	RB2325	237
240606-001	220	3080	131	RB1116	231	RB1260	86	RB1310	94	RB1380	90	RB2326	237
240606-002	220	3101	141	RB1117	231	RB1261	89	RB1311	74	RB1381	96	RB2327	237
241308-001	220	3102	141	RB1198	231	RB1262	89	RB1312	94	RB1382	96	RB2328	237
241308-002	221	3103	141	RB1201	76	RB1263	87	RB1313	75	RB1383	96	RB2329	237
241708-001	221	3104	141	RB1202	76	RB1264	87	RB1314	75	RB1385	109	RB2399	237
241708-002	221	3201	118	RB1203	76	RB1265	87	RB1315	75	RB1385H	109	RB2851	100
242011-001	221	3202	118	RB1205	76	RB1266	87	RB1316	75	RB1386	109	RB2852	100
242011-002	221	3203	118	RB1206	76	RB1267	87	RB1319	94	RB1386H	109	RB2854	100
242011-003	221	3204	118	RB1207	76	RB1268	111	RB1321	85	RB1387	110	RB2856	100
2421	220	3227	119	RB1211	78	RB1269	88	RB1322	85	RB1388	110	RB2859	100
2422	220	3230	119	RB1215	78	RB1270	88	RB1323	85	RB1389	110	RB2862	100
2423	220	3231	118	RB1216	79	RB1271	88	RB1324	85	RB1390	110	RB2864	100
242311-001	221	3240	119	RB1217	79	RB1272	89	RB1326	99	RB1391	110	RB2866	101
242415-001	221	3241	120	RB1218	92	RB1273	89	RB1327	99	RB1392	110	RB2867	101
242917-001	221	3245	120	RB1219	92	RB1274	89	RB1328	99	RB1393	110	RC0499	58
2431	220	3260	121	RB1220	92	RB1275	91	RB1330	99	RB1394	110	RC0522	64
2432	220	3401	122	RB1221	92	RB1276	91	RB1331	98	RB1395	110	RC0606	61
2441	220	3402	122	RB1222	92	RB1277	91	RB1333	99	RB1396	111	RC0607	60
2451	220	3403	122	RB1223	93	RB1278	88	RB1334	74	RB1397	111	RC0608	61
2452	220	3404	122	RB1224	93	RB1279	88	RB1336	102	RB1398	111	RC0609	61
2495	220	3427	122	RB1227	85	RB1280	89	RB1337	102	RB1399	110	RC0612	61
2498	220	3430	123	RB1228	85	RB1281	91	RB1338	102	RB1421	106	RC0615	61
2502	116	3431	123	RB1229	85	RB1282	90	RB1339	102	RB1422	106	RC0619	61
2503	116	3440	124	RB1231	81	RB1283	88	RB1340	102	RB1423	107	RC0622	60
2504	116	3441	124	RB1232	81	RB1284	88	RB1341	103	RB1424	106	RC0627	61
2505	116	3445	124	RB1233	81	RB1285	90	RB1342	103	RB1491	106	RC0630	60
2506	117	3460	125	RB1234	81	RB1286	88	RB1343	103	RB1492	107	RC0633	60
2507	117	RB0510	108	RB1235	81	RB1287	88	RB1344	103	RB1494	107	RC0660	62
2701	238	RB0511	108	RB1236	81	RB1288	88	RB1345	102	RB1497	107	RC0670	62
2702	238	RB0512	108	RB1237	81	RB1289	89	RB1346	102	RB2301	235	RC0671	62
2703	238	RB0513	107	RB1238	82	RB1290	97	RB1347	99	RB2302	235	RC0685	56
2704	238	RB0514	108	RB1241	80	RB1291	97	RB1348	110	RB2303	235	RC0712	63
2705	238	RB0515	109	RB1242	80	RB1292	97	RB1349	110	RB2304	235	RC0800	52
2706	238	RB0517	107	RB1243	80	RB1293	97	RB1350	110	RB2305	235	RC0801	53
3001-1	126	RB0520	107	RB1244	80	RB1294	97	RB1351	106	RB2306	235	RC0802	53
3002-1	126	RB0521-1	109	RB1245	80	RB1295	97	RB1352	106	RB2307	235	RC0810	54
3003-1	126	RB0700	105	RB1246	80	RB1296	97	RB1357	89	RB2308	235	RC0811	54
3004-1	127	RB1104	230	RB1247	84	RB1297	97	RB1361	104	RB2309	235	RC0812	54



# Index

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
RC0813	54	RC1438	48	RC1477	55	ST0518	211	WD1414	150	WD1449	148	WD1486	242
RC0816	56	RC1439	49	RC1478	55	ST0519	211	WD1415	150	WD1450	148	WD1487	183
RC0817	56	RC1440	57	RC1482	52	ST0520	205	WD1416	158	WD1451	149	WD1491	207
RC0824	52	RC1441	57	RC1483	66	ST0521	211	WD1417	182	WD1452	149	WD1492	208
RC0825	54	RC1442	57	RC1484	66	ST0522	202	WD1418-1	150	WD1453	149	WD1494	208
RC0921	66	RC1443	57	RC1485	66	ST0533	210	WD1419	182	WD1454	148	WD1497	208
RC0923	66	RC1444	57	RC1486	66	ST0524	202	WD1420	182	WD1455	159	WD1501	144
RC0924	66	RC1445	57	RC1492	64	ST0525	202	WD1421-1	207	WD1456	159	WD1502	145
RC0934	66	RC1446	57	RC1501	47	ST0528	202	WD1422-1	207	WD1457-1	159	WD1503	142
RC1401	46	RC1447	57	RC1502	47	ST0529	203	WD1423-1	208	WD1458	159	WD1504	145
RC1402	46	RC1448	57	RC1503	46	ST0530-1	203	WD1424-1	207	WD1459	183	WD1505	144
RC1403	46	RC1449	48	RC1504	47	ST0531	203	WD1425	202	WD1460	183	WD1506	144
RC1404	48	RC1450	49	RC1505	47	ST1421	205	WD1426	182	WD1461	184	WD1534	140
RC1405	48	RC1451	49	RC1506	47	ST1422	205	WD1427	160	WD1462	183	WD1541	140
RC1406	48	RC1452	49	RC1550	51	ST1423	206	WD1428	182	WD1463	184	WD1542	140
RC1407	46	RC1455	52	RC1551	51	ST1424	205	WD1429	159	WD1464	182	WD1550	153
RC1408	48	RC1456	52	RC1552	51	ST1491	205	WD1430	153	WD1465	183	WD1551	153
RC1409	48	RC1457	52	RC1560	55	ST1492	206	WD1431	153	WD1466	182	WD1552	153
RC1410	48	RC1458	53	RC1561	55	ST1494	206	WD1432	153	WD1467	160	WD1560	161
RC1411	49	RC1459	58	RC1562	55	ST1497	206	WD1433	150	WD1468	160	WD1561	161
RC1412	49	RC1460	58	RC1563	55	WD0520	207	WD1434	145	WD1469	160	WD1562	161
RC1413	49	RC1461	58	RC1564	55	WD1401	142	WD1436	145	WD1470	160	WD1563	161
RC1414	50	RC1462	58	RC1565	55	WD1402	142	WD1437	142	WD1471	160	WD1564	161
RC1415	50	RC1463	58	RC1580	51	WD1403	142	WD1438	146	WD1472	160	WD1565	161
RC1416	52	RC1467	55	RC1581	51	WD1404	146	WD1439	149	WD1473	161	WD1580	150
RC1418	51	RC1468	55	ST0500	202	WD1405	146	WD1440	156	WD1474	161	WD1581	150
RC1419	58	RC1469	55	ST0509	210	WD1406	146	WD1441	156	WD1475	161	WP2850	166
RC1425	64	RC1470	55	ST0510	204	WD1407	142	WD1442	156	WD1476	161	WP2853	166
RC1427	52	RC1471	55	ST0511	204	WD1408	146	WD1443	156	WD1477	161	WP2855	166
RC1429	53	RC1472	55	ST0512	204	WD1409	147	WD1444	156	WD1478	161	WP2858	166
RC1433	51	RC1473	55	ST0513	202	WD1410	147	WD1445	156	WD1482	158	WP2863	166
RC1434	47	RC1474	55	ST0515	209	WD1411	148	WD1446	156	WD1483	243		
RC1436	47	RC1475	55	ST0516	209	WD1412	148	WD1447	156	WD1484	242		
RC1437	46	RC1476	55	ST0517	209	WD1413	148	WD1448	156	WD1485	242		

# Legend



Colour variants



Facilitated access for children with disabilities



100% recycled HDPE



Reinforced belt fabric



Carousel platforms made of HPL



Polycarbonate (PC) panels



Composite panels



Composite posts



Steel construction and/or elements made of hot-dip galvanised and powder coated steel



HPL - the highest quality, water and UV resistant high pressure laminated panels



Connectors, screws, washers and nuts made of stainless steel and/or galvanised steel protected with plastic caps



Polypropylene (PP) or Nylon combination ropes with steel core



Stainless steel (AISI 304 or 316)  
- stainless steel structure  
- stainless handrails and rods



Anchoring options:  
- deep to the ground – 55 cm  
- to concrete with plates – 5 cm  
- to concrete with plates – 55 cm



Rubber / PP protective tops



Spinning elements



HDPE - high density polyethylene panels



Stainless steel or PE tube slides



Climbing stones



Attested stainless steel chains



UV printed PC panels



Construction made of impregnated laminated wood, post dimensions: 90 x 90 mm



Steel spring 20 mm, sand-blasted, iron phosphated and double powder coated



Stainless steel or fiberglass slides with side panels made of HDPE or HPL



Tunnels made of durable, vandal-proof, double-layered material



Certified swing seats:  
- Flat seats of rubber compound with aluminium insert  
- Toddler seats for small children with soft gripping



Platforms and climbing walls made from anti-slip and waterproof plywood or HPL HEXA panels – effective protection against environmental factors and wear-resistant

\*The colours of the products in this catalogue may not correspond to the actual ones. Vinci Group reserves the right to make any changes and upgrades of its products at any time without notice. Information provided in this catalogue was accurate at the time of printing. Vinci Group accepts no responsibility for any loss or damage caused to any person or company as a result of any error, omission or misleading information, and this catalogue does not oblige to any form of contract.

