

Yobinia

vinci
play





**Fun,
naturally**







Index:

About us	4
What makes us unique	6
Design your playground!	8
Guarantee	10
Robinia	12
About series	18
Products	28

About us

Vinci Play is a Company which brings happiness to children all around the world.


We design, manufacture, and install fully safe, aesthetically pleasing, and extremely attractive playgrounds. We opt for beautiful and imaginative designs which stimulate the child's unbridled curiosity, while encouraging kids to have fun together. Nearly 100 million girls and boys are playing joyfully on Vinci Play devices in over 60 countries around the globe. Such a vast number of parents have placed their trust in us because every day we strive to give children what they need so much – some carefree fun in a safe and friendly environment, while our customers can enjoy extremely durable, top-quality equipment covered by an unrivalled 30-year warranty. Our professional attitude makes us a reliable business partner for those companies and institutions which are looking for an accomplished playground manufacturer.

We operate globally, seeking the very best solutions on a daily basis. However, we never lose sight of what is the most important – namely, the human dimension of our work. What drives us in all of that is our passion to witness children's joy in a safe, inspiring and fabulously colourful environment.





WATCH VIDEO!



100+ mln of happy kids



High quality



Environmentally friendly Company



Distribution in over 60 countries all over the world



Advanced production processes



Up to 30 years' guarantee on components



Compliant with safety standards



ISO and TÜV certificates


What makes us unique

Advanced production processes

From design, through production, to shipping, at every stage our priorities are the highest quality and safety of the playground. In the production process we use only certified materials, and a multi-stage quality control system guarantees that all elements of the products that leave our production line meet strict safety standards. We employ the best specialists who ensure a high standard of production, reliable

customer service and professional service of devices. Modern machinery and advanced production organization enables a quick 4-week order fulfillment.

We are proud that thanks to the strict standards and quality safety procedures applied in our company, we can guarantee children, their parents or guardians carefree fun and relaxation on the playground.



**SCAN TO
SEE MORE**

Customer service

Our Customer Service Department operates on the basis of the highest standards of cooperation, confirmed by the ISO 9001:2015 certificate. The department's employees try to respond to inquiries addressed to the company in the shortest possible time and meet the expectations of even the most demanding purchasers. We guarantee cooperation based on understanding the customer's needs and full support at every stage of order execution, both during and after the warranty period.



Care for the environment

Care for the natural environment constitutes a vital aspect of our business activities. FSC® certificate number RINA-COC-000904: (licence number FSC® C163573) confirms the use of materials from properly managed FSC certified forests and other controlled sources. We follow the principles of sustainable development in all our undertakings, including the selection of contractors and suppliers. We hold the ISO 14001: 2015 certificate, which confirms the implementation of an environmental-management system.



3D Planner

Design your playground!

Design a functional and safe playground with the 3D planner application. Thanks to this user-friendly app you will be able to create several versions of the playground and choose the one you like the best in just 5 minutes. Upload a photo of the space you have at your disposal and fill it up with Vinci Play equipment. See what your new playground will look like in the morning, in the evening and during different seasons of the year. You will be able to export the created visualizations to .jpg/.png or .pdf files. Our 3D application will calculate the area needed for the installation of the Vinci Play equipment based on their safety zones, so that your modern playground can meet all the requirements of the EN 1176 standard.

For more information on the app's functionalities, please visit our website at www.vinci-play.com



2D
top view



Landform



Dimensioning of equipment
with safety zones



3D
view



Exporting files
to jpg/png



Photo implementation

**WATCH
VIDEO!**



**More information at:
vinci-play.com**



Guarantee

The highest quality of our products is ensured by experienced specialists and high-quality materials. That is why we can offer our customers a long-term guarantee of fault-free and fully safe use of our devices. We also provide post-warranty services. Orders for most spare parts are completed within 48 hours.

Selected guarantee periods:

30

30 year guarantee - Structural strength of steel and stainless steel components

15

15 year guarantee - Structural elements made of Robinia wood

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

5

5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components





**QUALITY
GUARANTEED**



Robinia

The Robinia series comes in natural Robinia wood obtained from European plantations. In the production process, we use only certified materials, and the multi-stage quality-control system ensures that all playground structures which leave our production line meet strict safety standards.





Hand made finish

Our experienced carpenters passionately hand-process and finish all wooden elements, and each piece of equipment is prepared individually. This process is complemented by modern 5D machining centers, which guarantees the details are precisely replicated. In this way, we achieve the highest quality of elements, fast implementation and high production efficiency.



Quality control

All the elements that make up the final Vinci Play equipment undergo a multi-phase and precise quality control to ensure that they comply with the EN 1176 standard. Our quality specialists use modern laboratory, as well as devices and measuring equipment to evaluate the quality of materials at every stage of production – from the acceptance of goods or components, through all manufacturing steps, all the way to packaging and preparation for shipment. Owing to regular controls and audits of our suppliers and contractors, we make sure that we cooperate only with verified companies.





Robinia - naturally

The acacia wood used in the production of the Robinia series contains many oils which protect the material very well against weather conditions, naturally preserving it against rotting processes and pests. By obtaining wood, we are sure that it comes from European plantations with FSC® certification and other controlled sources, thanks to which we care for the future in the spirit of sustainable development.


Safety standards

In order to maintain the unique and irregular nature of the acacia wood, each product is individually prepared in accordance with the safety standards. In the Robinia series, we have developed unique technical solutions ensuring compliance with the EN 1176 safety standard. The products are certified by the international certifying institution TÜV SÜD and TÜV Rheinland. In addition, our production plants undergo periodic control audits by independent certification bodies.



Safe finish

Thanks to the processing of wood by sanding, we smooth its surface, erasing any rough edges or unevenness, so we make the product not only aesthetic but also safe.



Anti-slip HPL plates

Anti-slip HPL plates are a perfect supplement used in various types of steps and small platforms. Thanks to their highest quality, they are resistant to chemical and biological factors, UV rays, and changing weather conditions. The safe anti-slip structure, subdued colours, and natural look, all perfectly harmonise with the wooden style of the series.





High-quality ropes

We use galvanised-steel ropes sheathed in polypropylene braid in the production of climbing elements. The fitted aluminium-rope connections, and safe, calibrated, stainless-steel chains, ensure the reliability of solutions and safety of use.



Durable metal parts

In order to guarantee the highest-quality and long-term use of the Robinia series, we have supplemented it with bars, slides, and other construction elements in stainless steel and hot-dip galvanised steel.





Quick and easy installation

Before shipment, all products undergo preliminary assembly in our factory to prevent jams. We have developed a special connection system, consisting of appropriate undercutting, specialised fastening, and machining holes in key places. Thanks to the clear instructions and the individual marking of the components, it is possible to install quickly and easily, without specialist knowledge and tools.



Packing and transportation

All elements are manufactured in such a way, that it is possible to transport both by road (by bus, or semi-trailer), or by sea or air. The appropriate packing of the elements optimises space and transport costs, and facilitates convenient unloading without the need for cranes or specialist equipment.

About series




The ROBINIA series is an inexhaustible source of inspiration for play for younger and older children. The variety of educational and sensory panels, as well as moving elements, stimulate in children great interest and joy.

The environmentally friendly, wooden devices in the ROBINIA series stimulate the comprehensive physical development of a child and allow a large group of children to play at the same time. Thanks to this, the child learns to establish relationships with peers, and cooperate in a group.

Over 150 playground-equipment, sports, and small architecture products fit perfectly into both the natural landscape and modern architecture.





**Produced
from natural
raw material**

**Moving
and educational
elements**

**The highest
resistance to
atmospheric
conditions**

**Supplemented
by stainless-steel
elements**



Sets for toddlers

Educational elements

Long stainless-steel slides


Safe height

Easy access for the little ones



Products for older children

Challenging elements



Themed equipment


Thematically consistent details

Secure PAH free rubber elements


Stainless-steel elements

Moving and sensory elements

Durable HPL




Activity equipment




Freestanding slides




Water and sand play




Educational equipment




Spring riders




Carousels




Swings and see-saws



Zip lines



Sport devices



Small architecture





Robinia



Destination: nature!

The ROBINIA series consists of playground equipment made of natural raw material - Robinia acacia wood, the most durable wood found in Europe. This timber is characterized by natural, bright colours, has high weather resistance, does not require impregnation and can be anchored directly in the ground.

The unique Robinia series has been designed in a comprehensive way to enable creating of an offer containing all types of playground equipment: from tower sets with many climbing elements, through spring riders, carousels and swings, to small architecture.



RB1903

Watch movie:



RB1920




RB1902



RB1901



RB1921

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1903	●	840 cm	665 cm	445 cm	6+	38	78,0 m ²	250 cm
RB1920	●	140 cm	140 cm	190 cm	1+	4	17,0 m ²	< 60 cm
RB1901	●	490 cm	190 cm	445 cm	6+	13	36,1 m ²	190 cm
RB1921	●	335 cm	140 cm	190 cm	1+	7	22,3 m ²	< 60 cm
RB1902	●	770 cm	490 cm	505 cm	6+	24	64,3 m ²	210 cm



**ROBINIA
WOOD**



New!

RB1904


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1904	●	950 cm	810 cm	445 cm	6+	44	86,8 m ²	250 cm



RB1208



RB1308



RB1209




RB1306



RB1309



RB1307

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1208	●	540 cm	385 cm	235 cm	3+	32	44,3 m ²	< 60 cm
RB1209	●	770 cm	695 cm	290 cm	3+	52	76,5 m ²	100 cm
RB1308	●	290 cm	225 cm	280 cm	3+	5	23,2 m ²	90 cm
RB1306	-	195 cm	185 cm	265 cm	3+	3	19,2 m ²	< 60 cm
RB1307	-	380 cm	215 cm	270 cm	3+	7	27,1 m ²	< 60 cm
RB1309	-	450 cm	360 cm	270 cm	3+	13	37,3 m ²	< 60 cm






RB1334



RB1301



RB1302

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1334	-	120 cm	120 cm	160 cm	1+	4	16,5 m ²	< 60 cm
RB1301	-	295 cm	195 cm	200 cm	3+	5	21,5 m ²	90 cm
RB1302	-	371 cm	326 cm	200 cm	3+	12	32,9 m ²	165 cm



RB1313



RB1305



RB1314



RB1384




RB1311



RB1315



RB1316

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1313	-	510 cm	310 cm	345 cm	5+	5	35,6 m ²	165 cm
RB1314	-	855 cm	410 cm	340 cm	5+	12	54,1 m ²	165 cm
RB1315	-	1110 cm	780 cm	370 cm	5+	21	88,9 m ²	180 cm
RB1305	-	605 cm	292 cm	250 cm	3+	6	35,6 m ²	130 cm
RB1384	-	670 cm	230 cm	230 cm	6+	5	39,5 m ²	90 cm
RB1311	-	615 cm	375 cm	250 cm	3+	18	51,0 m ²	200 cm
RB1316	-	525 cm	385 cm	280 cm	5+	16	40,0 m ²	90 cm



RB1201



RB1205



RB1202




RB1203



RB1206



RB1207


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1201	●	150 cm	150 cm	195 cm	1+	4	18,3 m ²	< 60 cm
RB1202	●	240 cm	150 cm	195 cm	1+	8	20,7 m ²	< 60 cm
RB1203	●	270 cm	270 cm	220 cm	1+	9	26,3 m ²	< 60 cm
RB1205	-	340 cm	220 cm	315 cm	2+	8	26,7 m ²	90 cm
RB1206	-	350 cm	335 cm	315 cm	2+	9	30,0 m ²	90 cm
RB1207	●	580 cm	340 cm	315 cm	2+	21	45,0 m ²	90 cm



RB1211



RB1215

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1211	●	460 cm	330 cm	375 cm	3+	10	32,2 m ²	150 cm
RB1215	-	630 cm	560 cm	435 cm	5+	22	50,2 m ²	238 cm






RB1216



RB1217

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1216	-	680 cm	680 cm	355 cm	5+	28	61,5 m ²	238 cm
RB1217	-	950 cm	890 cm	435 cm	5+	39	84,3 m ²	238 cm



RB1241



RB1243



RB1244




RB1242




RB1245



RB1246

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1241	●	275 cm	130 cm	210 cm	1+	12	22,8 m ²	< 60 cm
RB1242	●	400 cm	270 cm	290 cm	2+	11	32,7 m ²	90 cm
RB1243	●	170 cm	130 cm	135 cm	1+	10	18,3 m ²	< 60 cm
RB1244	●	170 cm	130 cm	170 cm	1+	11	18,3 m ²	< 60 cm
RB1245	●	430 cm	230 cm	170 cm	1+	25	29,3 m ²	< 60 cm
RB1246	●	830 cm	350 cm	290 cm	2+	36	52,3 m ²	90 cm




Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1231	●	490 cm	290 cm	400 cm	3+	12	29,8 m ²	90 cm
RB1232	●	320 cm	150 cm	160 cm	2+	9	22,6 m ²	110 cm
RB1234	●	400 cm	150 cm	350 cm	1+	9	25,0 m ²	110 cm
RB1235	●	370 cm	300 cm	300 cm	2+	6	28,6 m ²	110 cm
RB1233	●	590 cm	190 cm	310 cm	2+	8	33,4 m ²	110 cm
RB1236	-	320 cm	180 cm	500 cm	3+	5	22,1 m ²	150 cm
RB1237	-	820 cm	340 cm	400 cm	3+	20	49,3 m ²	90 cm




RB1238



New!



RB1239

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1238	●	850 cm	630 cm	460 cm	3+	40	76,5 m ²	150 cm
RB1239	-	750 cm	585 cm	795 cm	5+	18	75,5 m ²	300 cm



RB1247

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1247	-	1140 cm	535 cm	310 cm	3+	36	83,9 m ²	120 cm




RB1330



RB1340



RB1339

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1330	●	195 cm	75 cm	190 cm	1+	3	16,6 m ²	< 60 cm
RB1340	●	125 cm	45 cm	115 cm	1+	2	12,7 m ²	< 60 cm
RB1339	●	220 cm	75 cm	120 cm	1+	3	15,3 m ²	< 60 cm



RB1937

MODULAR SYSTEM



More configurations available on www.vinci-play.com



RB1931

New!



RB1932



RB1933



RB1934



RB1336



RB1337



RB1338



RB1345



RB1346

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1937	●	475 cm	70 cm	190cm	1+	20	25,7 m ²	< 60 cm
RB1931	●	155 cm	45 cm	190 cm	1+	5	13,5 m ²	< 60 cm
RB1932	●	155 cm	45 cm	190 cm	1+	5	13,5 m ²	< 60 cm
RB1933	●	155 cm	45 cm	190 cm	1+	5	13,5 m ²	< 60 cm
RB1934	●	155 cm	45 cm	190 cm	1+	5	13,5m ²	< 60 cm
RB1336	●	195 cm	65 cm	225 cm	2+	2	16,1 m ²	< 60 cm
RB1337	●	40 cm	25 cm	100 cm	2+	1	9,1 m ²	< 60 cm
RB1338	●	40 cm	30 cm	100 cm	2+	1	9,3 m ²	< 60 cm
RB1345	●	37 cm	22 cm	90 cm	1+	2	9,6 m ²	< 60 cm
RB1346	●	45 cm	35 cm	110 cm	1+	2	9,6 m ²	< 60 cm






RB1323



RB1324




RB1322




RB1344



RB1321



More configurations
available on www.vinci-play.com




RB1341



RB1342



RB1343

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1323	-	150 cm	30 cm	20 cm	-	-	-	-
RB1324	-	85 cm	25 cm	25 cm	-	-	-	-
RB1322	-	190 cm	160 cm	215 cm	-	-	-	-
RB1321	-	155 cm	150 cm	130 cm	-	-	-	-
RB1344	●	311 cm	309 cm	150 cm	1+	10	25,2 m ²	< 60 cm
RB1341	●	155 cm	25 cm	150 cm	1+	2	12,9 m ²	< 60 cm
RB1342	●	125 cm	20 cm	140 cm	1+	2	11,7 m ²	< 60 cm
RB1343	●	130 cm	130 cm	140 cm	1+	4	15,1 m ²	< 60 cm



RB1326



RB1347



RB0492



RB1327



RB1329



RB1328

More configurations
available on www.vinci-play.com



RB1331



RB1333

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1326	●	195 cm	150 cm	215 cm	1+	5	17,9 m ²	< 60 cm
RB1327	●	260 cm	170 cm	215 cm	1+	8	21,0 m ²	< 60 cm
RB1328	●	405 cm	195 cm	280 cm	3+	12	26,5 m ²	< 60 cm
RB1347	●	100 cm	420 cm	170 cm	3+	2	20,2 m ²	99 cm
RB0492	●	200 cm	45 cm	95 cm	1+	1	14,9 m ²	< 60 cm
RB1329	●	390 cm	245 cm	215 cm	1+	14	32,0 m ²	< 60 cm
RB1331	-	190 cm	190 cm	19 cm	1+	5	23,0 m ²	< 60 cm
RB1333	●	560 cm	560 cm	210 cm	1+	52	72,0 m ²	< 60 cm





RB2851



RB2852




RB2854



RB2856



RB2859



RB2862




MODULAR SYSTEM



RB2864

More configurations available on www.vinci-play.com

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2851	●	95 cm	80 cm	120 cm	1+	5	12,6 m ²	< 60 cm
RB2852	●	295 cm	30 cm	120 cm	1+	9	17,4 m ²	< 60 cm
RB2854	●	340 cm	90 cm	155 cm	1+	16	21,9 m ²	< 60 cm
RB2856	●	200 cm	180 cm	180 cm	1+	14	20,2 m ²	< 60 cm
RB2859	●	375 cm	315 cm	125 cm	1+	14	27,7 m ²	< 60 cm
RB2862	●	310 cm	225 cm	170 cm	1+	12	26,9 m ²	95 cm
RB2864	●	355 cm	330 cm	185 cm	1+	20	32,9 m ²	< 60 cm



RB2866



RB2867



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB2866	●	430 cm	325 cm	285 cm	1+	17	33,2 m ²	90 cm
RB2867	●	715 cm	410 cm	185 cm	1+	41	52,5 m ²	90 cm








RB1291



RB1295



Product code		Product length	Product width	Product height (A)	Age range	Number of users	Safety zone	Free-fall height	Slide height (B)	Slide length (C)	Platform height (D)
RB1290	-	160 cm	110 cm	150 cm	2+	4	16,0 m ²	< 60 cm	59 cm	94 cm	59 cm
RB1291	-	201 cm	102 cm	180 cm	2+	4	17,1 m ²	90 cm	90 cm	153 cm	90 cm
RB1292	-	250 cm	102 cm	208 cm	3+	4	18,6 m ²	120 cm	120 cm	214 cm	120 cm
RB1293	-	298 cm	102 cm	238 cm	3+	4	19,8 m ²	150 cm	150 cm	266 cm	150 cm
RB1294	-	346 cm	102 cm	267 cm	3+	5	23,4 m ²	180 cm	180 cm	319 cm	180 cm
RB1295	-	190 cm	102 cm	178 cm	3+	2	16,9 m ²	< 60 cm	90 cm	153 cm	25 cm
RB1296	-	233 cm	102 cm	208 cm	3+	2	17,8 m ²	< 60 cm	120 cm	214 cm	25 cm
RB1297	-	276 cm	102 cm	238 cm	3+	2	18,9 m ²	< 60 cm	150 cm	266 cm	25 cm
RB1298	-	319 cm	102 cm	268 cm	3+	2	19,9 m ²	< 60 cm	180 cm	319 cm	25 cm
RB1299	-	361 cm	102 cm	298 cm	3+	2	21,2 m ²	< 60 cm	210 cm	372 cm	25 cm



RB1361



RB1368



RB1367



RB1363



RB1364



RB1370



RB1362



RB1365



RB1369



RB1366



Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1361	-	73 cm	36 cm	84 cm	1+	1	10,8 m ²	< 60 cm
RB1368	-	90 cm	40 cm	85 cm	1+	1	11,0 m ²	< 60 cm
RB1367	-	85 cm	40 cm	85 cm	1+	1	10,9 m ²	< 60 cm
RB1363	-	84 cm	40 cm	84 cm	1+	1	11,1 m ²	< 60 cm
RB1370	-	100 cm	40 cm	85 cm	3+	2	11,4 m ²	< 60 cm
RB1364	-	170 cm	135 cm	80 cm	3+	4	15,9 m ²	< 60 cm
RB1362	-	81 cm	36 cm	84 cm	1+	1	10,9 m ²	< 60 cm
RB1366	-	90 cm	50 cm	85 cm	1+	1	11,7 m ²	< 60 cm
RB1365	-	325 cm	22 cm	59 cm	1+	6	18,8 m ²	< 60 cm
RB1369	●	97 cm	97 cm	47 cm	3+	3	12,4 m ²	< 60 cm



RB1372




RB1373



RB1375



RB0700

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1372	-	120 cm	120 cm	73 cm	3+	4	21,3 m ²	73 cm
RB1373	-	150 cm	150 cm	68 cm	3+	8	23,8 m ²	100 cm
RB1375	-	255 cm	20 cm	150 cm	3+	3	16,7 m ²	< 60 cm
RB0700	-	50 cm	50 cm	45 cm	3+	3	15,9 m ²	100 cm



RB1351

RB1352



RB0514




RB0510



RB0511




RB0512



Available seats:



More configurations available on www.vinci-play.com

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1351	-	320 cm	64 cm	96 cm	3+	2	13,4 m ²	99 cm
RB1352	-	410 cm	64 cm	96 cm	3+	4	15,9 m ²	99 cm
RB0514	-	125 cm	25 cm	145 cm	1+/3+	1	11,9 m ²	< 60 cm
RB0510	-	20 cm	170 cm	180 cm	1+/3+	1	11,4 m ²	99 cm
RB0511	-	20 cm	320 cm	180 cm	1+/3+	2	21,2 m ²	99 cm
RB0512	-	20 cm	470 cm	180 cm	1+/3+	3	31,0 m ²	99 cm



Available suspensions:

Anti-wrap



Standard




RB1421

Available seats:



RB0520



More configurations available on www.vinci-play.com



RB1422




RB1491



RB1497



RB0517

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1421	-	205 cm	260 cm	238 cm	1+/3+	1	13,0 m ²	130 cm
RB1422	-	205 cm	370 cm	238 cm	1+/3+	2	21,5 m ²	130 cm
RB1491	-	207 cm	556 cm	238 cm	1+/3+	3	35,2 m ²	130 cm
RB1497	●	205 cm	581 cm	238 cm	3+	14	37,0 m ²	130 cm
RB0520	-	210 cm	270 cm	240 cm	1+	2	13,0 m ²	175 cm
RB0517	●	250 cm	355 cm	300 cm	3+	1	18,1 m ²	145 cm



RB1492



RB1494



RB1424

MODULAR SYSTEM



More configurations available on www.vinci-play.com




RB1423




RB0513



RB0515



RB0521-1

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1492	●	205 cm	512 cm	238 cm	1+/3+	8	31,8 m ²	130 cm
RB1494	●	205 cm	625 cm	238 cm	1+/3+	9	40,3 m ²	130 cm
RB1424	-	205 cm	670 cm	238 cm	1+/3+	4	42,5 m ²	130 cm
RB1423	●	205 cm	327 cm	238 cm	3+	7	18,1 m ²	130 cm
RB0513	●	100 cm	310 cm	180 cm	3+	7	15,5 m ²	105 cm
RB0515	-	650 cm	620 cm	240 cm	1+/3+	5	46,5 m ²	130 cm
RB0521-1	-	500 cm	320 cm	280 cm	3+	4	13,6 m ²	130 cm



RB1251



RB1252



RB1259



RB1258




RB1269



RB1270



RB1253

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1251	-	20 cm	20 cm	30 cm	1+	1	8,3 m ²	< 60 cm
RB1252	-	100 cm	50 cm	35 cm	1+	2	12,1 m ²	< 60 cm
RB1259	-	180 cm	65 cm	30 cm	3+	5	15,0 m ²	< 60 cm
RB1258	-	274 cm	19 cm	40 cm	3+	6	17,3 m ²	< 60 cm
RB1269	-	200 cm	60 cm	30 cm	2+	8	14,6 m ²	< 60 cm
RB1270	-	119 cm	110 cm	90 cm	1+	5	15,2 m ²	< 60 cm
RB1253	-	200 cm	30 cm	50 cm	6+	3	14,6 m ²	< 60 cm



RB1278



RB1254



RB1255



RB1283



RB1257



RB1256




RB1284



RB1263



RB1267




RB1264



RB1265



RB1266

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1278	-	226 cm	70 cm	25 cm	3+	5	17,1 m ²	< 60 cm
RB1283	-	450 cm	140 cm	115 cm	4+	4	31,1 m ²	115 cm
RB1284	-	210 cm	75 cm	210 cm	4+	4	23,8 m ²	210 cm
RB1254	-	400 cm	20 cm	50 cm	3+	7	21,1 m ²	< 60 cm
RB1255	-	300 cm	20 cm	50 cm	3+	6	18,5 m ²	< 60 cm
RB1257	-	630 cm	290 cm	59 cm	3+	16	34,5 m ²	< 60 cm
RB1256	-	500 cm	170 cm	59 cm	3+	11	25,7 m ²	< 60 cm
RB1263	-	319 cm	118 cm	95 cm	3+	12	23,9 m ²	80 cm
RB1267	-	180 cm	100 cm	200 cm	4+	6	22,1 m ²	190 cm
RB1264	-	190 cm	89 cm	155 cm	3+	4	15,6 m ²	126 cm
RB1265	-	261 cm	159 cm	155 cm	3+	6	17,8 m ²	126 cm
RB1266	-	169 cm	75 cm	138 cm	3+	6	16,5 m ²	120 cm



RB1228



RB1227



RB1229




RB1289



RB1261



RB1357

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1228	-	210 cm	50 cm	200 cm	2+	10	15,9 m ²	< 60 cm
RB1227	-	220 cm	70 cm	200 cm	2+	10	15,9 m ²	< 60 cm
RB1229	-	260 cm	210 cm	330 cm	2+	8	21,9 m ²	< 60 cm
RB1289	-	175 cm	150 cm	285 cm	3+	9	16,8 m ²	< 60 cm
RB1261	-	215 cm	60 cm	195 cm	3+	5	15,1 m ²	< 60 cm
RB1357	-	215 cm	130 cm	350 cm	3+	11	17,5 m ²	< 60 cm





New!



RB1286



RB1250



RB1279



RB1262



RB1260



RB1274



RB1272



RB1271




RB1287



RB1280



RB1273

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1286	-	360 cm	125 cm	105 cm	6+	8	26,1 m ²	< 60 cm
RB1250	-	190 cm	130 cm	115 cm	2+	3	19,0 m ²	< 60 cm
RB1279	-	225 cm	125 cm	99 cm	2+	3	20,4 m ²	99 cm
RB1262	-	206 cm	116 cm	238 cm	5+	6	21,3 m ²	238 cm
RB1260	-	250 cm	140 cm	130 cm	3+	4	20,7 m ²	< 60 cm
RB1274	-	324 cm	200 cm	117 cm	3+	16	29,7 m ²	117 cm
RB1272	-	375 cm	50 cm	160 cm	3+	7	21,7 m ²	< 60 cm
RB1271	-	250 cm	40 cm	150 cm	3+	5	17,2 m ²	< 60 cm
RB1287	-	245 cm	70 cm	155 cm	4+	2	18,2 m ²	< 60 cm
RB1280	-	515 cm	475 cm	170 cm	4+	6	45,9 m ²	83 cm
RB1273	-	475 cm	290 cm	180 cm	3+	11	30,8 m ²	90 cm



RB1282



RB1312



RB1281



RB1310



RB1288



RB1285




RB1275



RB1276



RB1277

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1282	-	347 cm	43 cm	220 cm	3+	10	20,6 m ²	120 cm
RB1281	●	335 cm	320 cm	115 cm	3+	8	30,3 m ²	115 cm
RB1312	-	444 cm	441 cm	240 cm	5+	22	53,5 m ²	240 cm
RB1310	-	281 cm	232 cm	200 cm	4+	11	33,2 m ²	200 cm
RB1288	-	295 cm	130 cm	100 cm	4+	6	23,7 m ²	77 cm
RB1285	-	175 cm	83 cm	175 cm	3+	3	18,7 m ²	175 cm
RB1275	-	314 cm	253 cm	110 cm	3+	14	27,2 m ²	110 cm
RB1276	-	191 cm	185 cm	110 cm	3+	4	19,6 m ²	110 cm
RB1277	-	230 cm	230 cm	200 cm	4+	10	32,0 m ²	190 cm



MODULAR SYSTEM



New!




RB1420



RB1380



More configurations available on www.vinci-play.com

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1420	-	260 cm	290 cm	200 cm	3+	18	32,8 m ²	190 cm
RB1380	●	170 cm	170 cm	50 cm	4+	6	20,2 m ²	< 60 cm



RB1385

Available length:
20 m, 30 m, 40 m



RB1386


Available length:
20 m, 30 m, 40 m



RB1385H



RB1386H

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1385	-	2465 cm	340 cm	400 cm	5+	1	84,4 m ²	175 cm
RB1386	-	2440 cm	310 cm	400 cm	5+	2	133,4 m ²	175 cm
RB1385H	-	2465 cm	340 cm	400 cm	5+	1	84,4 m ²	85 cm
RB1386H	-	2440 cm	265 cm	400 cm	5+	2	133,4 m ²	85 cm





RB1353



RB1354



RB1358




RB1359




RB1355




RB1356



RB1268



RB1360

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1353	-	360 cm	45 cm	445 cm	3+	6	20,8 m ²	< 60 cm
RB1354	-	235 cm	115 cm	145 cm	3+	4	20,3 m ²	< 60 cm
RB1358	-	425 cm	20 cm	210 cm	3+	8	21,3 m ²	125 cm
RB1359	-	400 cm	20 cm	290 cm	3+	7	20,5 m ²	< 60 cm
RB1355	-	440 cm	160 cm	130 cm	3+	6	32,1 m ²	< 60 cm
RB1356	-	240 cm	235 cm	140 cm	3+	3	27,0 m ²	< 60 cm
RB1268	-	275 cm	65 cm	120 cm	3+	5	19,4 m ²	< 60 cm
RB1360	-	275 cm	70 cm	235 cm	3+	5	19,4 m ²	< 60 cm


MODULAR SYSTEM



RB1218

RB1219

RB1221



Customise your own obstacle course

New!

RB1220

More configurations available on www.vinci-play.com



RB1951


RB1952

RB1953

RB1954

RB1955

RB1956

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1218	-	860 cm	50 cm	190 cm	3+	16	38,6 m ²	< 60 cm
RB1219	-	1060 cm	280 cm	195 cm	3+	24	53,5 m ²	< 60 cm
RB1221	-	1195 cm	195 cm	190 cm	3+	23	55,9 m ²	< 60 cm
RB1220	-	1380 cm	565 cm	190 cm	3+	51	106,3 m ²	< 60 cm
RB1951	-	230 cm	40 cm	175 cm	3+	2	15,9 m ²	< 60 cm
RB1952	-	200 cm	100 cm	130 cm	3+	3	18,0 m ²	< 60 cm
RB1953	-	245 cm	85 cm	125 cm	3+	3	18,9 m ²	< 60 cm
RB1954	-	210 cm	20 cm	185 cm	3+	1	14,4 m ²	< 60 cm
RB1955	-	185 cm	20 cm	185 cm	3+	3	13,6 m ²	< 60 cm
RB1956	-	190 cm	40 cm	175 cm	3+	3	14,6 m ²	< 60 cm

More configurations
available on www.vinci-play.com

**MODULAR
SYSTEM**



**Customise your own
obstacle course**

New!



RB1957


RB1958


RB1959

RB1960

RB1961

RB1962


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1224	-	1330 cm	940 cm	295 cm	6+	62	130,9 m ²	200 cm
RB1223	-	940 cm	510 cm	295 cm	3+	42	82,8 m ²	190 cm
RB1222	-	1225 cm	520 cm	245 cm	5+	46	98,9 m ²	190 cm
RB1957	-	300 cm	25 cm	240 cm	3+	2	17,4 m ²	< 60 cm
RB1958	-	340 cm	35 cm	270 cm	3+	3	19,4 m ²	< 60 cm
RB1959	-	305 cm	50 cm	260 cm	3+	3	19,0 m ²	< 60 cm
RB1960	-	320 cm	75 cm	215 cm	3+	3	21,3 m ²	100 cm
RB1961	-	370 cm	70 cm	200 cm	3+	3	26,4 m ²	170 cm
RB1962	-	245 cm	25 cm	300 cm	3+	4	18,7 m ²	170 cm




RB1319



New!



RB1379


Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1319	-	780 cm	690 cm	240 cm	3+	49	75,4 m ²	200 cm
RB1379	-	890 cm	530 cm	380 cm	5+	50	83,0 m ²	210 cm




RB1381



RB1382



RB1383

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1381	-	270 cm	270 cm	255 cm	3+	10	30,6 m ²	99 cm
RB1382	-	310 cm	310 cm	305 cm	3+	14	35,3 m ²	99 cm
RB1383	-	700 cm	700 cm	450 cm	3+	44	78,5 m ²	100 cm





RB1124



RB1123



RB1125



RB1122



RB1104



RB1105




RB1106



RB1113

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB1124	●	80 cm	85 cm	190 cm	14+	140 kg	12,7 m ²	< 60 cm	-	-	●	-
RB1123	●	90 cm	65 cm	125 cm	14+	140 kg	12,3 m ²	< 60 cm	-	-	●	-
RB1125	●	100 cm	100 cm	190 cm	14+	140 kg	14,1 m ²	< 60 cm	-	-	●	-
RB1122	●	90 cm	70 cm	145 cm	14+	140 kg	12,5 m ²	< 60 cm	-	-	●	-
RB1104	●	75 cm	74 cm	178 cm	14+	140 kg	13,0 m ²	< 60 cm	-	-	●	-
RB1105	●	93 cm	90 cm	178 cm	14+	140 kg	13,4 m ²	< 60 cm	-	-	●	-
RB1106	●	140 cm	65 cm	141 cm	14+	140 kg	18,2 m ²	< 60 cm	-	-	●	-
RB1113	●	218 cm	133 cm	145 cm	14+	140 kg	20,5 m ²	112 cm	-	-	●	-

Watch movie:



RB1116



RB1117



RB1112



RB1108



RB1111



RB1114



RB1109



RB1110



RB1198

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB1116		188 cm	79 cm	178 cm	14+	140 kg	16,5 m ²	< 60 cm	-	-		-
RB1117		89 cm	70 cm	155 cm	14+	140 kg	12,5 m ²	< 60 cm	-	-		-
RB1112		85 cm	73 cm	145 cm	14+	140 kg	12,4 m ²	< 60 cm	-	-		-
RB1108		84 cm	70 cm	155 cm	14+	140 kg	12,3 m ²	< 60 cm	-	-		-
RB1111		119 cm	51 cm	143 cm	14+	140 kg	13,6 m ²	89 cm	-	-		-
RB1114		78 cm	73 cm	155 cm	14+	140 kg	12,2 m ²	< 60 cm	-	-		-
RB1109		89 cm	47 cm	139 cm	14+	140 kg	11,6 m ²	< 60 cm	-	-		-
RB1110		85 cm	66 cm	174 cm	14+	140 kg	12,2 m ²	< 60 cm	-	-		-
RB1198	-	20 cm	22 cm	95 cm	-	-	-	-	-	-		-



RB2301



RB2302



RB2303



RB2304



RB2307



RB2308



RB2305



RB2306



RB2309



RB2310



RB2313



RB2312



RB2311

Product code	Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options	
								steel	inox	robinia		
RB2301	-	198 cm	69 cm	72 cm	14+	140 kg	16,4 m ²	72 cm	-	-	●	-
RB2302	-	198 cm	75 cm	130 cm	14+	140 kg	16,7 m ²	112 cm	-	-	●	-
RB2303	-	198 cm	131 cm	130 cm	14+	140 kg	19,5 m ²	112 cm	-	-	●	-
RB2304	-	354 cm	19 cm	138 cm	14+	140 kg	19,0 m ²	127 cm	-	-	●	-
RB2305	-	153 cm	89 cm	90 cm	14+	140 kg	14,7 m ²	< 60 cm	-	-	●	-
RB2306	-	160 cm	89 cm	90 cm	14+	140 kg	14,9 m ²	< 60 cm	-	-	●	-
RB2307	-	175 cm	18 cm	250 cm	14+	140 kg	14,0 m ²	130 cm	-	-	●	-
RB2308	-	242 cm	19 cm	250 cm	14+	140 kg	26,4 m ²	231 cm	-	-	●	-
RB2309	-	130 cm	19 cm	250 cm	14+	140 kg	21,4 m ²	229 cm	-	-	●	-
RB2310	-	131 cm	20 cm	250 cm	14+	140 kg	21,3 m ²	230 cm	-	-	●	-
RB2313	●	129 cm	18 cm	250 cm	14+	140 kg	12,3 m ²	126 cm	-	-	●	-
RB2312	-	128 cm	90 cm	351 cm	14+	140 kg	27,0 m ²	249 cm	-	-	●	-
RB2311	-	157 cm	128 cm	347 cm	14+	140 kg	30,9 m ²	245 cm	-	-	●	-



RB2314



RB2315




RB2322

New!



RB2323

Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB2314	-	241 cm	129 cm	250 cm	14+	140 kg	22,1 m ²	139 cm	-	-	●	-
RB2315	-	242 cm	59 cm	250 cm	14+	140 kg	17,9 m ²	139 cm	-	-	●	-
RB2322	●	345 cm	30 cm	245 cm	14+	140 kg	19,3 m ²	130 cm	-	-	●	-
RB2323	-	358 cm	241 cm	250 cm	14+	140 kg	34,7 m ²	230 cm	-	-	●	-



RB2324



RB2325



RB2326



RB2327



RB2329





RB2328



RB2399



Product code		Product length	Product width	Product height	Age range	Max. weight of user	Safety zone	Free-fall height	Construction			Colour options
									steel	inox	robinia	
RB2324	-	468 cm	384 cm	250 cm	14+	140 kg	42,2 m ²	228 cm	-	-	●	-
RB2325	-	494 cm	464 cm	347 cm	14+	140 kg	52,3 m ²	245 cm	-	-	●	-
RB2326	-	554 cm	352 cm	250 cm	14+	140 kg	57,8 m ²	228 cm	-	-	●	-
RB2327	-	619 cm	508 cm	255 cm	14+	140 kg	68,2 m ²	228 cm	-	-	●	-
RB2328	-	798 cm	607 cm	347 cm	14+	140 kg	92,4 m ²	245 cm	-	-	●	-
RB2329	-	1150 cm	798 cm	351 cm	14+	140 kg	144,7 m ²	249 cm	-	-	●	-
RB2399	-	109 cm	20 cm	210 cm	-	-	-	-	-	-	●	-



0987

0988

0989

More configurations available on www.vinci-play.com



RB1387



RB1389



RB1388



RB1350



RB1349



RB1391



RB1348



RB1395



RB1399



RB1392




RB1390



RB1394



RB1393

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1387	-	475 cm	420 cm	240 cm	-	-	-	-
RB1388	-	480 cm	480 cm	240 cm	-	-	-	-
RB1389	-	930 cm	575 cm	340 cm	-	-	-	-
RB1350	-	189 cm	92 cm	70 cm	-	-	-	-
RB1349	-	210 cm	180 cm	40 cm	-	-	-	-
RB1348	-	216 cm	207 cm	160 cm	-	-	-	-
RB1391	-	161 cm	61 cm	80 cm	-	-	-	-
RB1392	-	150 cm	44 cm	43 cm	-	-	-	-
RB1390	-	155 cm	60 cm	85 cm	-	-	-	-
RB1395	-	37 cm	30 cm	76 cm	-	-	-	-
RB1399	-	50 cm	20 cm	180 cm	-	-	-	-
RB1394	-	150 cm	75 cm	75 cm	-	-	-	-
RB1393	-	150 cm	170 cm	75 cm	-	-	-	-



RB1396



RB1398



RB1397



RB0941



RB0943



RB0946



RB0951




RB0952



RB0953



RB0949

Product code		Product length	Product width	Product height	Age range	Number of users	Safety zone	Free-fall height
RB1396	-	180 cm	14 cm	90 cm	-	-	-	-
RB1398	-	133 cm	19 cm	110 cm	-	-	-	-
RB1397	-	168 cm	20 cm	110 cm	-	-	-	-
RB0941	-	100 cm	105 cm	5 cm	-	-	-	-
RB0943	-	340 cm	25 cm	35 cm	-	-	-	-
RB0946	-	340 cm	25 cm	65 cm	-	-	-	-
RB0949	-	345 cm	25 cm	95 cm	-	-	-	-
RB0951	-	20 cm	20 cm	150 cm	-	-	-	-
RB0952	-	20 cm	20 cm	210 cm	-	-	-	-
RB0953	-	20 cm	20 cm	300 cm	-	-	-	-

Characteristics of the ROBINIA series:



Robinia wood construction



Stainless steel elements



HPL panels



Stainless steel slides



Ropes with steel core



Polycarbonate (PC) panels



Durable connectors





**vinci
play**

9 Seminaryjna St.
99-400 Łowicz, Poland

e-mail: info@vinci-play.com
mob: +48 793 404 991 / +48 780 047 378
tel: +48 (42) 203 24 99 ext. 22 or 26
fax: +48 (22) 300 15 91

www.vinci-play.com