












Product	Render	Specification	Qt	Notes
RB1233		<p>D10 P10 C11HL8 T3-Z8 RB1 K29</p> <p>D10 robinia</p> <p>P10 Platform from robinia planks</p> <p>C11HL8 C11 colour variant, HPL panels, steel rope braided with polypropylene (beige)</p> <p>T3-Z8 AISI 304 screws, gray plugs with Vinci logo</p> <p>RB1 Set of tools for Robinia (4 pieces)</p> <p>K29 Anchoring in ground - 100 cm</p>	1	
WD1506		<p>D1 M3M2 P2P6 C11EL5 S1ES13E K1</p> <p>D1 impregnated laminated wood of pine</p> <p>M3M2 stainless steel 304</p> <p>P2P6 platforms & chalkboard - waterproof plywood</p> <p>C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue)</p> <p>S1ES13E Standard (HDPE, INOX)</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
0801-1		<p>M5 C11E K1</p> <p>M5 hot dip galvanising (s)</p> <p>C11E C11 colour variant, HDPE panels</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1560		<p>D1 C3H K1</p> <p>D1 impregnated laminated wood of pine</p> <p>C3H HPL panels C3</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	
WD1561		<p>D1 C3H K1</p> <p>D1 impregnated laminated wood of pine</p> <p>C3H HPL panels C3</p> <p>K1 Anchoring in ground - 55 cm (standard)</p>	1	

Product	Render	Specification	Qt	Notes
WD1562		D1 C3H K1 D1 impregnated laminated wood of pine C3H HPL panels C3 K1 Anchoring in ground - 55 cm (standard)	1	
0812		M1 P1 C1H K1 M1 powder galvanising & powder coating P1 HPL platforms C1H C1 colour variant, HPL panels K1 Anchoring in ground - 55 cm (standard)	1	
0830		M1M3 P1 C11E S1E K3 M1M3 powder galvanising & powder coating P1 HPL platforms C11E C11 colour variant, HDPE panels S1E Standard (HDPE, INOX) K3 anchoring with plates - 5 cm	1	
0409		M5 P2 K1 M5 hot dip galvanising P2 anti slip & waterproof plywood K1 Anchoring in ground - 55 cm (standard)	2	
0414-1		M1M2M5 P1 C13HL1 K1 M1M2M5 powder galvanising & powder coating P1 HPL platforms C13HL1 C3 colour variant, HPL panels (black), steel rope braided with nylon (black) K1 Anchoring in ground - 55 cm (standard)	1	
0207		M2M3 P1 C11EL5 S6E K3 M2M3 hot dip galvanising & powder coating P1 HPL platforms C11EL5 C11 colour variant, HDPE panels, steel rope braided with polypropylene (blue) S6E HDPE/ fiberglass K3 anchoring with plates - 5 cm	1	

Product	Render	Specification	Qt	Notes
ST0531		M1M3 C12H N14Ci T3Z12 K3 M1M3 powder galvanising & powder coating C12H C12 colour variant, HPL panels N14Ci C8 colour variant (lime) T3Z12 AISI 304 screws, black HDPE plugs K3 anchoring with plates - 5 cm	1	
WD1421-1		D1 M2G3 G4.1 C2 K3 R1 D1 impregnated laminated wood of pine M2G3 hot dip galvanising & powder coating G4.1 stainless steel chain 316 with cover C2 C2 colour variant K3 anchoring with plates - 5 cm R1 Flat seat	1	
0711		M2 C0 K25 M2 hot dip galvanising & powder coating C0 C11 colour variant K25 Anchoring in ground - 80 cm	1	
1605		M2G3 L6 K23 M2G3 hot dip galvanising & powder coating L6 C3 colour variant, steel rope braided with polypropylene (black) K23 Anchoring in ground - 70 cm	1	
1606		M2G3 L6 K23 M2G3 hot dip galvanising & powder coating L6 C3 colour variant, steel rope braided with polypropylene (black) K23 Anchoring in ground - 70 cm	1	
1608		M2G3 L6 K23 M2G3 hot dip galvanising & powder coating L6 C3 colour variant, steel rope braided with polypropylene (black) K23 Anchoring in ground - 70 cm	1	

Product	Render	Specification	Qt	Notes
1112		M1 C13H N15N13 T3Z10 K3 M1 powder galvanising & powder coating C13H C13 colour variant, HPL panels N15N13 C16 colour variant (khaki) T3Z10 AISI 304 screws, black HDPE plugs K3 Anchoring with plates - 5cm	1	
2004		M5 K4 M5 hot dip galvanising K4 Anchoring at the ground level	2	
0910		M1 C2E K1 M1 powder galvanising & powder coating C2E C2 colour variant, HDPE panels K1 Anchoring in ground - 55 cm (standard)	5	
0913		M5 C11E K3 M5 hot dip galvanising C11E C11 colour variant, HDPE panels K3 anchoring with plates - 5 cm	9	

CONSTRUCTION

D10	robinia
D1	impregnated laminated wood of pine
M5	hot dip galvanising
M1	powder galvanising & powder coating
M1M3	powder galvanising & powder coating
M2	hot dip galvanising & powder coating

ANCHORING

K29	Anchoring in ground - 100 cm
K1	Anchoring in ground - 55 cm (standard)
K3	anchoring with plates - 5 cm
K25	Anchoring in ground - 80 cm
K23	Anchoring in ground - 70 cm
K4	Anchoring at the ground level

PLATFORMS

P1	HPL platforms
P2	anti slip & waterproof plywood

PANELS

C1H	C1 colour variant, HPL panels
C2E	C2 colour variant, HDPE panels

SLIDE

S1E	Standard (HDPE, INOX)
------------	-----------------------

COLOUR

C2	C2 colour variant
C0	C11 colour variant

SWING SEATS

R1	Flat seat
-----------	-----------